THERE IS NO WARRANTY FOR THE DESIGN MATERIALS, TO THE EXTENT PERMITTED BY

APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS

AND/OR OTHER PARTIES PROVIDE THE DESIGN MATERIALS "AS IS" WITHOUT WARRANTY OF

ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED


WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE


RISK AS TO THE QUALITY AND PERFORMANCE OF THE DESIGN MATERIALS IS WITH YOU.


SHOULD THE DESIGN MATERIALS PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY


SERVICING, REPAIR OR CORRECTION


www.zedboard.org















































ayer lame	Gerber Document	Copper Thickness	Dielectric Height	Dielectric Material	Dielectric Constant	Dielectric Type
Top Solder Mask	(.GTS)		0.0102mm	Solder Resist	3.50	
Top Layer	(.GTL)	0.0356mm				
GND2	(.GP1)	0.0356mm	O.1 mm	FR-4	4.80	Core
3102	(10-1)	0.0000	0.125mm	FR-4	4.80	PrePreg
Mid-Layer 1	(.G1)	0.017mm				
Mid-Lauer 2	(.G2)	0.017mm	0.125mm	FR-4	4.80	Core
no coger z	(102)	0.017	0.125mm	FR-4	4.80	PrePreg
POWER1	(.GP2)	0.0356mm				
POWER2	(.GP3)	0.0356mm	0.35mm	FR-4	4.80	Core
			O.125mm	FR-4	4.80	PrePreg
MidLayer3	(.G3)	0.017mm	0.405	50.4		
Mid-Layer 4	(.G4)	0.017mm	0.125mm	FR-4	4.80	Core
•			0.125mm	FR-4	4.80	PrePreg
GND7	(.GP4)	0.0356mm	O.1mm	ED 4	4.00	Core
Bottom Layer	(.GBL)	0.0356mm	O. I mw	FR-4	4.80	core
•						
Bottom Solder Mask	(.GBS)		0.0102mm	Solder Resist	3.50	

