

# SPHY Monistic Core: Audit Manual and External Validation

Technical Guide for Researchers and Peer-Review Panels

**Deywe Okabe**

Harpia Quantum Deep Tech  
Black Swan Research

June 2026

## Abstract

This technical document provides detailed instructions for independent researchers and auditors on how to interact, extract, and validate simulation datasets generated by the **SPHY Monistic Core**. The SPHY ecosystem employs a monistic field formulation where classical electromagnetic gauge fields emerge as localized geometric subproducts of the underlying elastic gravitational fabric ( $\mathcal{G}$ ). The framework was engineered within a black-box architecture to protect the proprietary non-linear frequency coupling algorithm while simultaneously providing empirical proofs and exact symmetries via a SHA-512 signed immutable cryptographic ledger.

## 1 Introduction and Physical Foundations

The SPHY framework replaces the traditional pluralistic view of the quantum vacuum with a unified field postulate. The fundamental medium is the Gravitational Fabric ( $\mathcal{G}$ ), endowed with an intrinsic elastic rigidity regulated by Newton's constant  $G$ . Macroscopic electromagnetic fields are derived directly from this geometry:

- **Electric Field ( $\mathbf{E}$ ):** Localized linear pressure/density gradient ( $\mathbf{E} \equiv -\nabla\Phi_g$ ).
- **Magnetic Field ( $\mathbf{B}$ ):** Rotational shear torsion wavefront ( $\mathbf{B} \equiv \frac{1}{\sqrt{G}}\nabla \times \mathbf{v}_g$ ).

The observed collapse of Ohmic resistance ( $\lim R_{\text{ohmic}} \rightarrow 0$ ) occurs when the feedback engine induces a phase resonance between charge carriers and the elastic spacetime lattice, bypassing classical thermal losses into the strain energy of the fabric itself.

## 2 Mathematical Formalism: Effective Hamiltonian

To allow for academic scrutiny without revealing the internal non-linear dynamical differential equations of the feedback loop, the system's state space is mapped onto the external layer via a global **Effective Hamiltonian** ( $\mathcal{H}_{\text{eff}}$ ):

$$\mathcal{H}_{\text{eff}} = \int d^3x \left[ \frac{1}{2} \left( \varepsilon_0 \mathbf{E}^2 + \frac{1}{\mu_0} \mathbf{B}^2 \right) + \frac{1}{16\pi G} R_{\text{Ricci}} + \Gamma_{\text{eff}}(G, \Omega_{\text{res}}) \cdot (\mathbf{E} \cdot \mathbf{B}) \right] \quad (1)$$

Where:

- $\frac{1}{2} \left( \varepsilon_0 \mathbf{E}^2 + \frac{1}{\mu_0} \mathbf{B}^2 \right)$  represents the standard Maxwellian electromagnetic energy density tensor.

- $\frac{1}{16\pi G}R_{\text{Ricci}}$  represents the Einstein-Hilbert action density for the localized scalar curvature of spacetime ( $R_{\text{Ricci}}$ ).
- $\Gamma_{\text{eff}}(G, \Omega_{\text{res}})$  denotes the **Effective Gauge Coupling Operator**. This operator dictates how local electromagnetic strain is transferred to the elastic fabric based on the phase alignment vector ( $\Omega_{\text{res}}$ ).

### 3 API Server Access and Data Generation

The main simulation engine is hosted and executed in the cloud. Researchers can interact with the dynamic simulation by injecting stochastic noise and altering geometric parameters through the official web dashboard:

<https://sphywow1977.streamlit.app/>

**CRITICAL OPERATIONAL NOTE:** The server is configured to enter a temporary hibernation (\*sleep\*) mode after periods of inactivity to conserve quantum processing resources. If the interface appears frozen or unavailable, locate **\*\*Module 9 (SPHY Monistic Core, highlighted in blue)\*\*** and click the activation button to wake up the server container and instantly restore data streaming.

Within the dashboard, the panel allows simulations up to 1200 continuous frames. Following execution, the researcher must click on **"Baixar Dados Completos da Malha"** (Download Complete Mesh Data) to export the immutable, dense tabular file named `sphy_monistic_spacetime.parquet`.

### 4 External Audit Suite Installation

The black-box verification tools suite is publicly available on the project's official GitHub repository. Downloading and initializing the local environment on Linux systems (Ubuntu/Pop!\_OS) must follow the protocol below:

```
1 # Clone the external audit repository
2 git clone https://github.com/deywe/sphy_monistic_field.git
3 cd sphy_monistic_field
4
5 # Install required mathematical dependencies
6 pip install -r requirements.txt
```

Listing 1: Cloning Protocol and Environment Setup

The `requirements.txt` file provided in the repository configures the following minimum versions necessary for tensor processing and graphical rendering:

Table 1: Audit Environment Dependencies

| Library    | Minimum Version |
|------------|-----------------|
| numpy      | $\geq 1.22.0$   |
| pandas     | $\geq 1.4.0$    |
| pyarrow    | $\geq 7.0.0$    |
| matplotlib | $\geq 3.5.0$    |
| plotly     | $\geq 5.6.0$    |

### 5 Available Validation Modules and Execution

After placing the exported `sphy_monistic_spacetime.parquet` file into the root directory of the cloned repository, the auditor can run three independent black-box diagnostic analyses:

### 5.1 1. Gauss-Bonnet Topological Auditor (`sphy_topological_auditor.py`)

This module focuses on proving the system’s stability against numerical rounding errors and grid leakage by integrating global curvature ( $\chi$ ). Within the generated graphical interface, while local Ricci density fluctuations oscillate violently, the global Gauss-Bonnet topological invariant integral remains perfectly flat and cravada on a stable integer line.

```
1 python sphy_topological_auditor.py
```

### 5.2 2. Noether Tensor Conservation Auditor (`sphy_noether_auditor.py`)

This module reconstructs the full Stress-Energy Tensor ( $T^{\mu\nu}$ ) using exclusively the static matrices stored inside the Parquet dataset and calculates local divergence along the temporal Killing Vector ( $\xi^\mu = \partial_t$ ). It demonstrates graphically that the net divergence ( $\nabla_\mu T^{\mu\nu}$ ) is strictly null (0.0000000000000000), proving that the zero-resistance profile fully satisfies the local conservation constraints of General Relativity.

```
1 python sphy_noether_auditor.py
```

### 5.3 3. Continuous 3D Manifold Reconstructor (`sphy_3d_spacetime_auditor.py`)

Launches an interactive, Plotly-based canvas directly inside the researcher’s local browser. It allows for layer isolation, 3D coordinate rotation, and deep visual inspections of the continuous entangling between  $\mathcal{G}$ ,  $\mathbf{E}$ , and  $\mathbf{B}$  along the entire simulated time horizon.

```
1 python sphy_3d_spacetime_auditor.py
```