

Replacement Tags for Images

Notice:

All Image Replacement Tags will be linked to the Images in the Picture directory in the standard settings. So if you want to link to a picture in another directory you need to edit the link.

{IMAGE:../content/images/picture.gif}

[
img=ID.FORMATxWxHxCROPxQUALITY ALT-Text]TITEL-Text[/img]

Use:

Creates an -Tag with the choosen Image file.

Creates an image from filecenter (img ID) using the dimension, cropping, quality and alt/title-text. (since V1.3.9).

Notation:

[img=ID.FORMATxWxHxCROPxQUALITY
ALT-Text]TITLE-Text[/img]

Result:

Remark:

Short form: [img=ID.FORMATxWxHxCROPxQUALITY]

[^ TOP](#)

{
IMAGE:Imagename}

Example:

[img=1367.gifx200x200x0x80 euroboard]Europe[/img]

Use:

Output of the picture with ID 1367 as GIF and
Creates an -Tag with the choosen Image file.

Notation:

downsized proportional to max. 200px width / 200px
{ IMAGE:icon/DateiDownload.jpg}

Result:

height, no cropping using quality 80, alt-text

Remark:

euroboard and the title text "Europe".

The directory icon is an Subdirectory of picture.

The complete path in in this case:

www.my-domain.de/picture/icon/DateiDownload.jpg

[^ TOP](#)

{
IMAGE_LEFT:imagename}

Use:

Creates an *-Tag* with the choosen Image file.

The Image will be *align left*.

Notation:

{ IMAGE_LEFT:Jaguar.jpg}

Result:



Remark:

The Image **Jaguar.jpg** is stored **picture** directory.

The complete path to the image is in this case:

www.meine-domain.de/picture/Jaguar.jpg

[^TOP](#)

{
IMAGE_RIGHT:Imagename}

Use:

Creates an *-Tag* with the choosen Image file.

The Image will be *align right*.

Notation:

{ IMAGE_RIGHT:Blatt.jpg}

Result:



Remark:

The Image **Blatt.jpg** is stored in the **picture** directory.

The complete path to the image is in this case:

www.my-domain.de/picture/Blatt.jpg

[^TOP](#)

{
RANDOM:Image_Pfad}


Use:

Create an *-Tag* for Radom Images from a specified folder.
At every Pagerequest it will be shown a new image.

Notation:

Result:

{ RANDOM:picture/random_175}



Remark:

The directory **random** is an subdirectory of **picture**.

The complete path to the image is in this case:

www.my-domain.de/picture/random_175/

The Images in the Random folder should have the same dimensions.

[^ TOP](#)

{
SPACER:px-Width x px-Height}

Use:

Creates an Transparent Image.

Width and height value in px.

Notation:

{ SPACER:250x5}

Result:

Example:

Start -|~~{SPACER:250x5}~~| End

Remark:

The space between the both marks -| |- is in this case set to **250 px**.

[^ TOP](#)

URL: http://www.phpwcms-docu.de/index.php?image_tags