



DOCUMENTACIÓN TÉCNICA

Diccionario de datos Costa-Go

Documentación oficial del ecosistema web Costa-Go

Versión: 1.0

Actualizado: 21 de agosto de 2026

Fuente: repositorio `main`

1. [Alcance](#)
2. [Catálogo de tablas](#)
3. [Protección](#)
4. [Limitaciones del inventario](#)

Este documento describe únicamente funciones verificadas en el código fuente actual. Toda limitación se identifica de forma expresa.

Inventario generado directamente desde las migraciones versionadas. Total detectado: **72 tablas**.

Catálogo de tablas

Tabla	Columna	Definición SQL
account_deletion_requests	id	uuid PRIMARY KEY DEFAULT gen_random_u
	user_id	uuid REFERENCES users(id) ON DELETE S
	requested_email	text NOT NULL
	token_hash	text NOT NULL UNIQUE
	expires_at	timestamptz NOT NULL
	confirmed_at	timestamptz
	completed_at	timestamptz
	created_at	timestamptz NOT NULL DEFAULT now()
admin_notifications	id	uuid PRIMARY KEY DEFAULT gen_random_u
	type	text NOT NULL
	title	text NOT NULL
	body	text NOT NULL
	entity_type	text
	entity_id	text
	read_by	uuid[] NOT NULL DEFAULT '{}'
	created_at	timestamptz NOT NULL DEFAULT now()
admin_permission_overrides	user_id	uuid NOT NULL REFERENCES users(id) ON
	permission	text NOT NULL
	allowed	boolean NOT NULL
	granted_by	uuid REFERENCES users(id)
	created_at	timestamptz NOT NULL DEFAULT now()
	updated_at	timestamptz NOT NULL DEFAULT now()
admin_sessions	id	uuid PRIMARY KEY DEFAULT gen_random_u
	user_id	uuid NOT NULL REFERENCES users(id) ON
	token_hash	text NOT NULL UNIQUE

Tabla	Columna	Definición SQL
	expires_at	timestamptz NOT NULL
	revoked_at	timestamptz
	created_at	timestamptz NOT NULL DEFAULT now()
advertisers	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	business_name	text NOT NULL
	legal_name	text
	contact_name	text NOT NULL
	phone_e164	text NOT NULL
	email	text NOT NULL
	city	text NOT NULL
	business_type	text NOT NULL
	status	text NOT NULL DEFAULT 'PROSPECT' CHECK (status IN ('PROSPECT', 'PENDING', 'RECONCILED', 'REJECTED'))
	assigned_commercial_id	uuid REFERENCES users(id) ON DELETE SET NULL
	created_by	uuid REFERENCES users(id) ON DELETE SET NULL
	created_at	timestamptz NOT NULL DEFAULT now()
	updated_at	timestamptz NOT NULL DEFAULT now()
advertising_cash_closures	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	commercial_id	uuid NOT NULL REFERENCES users(id)
	business_date	date NOT NULL
	status	text NOT NULL DEFAULT 'PENDING_RECONCILIATION' CHECK (status IN ('PENDING_RECONCILIATION', 'RECONCILED', 'REJECTED'))
	payment_count	integer NOT NULL CHECK (payment_count > 0)
	cash_total	numeric(12,2) NOT NULL CHECK (cash_total > 0)
	currency	char(3) NOT NULL DEFAULT 'USD'
	notes	text
	closed_at	timestamptz NOT NULL DEFAULT now()
	reconciled_by	uuid REFERENCES users(id) ON DELETE SET NULL
	reconciled_at	timestamptz
	reconciliation_reference	text
	rejection_reason	text
	created_at	timestamptz NOT NULL DEFAULT now()
	updated_at	timestamptz NOT NULL DEFAULT now()

Tabla	Columna	Definición SQL
advertising_events	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	campaign_id	uuid NOT NULL REFERENCES affiliate_banners(id)
	event_type	text NOT NULL CHECK (event_type IN ('IMPRESSION', 'CLICK', 'CONVERSION'))
	exhibition_id	text NOT NULL
	session_key_hash	text NOT NULL
	placement	text NOT NULL
	service_area_id	uuid REFERENCES service_areas(id)
	trip_status	text
	action_type	text
	occurred_at	timestamptz NOT NULL DEFAULT now()
	platform	text NOT NULL DEFAULT 'MOBILE'
	advertiser_id	uuid REFERENCES advertisers(id)
advertising_invitations	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	lead_id	uuid NOT NULL REFERENCES advertising_leads(id)
	advertiser_id	uuid REFERENCES advertisers(id) ON DELETE CASCADE
	campaign_id	uuid REFERENCES affiliate_banners(id) ON DELETE CASCADE
	token_hash	text NOT NULL UNIQUE
	status	text NOT NULL DEFAULT 'CREATED' CHECK (status IN ('CREATED', 'OPENED', 'REVOKED'))
	source	text NOT NULL
	purpose	text NOT NULL DEFAULT 'APPLICATION' CHECK (purpose IN ('APPLICATION', 'LEAD', 'SALES'))
	correction_fields	text[] NOT NULL DEFAULT '{}'
	draft_data	jsonb NOT NULL DEFAULT '{}':jsonb
	created_by	uuid REFERENCES users(id) ON DELETE SET NULL
	created_at	timestamptz NOT NULL DEFAULT now()
	expires_at	timestamptz NOT NULL
	opened_at	timestamptz
	submitted_at	timestamptz
	revoked_at	timestamptz
	updated_at	timestamptz NOT NULL DEFAULT now()
advertising_leads	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	code	text NOT NULL UNIQUE
	business_name	text NOT NULL

Tabla	Columna	Definición SQL
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0	contact_name	text NOT NULL
	phone_e164	text NOT NULL
	email	text NOT NULL
	city	text NOT NULL
	business_type	text NOT NULL
	interest	text NOT NULL
	source	text NOT NULL CHECK (source IN ('INSTAGRAM', 'FACEBOOK', 'TWITTER', 'LINKEDIN', 'OTHER'))
	status	text NOT NULL DEFAULT 'NEW' CHECK (status IN ('NEW', 'IN PROGRESS', 'COMPLETED', 'CANCELLED'))
	advertiser_id	uuid REFERENCES advertisers(id) ON DELETE CASCADE
	assigned_commercial_id	uuid REFERENCES users(id) ON DELETE SET NULL
	created_by	uuid REFERENCES users(id) ON DELETE SET NULL
	conversation_state	jsonb NOT NULL DEFAULT '{}::jsonb'
	last_contact_at	timestamptz
	lost_reason	text
	created_at	timestamptz NOT NULL DEFAULT now()
	updated_at	timestamptz NOT NULL DEFAULT now()
	submission_key	text
advertising_orders	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	code	text NOT NULL UNIQUE
	lead_id	uuid REFERENCES advertising_leads(id) ON DELETE SET NULL
	advertiser_id	uuid NOT NULL REFERENCES advertisers(id) ON DELETE CASCADE
	plan_id	uuid NOT NULL REFERENCES advertising_plans(id) ON DELETE CASCADE
	assigned_commercial_id	uuid REFERENCES users(id) ON DELETE SET NULL
	status	text NOT NULL DEFAULT 'DRAFT' CHECK (status IN ('DRAFT', 'PENDING', 'APPROVED', 'REJECTED', 'CANCELLED'))
	amount	numeric(12,2) NOT NULL CHECK (amount >= 0)
	currency	char(3) NOT NULL DEFAULT 'USD'
	plan_snapshot	jsonb NOT NULL
	requested_start_at	timestamptz
	requested_end_at	timestamptz
	notes	text
	created_by	uuid REFERENCES users(id) ON DELETE SET NULL

Tabla	Columna	Definición SQL
advertising_payment_methods	created_at	timestamptz NOT NULL DEFAULT now()
	updated_at	timestamptz NOT NULL DEFAULT now()
	invitation_id	uuid REFERENCES advertising_invitations(id)
	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	code	text NOT NULL UNIQUE
	name	text NOT NULL
	instructions	text
	account_details	jsonb NOT NULL DEFAULT '{}':jsonb
	active	boolean NOT NULL DEFAULT true
	requires_proof	boolean NOT NULL DEFAULT true
	sort_order	integer NOT NULL DEFAULT 0
	created_at	timestamptz NOT NULL DEFAULT now()
	updated_at	timestamptz NOT NULL DEFAULT now()
advertising_payments	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	order_id	uuid NOT NULL REFERENCES advertising_orders(id)
	advertiser_id	uuid NOT NULL REFERENCES advertisers(id)
	amount	numeric(12,2) NOT NULL CHECK (amount>=0)
	currency	char(3) NOT NULL DEFAULT 'USD'
	payment_method_id	uuid NOT NULL REFERENCES advertising_payment_methods(id)
	proof_mime	text
	proof_data	bytea
	reference	text
	status	text NOT NULL DEFAULT 'PENDING' CHECK (status IN ('PENDING', 'PAID', 'REJECTED'))
	reviewed_by	uuid REFERENCES users(id) ON DELETE SET NULL
	reviewed_at	timestamptz
	rejection_reason	text
	created_at	timestamptz NOT NULL DEFAULT now()
	updated_at	timestamptz NOT NULL DEFAULT now()
advertising_cash_closures	received_by	uuid REFERENCES users(id) ON DELETE SET NULL COLUMN IF NOT EXISTS settlement_status (settled)
	cash_closure_id	uuid REFERENCES advertising_cash_closures(id)

Tabla	Columna	Definición SQL
advertising_plans	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	code	text NOT NULL UNIQUE
	name	text NOT NULL
	monthly_price	numeric(12,2) NOT NULL DEFAULT 0
	currency	char(3) NOT NULL DEFAULT 'USD'
	default_weight	integer NOT NULL DEFAULT 1 CHECK (default_weight > 0)
	allowed_placements	text[] NOT NULL
	enabled	boolean NOT NULL DEFAULT true
	created_by	uuid REFERENCES users(id)
	updated_by	uuid REFERENCES users(id)
	created_at	timestamptz NOT NULL DEFAULT now()
	updated_at	timestamptz NOT NULL DEFAULT now()
	description	text, ADD COLUMN IF NOT EXISTS placement_weight numeric(12,2) NOT NULL DEFAULT 0, ADD COLUMN IF NOT EXISTS placement_order integer NOT NULL DEFAULT 0
affiliate_banners	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	title	varchar(120) NOT NULL
	placement	varchar(30) NOT NULL CHECK (placement IN ('top', 'bottom', 'left', 'right'))
	image_mime	varchar(30) NOT NULL CHECK (image_mime IN ('image/jpeg', 'image/png', 'image/gif'))
	image_data	bytea NOT NULL
	target_url	text
	starts_at	timestamptz NOT NULL DEFAULT now()
	ends_at	timestamptz
	active	boolean NOT NULL DEFAULT true
	sort_order	integer NOT NULL DEFAULT 0
	created_by	uuid REFERENCES users(id)
	created_at	timestamptz NOT NULL DEFAULT now()
	updated_at	timestamptz NOT NULL DEFAULT now()
	advertiser_id	uuid, ADD COLUMN IF NOT EXISTS advertiser_name text NOT NULL, ADD COLUMN IF NOT EXISTS service_area_id uuid REFERENCES service_areas(id)
	order_id	uuid REFERENCES advertising_orders(id) ON DELETE CASCADE, ADD COLUMN IF NOT EXISTS submitted_at timestamptz
api_usage_events	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()

Tabla	Columna	Definición SQL
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0	provider	text NOT NULL CHECK (provider IN ('NAVIGATION_SDK','ROUTES','PLACES_AU
	environment	text NOT NULL DEFAULT 'PRODUCTION'
	billing_period	date NOT NULL
	trip_id	uuid REFERENCES trips(id)
	user_id	uuid REFERENCES users(id)
	service_area_id	uuid REFERENCES service_areas(id)
	cooperative_id	uuid REFERENCES cooperatives(id)
	phase	text
	session_key_hash	text
	request_key	text NOT NULL
	result	text
	metadata	jsonb NOT NULL DEFAULT '{}':jsonb
	occurred_at	timestamptz NOT NULL DEFAULT now()
	id	bigserial PRIMARY KEY
	actor_id	uuid REFERENCES users(id)
audit_log	action	text NOT NULL
	entity_type	text NOT NULL
	entity_id	text NOT NULL
	previous_value	jsonb
	next_value	jsonb
	reason	text
	created_at	timestamptz NOT NULL DEFAULT now()
biometric_credentials	id	uuid primary key default gen_random_uuid()
	user_id	uuid not null references users(id) on delete ca
	secret_hash	text not null unique
	created_at	timestamptz not null default now()
	last_used_at	timestamptz
	revoked_at	timestamptz
campaign_status_history	id	uuid PRIMARY KEY DEFAULT gen_random_u
	campaign_id	uuid NOT NULL REFERENCES affiliate_bann

Tabla	Columna	Definición SQL
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0	
	from_status	text
	to_status	text NOT NULL
	note	text
	changed_by	uuid REFERENCES users(id) ON DELETE SET NULL
	created_at	timestamptz NOT NULL DEFAULT now()
	collection_point_closure_payments	
	closure_id	uuid NOT NULL REFERENCES collection_point_closures(id)
	payment_id	uuid NOT NULL UNIQUE REFERENCES merchant_payments(id)
	created_at	timestamptz NOT NULL DEFAULT now()
	collection_point_closures	
	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	collection_point_id	uuid NOT NULL REFERENCES collection_point_locations(id)
	collector_id	uuid NOT NULL REFERENCES users(id)
	period_start	timestamptz NOT NULL
	period_end	timestamptz NOT NULL
	status	text NOT NULL DEFAULT 'OPEN' CHECK (status IN ('OPEN', 'CLOSED'))
	cash_total	numeric(12,2) NOT NULL DEFAULT 0
	deuna_total	numeric(12,2) NOT NULL DEFAULT 0
	transfer_total	numeric(12,2) NOT NULL DEFAULT 0
	gross_amount	numeric(12,2) NOT NULL DEFAULT 0
	commission_enabled_snapshot	boolean NOT NULL DEFAULT false
	commission_type_snapshot	text NOT NULL DEFAULT 'NONE' CHECK (commission_type_snapshot IN ('NONE', 'COMMISSION'))
	commission_value_snapshot	numeric(12,4) NOT NULL DEFAULT 0
	commission_amount	numeric(12,2) NOT NULL DEFAULT 0
	net_amount	numeric(12,2) NOT NULL DEFAULT 0
	closed_at	timestamptz
	settled_at	timestamptz
	verified_by	uuid REFERENCES users(id)
	notes	text
	created_at	timestamptz NOT NULL DEFAULT now()
	collection_point_payment_accounts	
	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	collection_point_id	uuid NOT NULL REFERENCES collection_point_locations(id)
	account_type	text NOT NULL CHECK (account_type IN ('BANK', 'CREDIT_CARD'))

Tabla	Columna	Definición SQL
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0	bank_name	text
	account_type_name	text
	account_identifier_encrypted	text
	account_last_four	text
	holder_name	text
	holder_identification_encrypted	text
	deuna_reference	text
	enabled	boolean NOT NULL DEFAULT true
	valid_from	timestamptz NOT NULL DEFAULT now()
	valid_until	timestamptz
	created_by	uuid REFERENCES users(id)
	created_at	timestamptz NOT NULL DEFAULT now()
	collection_point_settlements	
	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	closure_id	uuid NOT NULL REFERENCES collection_point_settlements(id)
	collection_point_id	uuid NOT NULL REFERENCES collection_point_settlements(id)
	gross_amount	numeric(12,2) NOT NULL
	commission_amount	numeric(12,2) NOT NULL
	net_amount	numeric(12,2) NOT NULL
	method	text NOT NULL
	reference_normalized_hash	text
	reference_masked	text
	proof_mime	text
	proof_data	bytea
	status	text NOT NULL DEFAULT 'PENDING' CHECK (status IN ('PENDING', 'COMPLETED', 'CANCELLED'))
	submitted_at	timestamptz
	verified_at	timestamptz
	verified_by	uuid REFERENCES users(id)
	notes	text
	idempotency_key	text UNIQUE
	created_at	timestamptz NOT NULL DEFAULT now()
collection_points	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()

Tabla	Columna	Definición SQL
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0	code	text NOT NULL UNIQUE
	name	text NOT NULL
	address	text
	service_area_id	uuid REFERENCES service_areas(id)
	status	text NOT NULL DEFAULT 'ACTIVE' CHECK (status IN ('ACTIVE', 'INACTIVE'))
	cash_enabled	boolean NOT NULL DEFAULT false
	deuna_enabled	boolean NOT NULL DEFAULT false
	bank_transfer_enabled	boolean NOT NULL DEFAULT false
	settlement_deadline_hours	integer NOT NULL DEFAULT 48
	pending_limit	numeric(12,2)
	created_by	uuid REFERENCES users(id)
	updated_by	uuid REFERENCES users(id)
	created_at	timestampz NOT NULL DEFAULT now()
	updated_at	timestampz NOT NULL DEFAULT now()
collector_assignments	collector_id	uuid NOT NULL REFERENCES users(id) ON DELETE CASCADE
	collection_point_id	uuid NOT NULL REFERENCES collection_points(id) ON DELETE CASCADE
	starts_at	timestampz NOT NULL DEFAULT now()
	ends_at	timestampz
	created_by	uuid REFERENCES users(id)
	created_at	timestampz NOT NULL DEFAULT now()
cooperatives	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	name	text NOT NULL UNIQUE
	legal_name	text
	registration_number	text UNIQUE
	email	text
	phone_e164	text
	status	text NOT NULL DEFAULT 'ACTIVE' CHECK (status IN ('ACTIVE', 'INACTIVE'))
	created_by	uuid REFERENCES users(id)
	created_at	timestampz NOT NULL DEFAULT now()
costa_go_payment_accounts	updated_at	timestampz NOT NULL DEFAULT now()
	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()

Tabla	Columna	Definición SQL
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0		
	account_type	text NOT NULL CHECK (account_type IN ('BA
	bank_name	text
	account_type_name	text
	account_identifier_encrypted	text
	account_last_four	text
	holder_name	text
	holder_identification_encrypted	text
	enabled	boolean NOT NULL DEFAULT true
	remote_payments_enabled	boolean NOT NULL DEFAULT true
	created_by	uuid REFERENCES users(id)
	created_at	timestampz NOT NULL DEFAULT now()
	updated_at	timestampz NOT NULL DEFAULT now()
device_tokens	id	uuid PRIMARY KEY DEFAULT gen_random_
	user_id	uuid NOT NULL REFERENCES users(id) ON
	token	text NOT NULL UNIQUE
	platform	text NOT NULL DEFAULT 'ANDROID'
	last_seen_at	timestampz NOT NULL DEFAULT now()
	created_at	timestampz NOT NULL DEFAULT now()
driver_approval_notification_settings	id	smallint PRIMARY KEY DEFAULT 1 CHECK (
	admin_emails	text[] NOT NULL DEFAULT '{}'
	email_enabled	boolean NOT NULL DEFAULT false
	internal_enabled	boolean NOT NULL DEFAULT true
	push_enabled	boolean NOT NULL DEFAULT true
	updated_by	uuid REFERENCES users(id)
	updated_at	timestampz NOT NULL DEFAULT now()
driver_approval_reviews	id	uuid PRIMARY KEY DEFAULT gen_random_
	driver_id	uuid NOT NULL REFERENCES drivers(user_
	reviewer_id	uuid REFERENCES users(id)
	previous_status	text NOT NULL
	next_status	text NOT NULL
	decision	text NOT NULL

Tabla	Columna	Definición SQL
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0	observation	text
	created_at	timestamptz NOT NULL DEFAULT now()
	driver_documents	id
	driver_id	uuid NOT NULL REFERENCES drivers(user_id)
	document_type	text NOT NULL
	file_url	text NOT NULL
	issued_at	date
	expires_at	date
	status	account_status NOT NULL DEFAULT 'PENDING'
	reviewed_by	uuid REFERENCES users(id)
	reviewed_at	timestamptz
	review_note	text
	created_at	timestamptz NOT NULL DEFAULT now()
	file_data	bytea, ADD COLUMN IF NOT EXISTS file_metadata
	driver_import_batches	id
	original_filename	text NOT NULL
	total_rows	integer NOT NULL
	valid_rows	integer NOT NULL
	imported_rows	integer NOT NULL DEFAULT 0
	rejected_rows	integer NOT NULL DEFAULT 0
	status	text NOT NULL CHECK (status IN ('VALIDATE', 'REJECTED'))
	created_by	uuid NOT NULL REFERENCES users(id)
	created_at	timestamptz NOT NULL DEFAULT now()
	completed_at	timestamptz
	driver_import_rows	id
	batch_id	uuid NOT NULL REFERENCES driver_import_batches(batch_id)
	row_number	integer NOT NULL
	normalized_data	jsonb NOT NULL
	status	text NOT NULL CHECK (status IN ('VALID', 'INVALID'))
	errors	text[] NOT NULL DEFAULT '{}'
	driver_id	uuid REFERENCES drivers(user_id)

Tabla	Columna	Definición SQL
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0	
	created_at	timestamptz NOT NULL DEFAULT now()
driver_memberships	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	driver_id	uuid NOT NULL REFERENCES drivers(user_id)
	plan_id	uuid REFERENCES membership_plans(id)
	plan_code	text NOT NULL
	status	text NOT NULL CHECK (status IN ('PENDING','ACTIVE','EXPIRING','GRACE_PERIOD'))
	starts_at	timestamptz
	expires_at	timestamptz
	expiration_local_date	date
	grace_ends_at	timestamptz
	last_grace_local_date	date
	suspension_at	timestamptz
	suspension_timezone_snapshot	text NOT NULL DEFAULT 'America/Guayaquil'
	suspension_local_time_snapshot	time NOT NULL DEFAULT '07:00'
	suspension_pending_active_trip	boolean NOT NULL DEFAULT false
	suspended_non_payment_at	timestamptz
	reactivated_after_payment_at	timestamptz
	grace_policy_id	uuid REFERENCES membership_grace_policies(id)
	grace_reason	text
	grace_days_applied	integer NOT NULL DEFAULT 0
	grace_allows_trips_applied	boolean NOT NULL DEFAULT false
	previous_membership_cycle_id	uuid REFERENCES driver_memberships(id)
	plan_snapshot	jsonb NOT NULL DEFAULT '{}'::jsonb
	cycle_duration_snapshot	integer NOT NULL DEFAULT 30
	base_membership_amount_snapshot	numeric(12,2) NOT NULL DEFAULT 0
	included_trips_snapshot	integer NOT NULL DEFAULT 0
	extra_trip_fee_snapshot	numeric(12,4) NOT NULL DEFAULT 0
	extra_trip_share_percent_snapshot	numeric(6,2) NOT NULL DEFAULT 40
	max_renewal_amount_snapshot	numeric(12,2) NOT NULL DEFAULT 0
	passenger_service_additional_snapshot	numeric(12,4) NOT NULL DEFAULT 0

Tabla	Columna	Definición SQL
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0	completed_trips	integer NOT NULL DEFAULT 0
	extra_trips	integer NOT NULL DEFAULT 0
	raw_extra_amount	numeric(12,2) NOT NULL DEFAULT 0
	billable_extra_amount	numeric(12,2) NOT NULL DEFAULT 0
	adjustment_amount	numeric(12,2) NOT NULL DEFAULT 0
	estimated_next_renewal_amount	numeric(12,2) NOT NULL DEFAULT 0
	final_renewal_amount	numeric(12,2)
	cycle_closed_at	timestampz
	cycle_close_reason	text
	opening_payment_id	uuid
	renewal_order_id	uuid
	payer_type	text NOT NULL DEFAULT 'INDIVIDUAL' CHECK
	cooperative_id	uuid REFERENCES cooperatives(id)
	amount	numeric(12,2) NOT NULL DEFAULT 0
	currency	char(3) NOT NULL DEFAULT 'USD'
	payment_status	text NOT NULL DEFAULT 'PENDING'
	payment_method	text
	payment_reference	text
	paid_at	timestampz
	renewed_at	timestampz
	suspended_at	timestampz
	suspension_reason	text
	source	text NOT NULL DEFAULT 'NORMAL' CHECK
	created_by	uuid REFERENCES users(id)
	updated_by	uuid REFERENCES users(id)
	created_at	timestampz NOT NULL DEFAULT now()
	updated_at	timestampz NOT NULL DEFAULT now()
driver_offers	id	uuid PRIMARY KEY DEFAULT gen_random_u
	trip_id	uuid NOT NULL REFERENCES trips(id)
	driver_id	uuid NOT NULL REFERENCES drivers(user_
	offered_at	timestampz NOT NULL DEFAULT now()

Tabla	Columna	Definición SQL
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0		
	expires_at	timestamptz NOT NULL
	responded_at	timestamptz
	accepted	boolean
drivers	user_id	uuid PRIMARY KEY REFERENCES users(id)
	approval_note	text
	approved_at	timestamptz
	approved_by	uuid REFERENCES users(id)
	is_available	boolean NOT NULL DEFAULT false
	rating	numeric(3, 2)
	last_location	geography(Point, 4326)
	last_location_at	timestamptz
	deuna_qr_image_url	text
	deuna_enabled	boolean NOT NULL DEFAULT false
	approval_status	text NOT NULL DEFAULT 'PENDIENTE_DOC timestamptz, ADD COLUMN IF NOT EXISTS
	identity_number	text, ADD COLUMN IF NOT EXISTS imported
email_verification_codes	id	uuid PRIMARY KEY DEFAULT gen_random_u
	user_id	uuid NOT NULL REFERENCES users(id) ON
	code_hash	text NOT NULL
	attempts	integer NOT NULL DEFAULT 0
	expires_at	timestamptz NOT NULL
	used_at	timestamptz
	created_at	timestamptz NOT NULL DEFAULT now()
fare_route_rules	id	uuid PRIMARY KEY DEFAULT gen_random_u
	service_area_id	uuid NOT NULL REFERENCES service_area
	origin_sector_id	uuid NOT NULL REFERENCES fare_sectors(
	destination_sector_id	uuid NOT NULL REFERENCES fare_sectors(
	minimum_passengers	smallint NOT NULL CHECK (minimum_passe
	maximum_passengers	smallint NOT NULL CHECK (maximum_passe
	day_total_cents	integer NOT NULL CHECK (day_total_cents >
	night_total_cents	integer NOT NULL CHECK (night_total_cents

Tabla	Columna	Definición SQL
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0	
	bidirectional	boolean NOT NULL DEFAULT true
	enabled	boolean NOT NULL DEFAULT false
	active_from	timestamptz NOT NULL DEFAULT now()
	active_until	timestamptz
	created_by	uuid REFERENCES users(id)
	updated_by	uuid REFERENCES users(id)
	created_at	timestamptz NOT NULL DEFAULT now()
	updated_at	timestamptz NOT NULL DEFAULT now()
fare_sectors	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	service_area_id	uuid NOT NULL REFERENCES service_areas(id)
	code	text NOT NULL
	name	text NOT NULL
	description	text
	boundary	geography(MultiPolygon,4326) NOT NULL
	priority	integer NOT NULL DEFAULT 0
	enabled	boolean NOT NULL DEFAULT false
	created_by	uuid REFERENCES users(id)
	updated_by	uuid REFERENCES users(id)
	created_at	timestamptz NOT NULL DEFAULT now()
	updated_at	timestamptz NOT NULL DEFAULT now()
favorite_places	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	user_id	uuid NOT NULL REFERENCES users(id) ON DELETE CASCADE
	label	text NOT NULL CHECK (char_length(label) < 255)
	address	text NOT NULL CHECK (char_length(address) < 255)
	location	geography(Point, 4326) NOT NULL
	created_at	timestamptz NOT NULL DEFAULT now()
	updated_at	timestamptz NOT NULL DEFAULT now()
incidents	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	trip_id	uuid REFERENCES trips(id)
	reported_by	uuid REFERENCES users(id)
	category	text NOT NULL

Tabla	Columna	Definición SQL
Costa-Go - Diccionario de datos Costa-Go - Documento controlado v1.0 - Página 0	description	text NOT NULL
	evidence	jsonb NOT NULL DEFAULT '[]':jsonb
	status	text NOT NULL DEFAULT 'OPEN' CHECK (st
	assigned_to	uuid REFERENCES users(id)
	resolution_note	text
	resolved_at	timestampz
	created_at	timestampz NOT NULL DEFAULT now()
	updated_at	timestampz NOT NULL DEFAULT now()
	subject	text, ADD COLUMN IF NOT EXISTS priority te COLUMN IF NOT EXISTS related_user_id uu
membership_cycle_adjustments	id	uuid PRIMARY KEY DEFAULT gen_random_u
	membership_cycle_id	uuid NOT NULL REFERENCES driver_memb
	adjustment_type	text NOT NULL CHECK (adjustment_type IN (
	amount	numeric(12,2) NOT NULL
	reason	text NOT NULL
	reference	text
	created_by	uuid NOT NULL REFERENCES users(id)
	reversed_by	uuid REFERENCES users(id)
	reversed_at	timestampz
	created_at	timestampz NOT NULL DEFAULT now()
membership_cycle_trip_usages	id	uuid PRIMARY KEY DEFAULT gen_random_u
	membership_cycle_id	uuid NOT NULL REFERENCES driver_memb
	trip_id	uuid NOT NULL REFERENCES trips(id)
	driver_id	uuid NOT NULL REFERENCES drivers(user_
	completed_at	timestampz NOT NULL
	sequence_number	integer NOT NULL
	usage_kind	text NOT NULL CHECK (usage_kind IN ('INCI
	extra_trip_fee_snapshot	numeric(12,4) NOT NULL DEFAULT 0
	amount_before_cap	numeric(12,2) NOT NULL DEFAULT 0
	amount_after_cap	numeric(12,2) NOT NULL DEFAULT 0
	idempotency_key	text NOT NULL UNIQUE

Tabla	Columna	Definición SQL
	reversed_at	timestampz
	reversal_reason	text
	created_at	timestampz NOT NULL DEFAULT now()
membership_grace_policies	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	name	text NOT NULL
	reason	text NOT NULL
	scope	text NOT NULL CHECK (scope IN ('ALL','COOPERATIVE'))
	cooperative_id	uuid REFERENCES cooperatives(id)
	driver_id	uuid REFERENCES drivers(user_id)
	grace_days	integer NOT NULL CHECK (grace_days >= 0)
	allows_trips	boolean NOT NULL DEFAULT true
	campaign_kind	text NOT NULL DEFAULT 'RENEWAL' CHECK (campaign_kind IN ('RENEWAL','CANCELLATION'))
	starts_at	timestampz NOT NULL
	ends_at	timestampz NOT NULL
	expiry_window_start	date
	expiry_window_end	date
	priority	integer NOT NULL DEFAULT 0
	status	text NOT NULL DEFAULT 'DRAFT' CHECK (status IN ('DRAFT','APPROVED','CANCELLED'))
	created_by	uuid REFERENCES users(id)
	approved_by	uuid REFERENCES users(id)
	created_at	timestampz NOT NULL DEFAULT now()
	updated_at	timestampz NOT NULL DEFAULT now()
membership_payment_orders	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	public_token_hash	text NOT NULL UNIQUE
	short_code	text NOT NULL UNIQUE
	driver_id	uuid NOT NULL REFERENCES drivers(user_id)
	membership_cycle_id	uuid REFERENCES driver_memberships(id)
	plan_id	uuid NOT NULL REFERENCES membership_plans(id)
	plan_snapshot	jsonb NOT NULL
	base_amount	numeric(12,2) NOT NULL
	prior_usage_amount	numeric(12,2) NOT NULL DEFAULT 0

Tabla	Columna	Definición SQL
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0	adjustment_amount	numeric(12,2) NOT NULL DEFAULT 0
	total_amount	numeric(12,2) NOT NULL
	currency	char(3) NOT NULL DEFAULT 'USD'
	intended_method	text
	receiver_scope	text NOT NULL DEFAULT 'NOT_APPLICABLE'
	verification_channel	text
	status	text NOT NULL DEFAULT 'PENDING' CHECK (status IN ('PENDING', 'CONFIRMED', 'REJECTED', 'CANCELLED'))
	expires_at	timestamptz NOT NULL
	paid_at	timestamptz
	rejected_at	timestamptz
	cancelled_at	timestamptz
	created_by	uuid REFERENCES users(id)
	idempotency_key	text
	metadata	jsonb NOT NULL DEFAULT '{}'::jsonb
	created_at	timestamptz NOT NULL DEFAULT now()
	updated_at	timestamptz NOT NULL DEFAULT now()
membership_payments	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	order_id	uuid NOT NULL UNIQUE REFERENCES membership_orders(id)
	driver_id	uuid NOT NULL REFERENCES drivers(user_id)
	membership_cycle_id	uuid REFERENCES driver_memberships(id)
	collection_point_id	uuid REFERENCES collection_points(id)
	collector_id	uuid REFERENCES users(id)
	method	text NOT NULL CHECK (method IN ('CASH', 'CARD', 'TRANSFER'))
	receiver_scope	text NOT NULL CHECK (receiver_scope IN ('LOCAL', 'INTERNATIONAL'))
	verification_channel	text NOT NULL
	amount	numeric(12,2) NOT NULL
	currency	char(3) NOT NULL DEFAULT 'USD'
	reference_normalized_hash	text
	reference_masked	text
	status	text NOT NULL DEFAULT 'CONFIRMED' CHECK (status IN ('PENDING', 'CONFIRMED', 'REJECTED', 'CANCELLED'))

Tabla	Columna	Definición SQL
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0	settlement_status	text NOT NULL DEFAULT 'NOT_APPLICABLE' ('NOT_APPLICABLE','PENDING_SETTLEMENT')
	confirmed_by	uuid NOT NULL REFERENCES users(id)
	confirmed_at	timestamptz NOT NULL DEFAULT now()
	reversed_by	uuid REFERENCES users(id)
	reversed_at	timestamptz
	reversal_reason	text
	idempotency_key	text NOT NULL UNIQUE
	metadata	jsonb NOT NULL DEFAULT '{}':jsonb
	created_at	timestamptz NOT NULL DEFAULT now()
membership_plans	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	code	text NOT NULL UNIQUE
	name	text NOT NULL
	period_unit	text NOT NULL CHECK (period_unit IN ('DAY','MONTH','YEAR'))
	period_count	integer NOT NULL CHECK (period_count > 0)
	duration_days	integer NOT NULL CHECK (duration_days > 0)
	base_amount	numeric(12,2) NOT NULL CHECK (base_amount > 0)
	currency	char(3) NOT NULL DEFAULT 'USD'
	included_trips	integer NOT NULL DEFAULT 120 CHECK (included_trips > 0)
	max_renewal_amount	numeric(12,2) NOT NULL DEFAULT 30 CHECK (max_renewal_amount > 0)
	extra_trip_share_percent	numeric(6,2) NOT NULL DEFAULT 40 CHECK (extra_trip_share_percent > 0)
	enabled	boolean NOT NULL DEFAULT true
	effective_from	timestamptz NOT NULL DEFAULT now()
	effective_until	timestamptz
	created_by	uuid REFERENCES users(id)
	updated_by	uuid REFERENCES users(id)
	created_at	timestamptz NOT NULL DEFAULT now()
	updated_at	timestamptz NOT NULL DEFAULT now()
	version	integer NOT NULL DEFAULT 1
membership_transfer_proofs	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	order_id	uuid NOT NULL REFERENCES membership_plans(id)

Tabla	Columna	Definición SQL
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0	bank_name	text NOT NULL
	reference_normalized_hash	text NOT NULL
	reference_masked	text NOT NULL
	transfer_date	date NOT NULL
	declared_amount	numeric(12,2) NOT NULL
	file_mime	text NOT NULL CHECK (file_mime IN ('image'
	file_data	bytea NOT NULL CHECK (octet_length(file_d
	observation	text
	status	text NOT NULL DEFAULT 'PENDING' CHECK
	reviewed_by	uuid REFERENCES users(id)
	reviewed_at	timestamptz
	rejection_reason	text
	created_at	timestamptz NOT NULL DEFAULT now()
	mobile_account_roles	user_id
	role	text not null check (role in ('PASSENGER','DR
	created_at	timestamptz not null default now()
operational_settings	id	smallint PRIMARY KEY DEFAULT 1 CHECK (
	search_radius_meters	integer NOT NULL DEFAULT 3000 CHECK (s
	updated_at	timestamptz NOT NULL DEFAULT now()
	updated_by	uuid REFERENCES users(id)
	scheduled_trip_lead_minutes	smallint NOT NULL DEFAULT 10 CHECK (sch
	scheduled_trip_minimum_notice_minutes	smallint NOT NULL DEFAULT 30 CHECK (sch
	document_expiry_alert_days	smallint NOT NULL DEFAULT 30 CHECK (do
	navigation_pickup_provider	text NOT NULL DEFAULT 'EXTERNAL_MAPS' IF NOT EXISTS navigation_pickup_start_mod
password_reset_tokens	advertising_invitation_days	integer NOT NULL DEFAULT 7, ADD COLUM advertising_banner_width integer NOT NULL
	id	uuid PRIMARY KEY DEFAULT gen_random_u
	user_id	uuid NOT NULL REFERENCES users(id) ON
	code_hash	text NOT NULL
	expires_at	timestamptz NOT NULL
	used_at	timestamptz

Tabla	Columna	Definición SQL
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0	
	attempts	smallint NOT NULL DEFAULT 0
	created_at	timestamptz NOT NULL DEFAULT now()
pricing_versions	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	version	integer NOT NULL UNIQUE
	currency	char(3) NOT NULL DEFAULT 'USD'
	timezone	text NOT NULL DEFAULT 'America/Guayaquil'
	day_starts_at	time NOT NULL
	night_starts_at	time NOT NULL
	urban_day_cents_per_passenger	integer NOT NULL CHECK (urban_day_cents_per_passenger >= 0)
	night_cents_per_passenger	integer NOT NULL CHECK (night_cents_per_passenger >= 0)
	extended_cents_per_passenger	integer NOT NULL CHECK (extended_cents_per_passenger >= 0)
	group_promotion_enabled	boolean NOT NULL DEFAULT true
	group_promotion_passengers	smallint NOT NULL
	group_promotion_total_cents	integer NOT NULL
	maximum_passengers	smallint NOT NULL
	active_from	timestamptz NOT NULL
	active_until	timestamptz
	created_by	uuid NOT NULL REFERENCES users(id)
	created_at	timestamptz NOT NULL DEFAULT now()
	stop_surcharge_cents	integer NOT NULL DEFAULT 0 CHECK (stop_surcharge_cents >= 0)
	platform_commission_cents_per_leg	integer NOT NULL DEFAULT 5 CHECK (platform_commission_cents_per_leg >= 0)
push_delivery_events	id	uuid primary key default gen_random_uuid()
	user_id	uuid references users(id) on delete set null
	trip_id	uuid references trips(id) on delete set null
	event_type	text not null
	status	text not null check (status in ('SENT','PARTIAL'))
	attempted	integer not null default 0 check (attempted >= 0)
	sent	integer not null default 0 check (sent >= 0)
	failed	integer not null default 0 check (failed >= 0)
	error_codes	text[] not null default '{}'
	duration_ms	integer not null default 0 check (duration_ms >= 0)

Tabla	Columna	Definición SQL
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0		
	created_at	timestamptz not null default now()
ratings	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	trip_id	uuid NOT NULL REFERENCES trips(id) ON DELETE CASCADE
	author_id	uuid NOT NULL REFERENCES users(id)
	recipient_id	uuid NOT NULL REFERENCES users(id)
	score	smallint NOT NULL CHECK (score BETWEEN 1 AND 5)
	tags	text[] NOT NULL DEFAULT '{}'
	comment	text
	created_at	timestamptz NOT NULL DEFAULT now()
scheduled_trip_responses	trip_id	uuid NOT NULL REFERENCES trips(id) ON DELETE CASCADE
	driver_id	uuid NOT NULL REFERENCES drivers(user_id)
	accepted	boolean NOT NULL
	responded_at	timestamptz NOT NULL DEFAULT now()
service_area_catalog	id	smallint PRIMARY KEY DEFAULT 1 CHECK (id < 10)
	version	bigint NOT NULL DEFAULT 1
	updated_at	timestamptz NOT NULL DEFAULT now()
service_area_role_access	service_area_id	uuid NOT NULL REFERENCES service_areas(id)
	role	text NOT NULL CHECK (role IN ('PASSENGER', 'DRIVER'))
	granted_by	uuid REFERENCES users(id)
	created_at	timestamptz NOT NULL DEFAULT now()
service_area_versions	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	service_area_id	uuid NOT NULL REFERENCES service_areas(id)
	version	integer NOT NULL CHECK (version > 0)
	geometry	geometry(MultiPolygon, 4326) NOT NULL
	source_name	text
	source_url	text
	change_note	text NOT NULL
	created_by	uuid REFERENCES users(id)
	created_at	timestamptz NOT NULL DEFAULT now()
service_areas	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	code	text NOT NULL UNIQUE CHECK (code ~ '^[A-Z0-9]{3}\$')

Tabla	Columna	Definición SQL
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0	name	text NOT NULL
	description	text
	environment	text NOT NULL CHECK (environment IN ('PR
	audience	text NOT NULL CHECK (audience IN ('ALL', 'T
	enabled	boolean NOT NULL DEFAULT true
	allow_inter_zone_trips	boolean NOT NULL DEFAULT false
	priority	integer NOT NULL DEFAULT 0
	current_version_id	uuid
	created_by	uuid REFERENCES users(id)
	updated_by	uuid REFERENCES users(id)
	created_at	timestamptz NOT NULL DEFAULT now()
	updated_at	timestamptz NOT NULL DEFAULT now()
	archived_at	timestamptz, ADD COLUMN IF NOT EXISTS
service_zones	id	uuid PRIMARY KEY DEFAULT gen_random_u
	name	text NOT NULL
	zone_type	service_zone_type NOT NULL
	boundary	geography(Polygon, 4326) NOT NULL
	version	integer NOT NULL
	active_from	timestamptz NOT NULL
	active_until	timestamptz
	created_by	uuid NOT NULL REFERENCES users(id)
support_faqs	created_at	timestamptz NOT NULL DEFAULT now()
	editor_points	jsonb NOT NULL DEFAULT '[]'::jsonb, ADD C
	id	uuid PRIMARY KEY DEFAULT gen_random_u
	category	text NOT NULL
	question	text NOT NULL
	answer	text NOT NULL
	audiences	text[] NOT NULL DEFAULT ARRAY['PASSEN
	sort_order	integer NOT NULL DEFAULT 0
	active	boolean NOT NULL DEFAULT true
	created_by	uuid REFERENCES users(id) ON DELETE SI

Tabla	Columna	Definición SQL
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0		
	updated_by	uuid REFERENCES users(id) ON DELETE SET NULL
	created_at	timestampz NOT NULL DEFAULT now()
	updated_at	timestampz NOT NULL DEFAULT now()
support_incident_attachments	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	incident_id	uuid NOT NULL REFERENCES incidents(id) ON DELETE SET NULL
	uploaded_by	uuid REFERENCES users(id) ON DELETE SET NULL
	file_name	text NOT NULL
	file_mime	text NOT NULL CHECK (file_mime IN ('image/jpeg', 'image/png', 'image/gif', 'image/svg+xml'))
	file_size	integer NOT NULL CHECK (file_size > 0 AND file_size < 1048576)
	file_data	bytea NOT NULL
	visibility	text NOT NULL DEFAULT 'USER' CHECK (visibility IN ('USER', 'PUBLIC'))
	created_at	timestampz NOT NULL DEFAULT now()
support_incident_messages	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()
	incident_id	uuid NOT NULL REFERENCES incidents(id) ON DELETE SET NULL
	author_id	uuid REFERENCES users(id) ON DELETE SET NULL
	author_role	text NOT NULL
	body	text NOT NULL
	visibility	text NOT NULL DEFAULT 'USER' CHECK (visibility IN ('USER', 'PUBLIC'))
	created_at	timestampz NOT NULL DEFAULT now()
trip_events	id	bigserial PRIMARY KEY
	trip_id	uuid NOT NULL REFERENCES trips(id) ON DELETE SET NULL
	from_status	trip_status
	to_status	trip_status NOT NULL
	actor_id	uuid REFERENCES users(id) ON DELETE SET NULL
	reason_code	text
	metadata	jsonb NOT NULL DEFAULT '{}'::jsonb
	occurred_at	timestampz NOT NULL DEFAULT now()
trip_live_locations	trip_id	uuid PRIMARY KEY REFERENCES trips(id) ON DELETE SET NULL
	driver_id	uuid NOT NULL REFERENCES drivers(user_id) ON DELETE SET NULL
	position	geography(Point, 4326) NOT NULL
	bearing	numeric(6, 2)

Tabla	Columna	Definición SQL
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0		
	speed_mps	numeric(8, 2)
	accuracy_meters	numeric(8, 2)
	sequence	bigint NOT NULL DEFAULT 0
	recorded_at	timestamptz NOT NULL
	updated_at	timestamptz NOT NULL DEFAULT now()
trip_location_history	id	bigserial PRIMARY KEY
	trip_id	uuid NOT NULL REFERENCES trips(id) ON D
	driver_id	uuid NOT NULL REFERENCES drivers(user_
	position	geography(Point, 4326) NOT NULL
	bearing	numeric(6, 2)
	speed_mps	numeric(8, 2)
	accuracy_meters	numeric(8, 2)
	sequence	bigint NOT NULL
	recorded_at	timestamptz NOT NULL
trip_messages	id	uuid PRIMARY KEY DEFAULT gen_random_u
	trip_id	uuid NOT NULL REFERENCES trips(id) ON D
	sender_id	uuid NOT NULL REFERENCES users(id)
	client_message_id	uuid NOT NULL
	body	text NOT NULL CHECK (char_length(body) B
	created_at	timestamptz NOT NULL DEFAULT now()
	read_at	timestamptz
trip_stops	id	uuid PRIMARY KEY DEFAULT gen_random_u
	trip_id	uuid NOT NULL REFERENCES trips(id) ON D
	stop_order	smallint NOT NULL CHECK (stop_order BETV
	location	geography(Point, 4326) NOT NULL
	reference	text NOT NULL
	completed_at	timestamptz
	created_at	timestamptz NOT NULL DEFAULT now()
trips	id	uuid PRIMARY KEY DEFAULT gen_random_u
	passenger_id	uuid NOT NULL REFERENCES users(id)
	driver_id	uuid REFERENCES drivers(user_id)

Tabla	Columna	Definición SQL
Costa-Go - Diccionario de datos Costa-Go - Documento controlado v1.0 - Página 0	vehicle_id	uuid REFERENCES vehicles(id)
	status	trip_status NOT NULL DEFAULT 'SEARCHING'
	passengers	smallint NOT NULL CHECK (passengers > 0)
	origin	geography(Point, 4326) NOT NULL
	destination	geography(Point, 4326) NOT NULL
	origin_reference	text
	destination_reference	text
	service_zone	service_zone_type NOT NULL
	pricing_version	integer NOT NULL
	pricing_snapshot	jsonb NOT NULL
	quoted_total_cents	integer NOT NULL CHECK (quoted_total_cen
	final_total_cents	integer CHECK (final_total_cents >= 0)
	payment_method	text NOT NULL DEFAULT 'CASH' CHECK (pa
	requested_at	timestamptz NOT NULL DEFAULT now()
	assigned_at	timestamptz
	started_at	timestamptz
	completed_at	timestamptz
	cancelled_at	timestamptz
	passenger_notes	text
	cooperative_id	uuid REFERENCES cooperatives(id) ON DEL
	scheduled_for	timestamptz
	schedule_status	text, ADD COLUMN IF NOT EXISTS schedule EXISTS driver_reminder_sent_at timestamptz
	service_area_id	uuid REFERENCES service_areas(id)
	service_area_version_id	uuid REFERENCES service_area_versions(id)
	route_snapshot	jsonb
user_notifications	id	uuid PRIMARY KEY DEFAULT gen_random_u
	user_id	uuid NOT NULL REFERENCES users(id) ON
	title	text NOT NULL
	message	text NOT NULL
	notification_type	text NOT NULL

Tabla	Columna	Definición SQL
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0	entity_type	text
	entity_id	uuid
	event_key	text
	data	jsonb NOT NULL DEFAULT '{}':jsonb
	read_at	timestamptz
	created_at	timestamptz NOT NULL DEFAULT now()
	user_service_area_access	
	user_id	uuid NOT NULL REFERENCES users(id) ON
	service_area_id	uuid NOT NULL REFERENCES service_area
	granted_by	uuid REFERENCES users(id)
	expires_at	timestamptz
	created_at	timestamptz NOT NULL DEFAULT now()
	review_mode	boolean NOT NULL DEFAULT false
users	id	uuid PRIMARY KEY DEFAULT gen_random_u
	phone_e164	text NOT NULL UNIQUE
	full_name	text NOT NULL
	role	user_role NOT NULL
	status	account_status NOT NULL DEFAULT 'PENDI
	phone_verified_at	timestamptz
	terms_accepted_at	timestamptz
	created_at	timestamptz NOT NULL DEFAULT now()
	updated_at	timestamptz NOT NULL DEFAULT now()
	email	text UNIQUE, ADD COLUMN IF NOT EXISTS
	active_session_id	uuid
	must_change_password	boolean NOT NULL DEFAULT false
	profile_photo_data	bytea, ADD COLUMN IF NOT EXISTS profile
	cooperative_id	uuid REFERENCES cooperatives(id) ON DEL
	deleted_at	timestamptz
	email_verified_at	timestamptz
	last_mobile_role	text
vehicles	id	uuid PRIMARY KEY DEFAULT gen_random_u
	driver_id	uuid NOT NULL REFERENCES drivers(user_

Costa-Go · Diccionario de datos Costa-Go · Documento controlado v1.0 · Página 0

Tabla	Columna	Definición SQL
	<code>identifier</code>	text NOT NULL UNIQUE
	<code>maximum_passengers</code>	smallint NOT NULL CHECK (maximum_passengers > 0)
	<code>status</code>	account_status NOT NULL DEFAULT 'PENDING'
	<code>created_at</code>	timestampz NOT NULL DEFAULT now()
	<code>brand</code>	text, ADD COLUMN IF NOT EXISTS model text

Protección

- Identificadores y estados se usan para integridad, no como texto de interfaz.
- Contraseñas se almacenan como hash; tokens y claves no forman parte de este documento.
- Documentos y comprobantes requieren acceso autorizado.
- Datos eliminados se excluyen de vistas operativas y se retienen solo conforme a política/historia.

Limitaciones del inventario

El parser documental no sustituye el catálogo del motor. Definiciones añadidas mediante bloques SQL complejos pueden aparecer resumidas. La fuente normativa sigue siendo cada migración y el esquema desplegado.