



DOCUMENTACIÓN TÉCNICA

Diccionario de datos Costa-Go

Documentación oficial del ecosistema Costa-Go

Versión: 2.0

Actualizado: 29 de agosto de 2026

Fuente: repositorio `main`

1. Alcance
2. Catálogo de tablas
3. Protección
4. Limitaciones del inventario

Este documento describe únicamente funciones verificadas en el código fuente actual. Toda limitación se identifica de forma expresa.

Inventario generado directamente desde las migraciones versionadas. Total detectado: **95 tablas**.

Catálogo de tablas

Tabla	Columna	Definición SQL	Fuente
account_deletion_requests	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/031_privacy_account_recovery.sql
	user_id	uuid REFERENCES users(id) ON DELETE SET NULL	apps/api/migrations/031_privacy_account_recovery.sql
	requested_email	text NOT NULL	apps/api/migrations/031_privacy_account_recovery.sql
	token_hash	text NOT NULL UNIQUE	apps/api/migrations/031_privacy_account_recovery.sql
	expires_at	timestamptz NOT NULL	apps/api/migrations/031_privacy_account_recovery.sql
	confirmed_at	timestamptz	apps/api/migrations/031_privacy_account_recovery.sql
	completed_at	timestamptz	apps/api/migrations/031_privacy_account_recovery.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/031_privacy_account_recovery.sql
admin_notifications	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/018_driver_approval_workflow.sql
	type	text NOT NULL	apps/api/migrations/018_driver_approval_workflow.sql
	title	text NOT NULL	apps/api/migrations/018_driver_approval_workflow.sql
	body	text NOT NULL	apps/api/migrations/018_driver_approval_workflow.sql
	entity_type	text	apps/api/migrations/018_driver_approval_workflow.sql
	entity_id	text	apps/api/migrations/018_driver_approval_workflow.sql
	read_by	uuid[] NOT NULL DEFAULT '{}'	apps/api/migrations/018_driver_approval_workflow.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/018_driver_approval_workflow.sql

Tabla	Columna	Definición SQL	Fuente
admin_permission_overrides	Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0 user_id	uuid NOT NULL REFERENCES users(id) ON DELETE CASCADE	apps/api/migrations/016_rbac_cooperatives.sql
	permission	text NOT NULL	apps/api/migrations/016_rbac_cooperatives.sql
	allowed	boolean NOT NULL	apps/api/migrations/016_rbac_cooperatives.sql
	granted_by	uuid REFERENCES users(id)	apps/api/migrations/016_rbac_cooperatives.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/016_rbac_cooperatives.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/016_rbac_cooperatives.sql
admin_sessions	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/002_admin_operations.sql
	user_id	uuid NOT NULL REFERENCES users(id) ON DELETE CASCADE	apps/api/migrations/002_admin_operations.sql
	token_hash	text NOT NULL UNIQUE	apps/api/migrations/002_admin_operations.sql
	expires_at	timestamptz NOT NULL	apps/api/migrations/002_admin_operations.sql
	revoked_at	timestamptz	apps/api/migrations/002_admin_operations.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/002_admin_operations.sql
advertisers	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/045_commercial_advertising.sql
	business_name	text NOT NULL	apps/api/migrations/045_commercial_advertising.sql
	legal_name	text	apps/api/migrations/045_commercial_advertising.sql
	contact_name	text NOT NULL	apps/api/migrations/045_commercial_advertising.sql
	phone_e164	text NOT NULL	apps/api/migrations/045_commercial_advertising.sql
	email	text NOT NULL	apps/api/migrations/045_commercial_advertising.sql
	city	text NOT NULL	apps/api/migrations/045_commercial_advertising.sql
	business_type	text NOT NULL	apps/api/migrations/045_commercial_advertising.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0 status	text NOT NULL DEFAULT 'PROSPECT' CHECK (status IN ('PROSPECT','ACTIVE','INACTIVE','BLOCKED'))	apps/api/migrations/045_commercial_advertising.sql
	assigned_commercial_id	uuid REFERENCES users(id) ON DELETE SET NULL	apps/api/migrations/045_commercial_advertising.sql
	created_by	uuid REFERENCES users(id) ON DELETE SET NULL	apps/api/migrations/045_commercial_advertising.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/045_commercial_advertising.sql
	updated_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/045_commercial_advertising.sql
advertising_cash_closures	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/048_commercial_cash_reconciliation.sql
	commercial_id	uuid NOT NULL REFERENCES users(id)	apps/api/migrations/048_commercial_cash_reconciliation.sql
	business_date	date NOT NULL	apps/api/migrations/048_commercial_cash_reconciliation.sql
	status	text NOT NULL DEFAULT 'PENDING_RECONCILIATION' CHECK (status IN ('PENDING_RECONCILIATION','RECONCILED','REJECTED'))	apps/api/migrations/048_commercial_cash_reconciliation.sql
	payment_count	integer NOT NULL CHECK (payment_count>0)	apps/api/migrations/048_commercial_cash_reconciliation.sql
	cash_total	numeric(12,2) NOT NULL CHECK (cash_total>0)	apps/api/migrations/048_commercial_cash_reconciliation.sql
	currency	char(3) NOT NULL DEFAULT 'USD'	apps/api/migrations/048_commercial_cash_reconciliation.sql
	notes	text	apps/api/migrations/048_commercial_cash_reconciliation.sql
	closed_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/048_commercial_cash_reconciliation.sql
	reconciled_by	uuid REFERENCES users(id) ON DELETE SET NULL	apps/api/migrations/048_commercial_cash_reconciliation.sql
	reconciled_at	timestampz	apps/api/migrations/048_commercial_cash_reconciliation.sql
	reconciliation_reference	text	apps/api/migrations/048_commercial_cash_reconciliation.sql
	rejection_reason	text	apps/api/migrations/048_commercial_cash_reconciliation.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/048_commercial_cash_reconciliation.sql

Tabla	Columna	Definición SQL	Fuente
advertising_events	updated_at	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 timestampz NOT NULL DEFAULT now()	apps/api/migrations/048_commercial_cash_reconciliation.sql
	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/045_commercial_advertising.sql
	campaign_id	uuid NOT NULL REFERENCES affiliate_banners(id)	apps/api/migrations/045_commercial_advertising.sql
	event_type	text NOT NULL CHECK (event_type IN (('IMPRESSION','CLICK','ACTION')))	apps/api/migrations/045_commercial_advertising.sql
	exhibition_id	text NOT NULL	apps/api/migrations/045_commercial_advertising.sql
	session_key_hash	text NOT NULL	apps/api/migrations/045_commercial_advertising.sql
	placement	text NOT NULL	apps/api/migrations/045_commercial_advertising.sql
	service_area_id	uuid REFERENCES service_areas(id)	apps/api/migrations/045_commercial_advertising.sql
	trip_status	text	apps/api/migrations/045_commercial_advertising.sql
	action_type	text	apps/api/migrations/045_commercial_advertising.sql
	occurred_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/045_commercial_advertising.sql
	platform	text NOT NULL DEFAULT 'MOBILE'	apps/api/migrations/045_commercial_advertising.sql
	status	text NOT NULL DEFAULT 'CREATED' CHECK (status IN (('CREATED','OPENED','IN_PROGRESS','SUBMITTED','EXPIRED')))	apps/api/migrations/045_commercial_advertising.sql
advertising_invitations	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/045_commercial_advertising.sql
	lead_id	uuid NOT NULL REFERENCES advertising_leads(id) ON DELETE CASCADE	apps/api/migrations/045_commercial_advertising.sql
	advertiser_id	uuid REFERENCES advertisers(id) ON DELETE SET NULL	apps/api/migrations/045_commercial_advertising.sql
	campaign_id	uuid REFERENCES affiliate_banners(id) ON DELETE SET NULL	apps/api/migrations/045_commercial_advertising.sql
	token_hash	text NOT NULL UNIQUE	apps/api/migrations/045_commercial_advertising.sql

Tabla	Columna	Definición SQL	Fuente
		Costa-Go - Diccionario de datos Costa-Go - Documento controlado v3.0 RED',REVOKED',CORRECTIO ON'))	
	source	text NOT NULL	apps/api/migrations/045_commercial_advertising.sql
	purpose	text NOT NULL DEFAULT 'APPLICATION' CHECK (purpose IN (('APPLICATION','CORRECTIO N')))	apps/api/migrations/045_commercial_advertising.sql
	correction_fields	text[] NOT NULL DEFAULT '{}'	apps/api/migrations/045_commercial_advertising.sql
	draft_data	jsonb NOT NULL DEFAULT '{}':jsonb	apps/api/migrations/045_commercial_advertising.sql
	created_by	uuid REFERENCES users(id) ON DELETE SET NULL	apps/api/migrations/045_commercial_advertising.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/045_commercial_advertising.sql
	expires_at	timestampz NOT NULL	apps/api/migrations/045_commercial_advertising.sql
	opened_at	timestampz	apps/api/migrations/045_commercial_advertising.sql
	submitted_at	timestampz	apps/api/migrations/045_commercial_advertising.sql
	revoked_at	timestampz	apps/api/migrations/045_commercial_advertising.sql
	updated_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/045_commercial_advertising.sql
	advertising_leads	id	apps/api/migrations/049_commercial_chat_finalization.sql
	code	text NOT NULL UNIQUE	apps/api/migrations/049_commercial_chat_finalization.sql
	business_name	text NOT NULL	apps/api/migrations/049_commercial_chat_finalization.sql
	contact_name	text NOT NULL	apps/api/migrations/049_commercial_chat_finalization.sql
	phone_e164	text NOT NULL	apps/api/migrations/049_commercial_chat_finalization.sql
	email	text NOT NULL	apps/api/migrations/049_commercial_chat_finalization.sql
	city	text NOT NULL	apps/api/migrations/049_commercial_chat_finalization.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 business_type	text NOT NULL	apps/api/migrations/049_commercial_chat_finalization.sql
	interest	text NOT NULL	apps/api/migrations/049_commercial_chat_finalization.sql
	source	text NOT NULL CHECK (source IN ('INSTAGRAM','FACEBOOK','WHATSAPP','WEB','COMMERCIAL','ADMIN','OTHER'))	apps/api/migrations/049_commercial_chat_finalization.sql
	status	text NOT NULL DEFAULT 'NEW' CHECK (status IN ('NEW','IN_PROGRESS','QUALIFIED','REQUIRES_CONTACT','CONVERTED','LOST'))	apps/api/migrations/049_commercial_chat_finalization.sql
	advertiser_id	uuid REFERENCES advertisers(id) ON DELETE SET NULL	apps/api/migrations/049_commercial_chat_finalization.sql
	assigned_commercial_id	uuid REFERENCES users(id) ON DELETE SET NULL	apps/api/migrations/049_commercial_chat_finalization.sql
	created_by	uuid REFERENCES users(id) ON DELETE SET NULL	apps/api/migrations/049_commercial_chat_finalization.sql
	conversation_state	jsonb NOT NULL DEFAULT '{}':jsonb	apps/api/migrations/049_commercial_chat_finalization.sql
	last_contact_at	timestampz	apps/api/migrations/049_commercial_chat_finalization.sql
	lost_reason	text	apps/api/migrations/049_commercial_chat_finalization.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/049_commercial_chat_finalization.sql
	updated_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/049_commercial_chat_finalization.sql
	submission_key	text	apps/api/migrations/049_commercial_chat_finalization.sql
	conversation_status	text NOT NULL DEFAULT 'IN_PROGRESS'	apps/api/migrations/049_commercial_chat_finalization.sql
advertising_orders	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	code	text NOT NULL UNIQUE	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	lead_id	uuid REFERENCES advertising_leads(id) ON DELETE SET NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	advertiser_id	uuid NOT NULL REFERENCES advertisers(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 plan_id	uuid NOT NULL REFERENCES advertising_plans(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	assigned_commercial_id	uuid REFERENCES users(id) ON DELETE SET NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	status	text NOT NULL DEFAULT 'DRAFT' CHECK (status IN ('DRAFT','PENDING_PAYMENT','PAYMENT_REVIEW','PAID','CANCELLED','REFUNDED'))	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	amount	numeric(12,2) NOT NULL CHECK (amount>=0)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	currency	char(3) NOT NULL DEFAULT 'USD'	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	plan_snapshot	jsonb NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	requested_start_at	timestampz	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	requested_end_at	timestampz	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	notes	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	created_by	uuid REFERENCES users(id) ON DELETE SET NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	updated_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	invitation_id	uuid REFERENCES advertising_invitations(id) ON DELETE SET NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	renewal_of_campaign_id	uuid REFERENCES affiliate_banners(id) ON DELETE SET NULL, ADD COLUMN IF NOT EXISTS content_reused boolean NOT NULL DEFAULT false	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
advertising_payment_methods	fiscal_client_id	uuid REFERENCES fiscal_clients(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/045_commercial_advertising.sql
	code	text NOT NULL UNIQUE	apps/api/migrations/045_commercial_advertising.sql
	name	text NOT NULL	apps/api/migrations/045_commercial_advertising.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 instructions	text	apps/api/migrations/045_commercial_advertising.sql
	account_details	jsonb NOT NULL DEFAULT '{}':jsonb	apps/api/migrations/045_commercial_advertising.sql
	active	boolean NOT NULL DEFAULT true	apps/api/migrations/045_commercial_advertising.sql
	requires_proof	boolean NOT NULL DEFAULT true	apps/api/migrations/045_commercial_advertising.sql
	sort_order	integer NOT NULL DEFAULT 0	apps/api/migrations/045_commercial_advertising.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/045_commercial_advertising.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/045_commercial_advertising.sql
advertising_payment_upload_tokens	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/049_commercial_chat_finalization.sql
	order_id	uuid NOT NULL UNIQUE REFERENCES advertising_orders(id) ON DELETE CASCADE	apps/api/migrations/049_commercial_chat_finalization.sql
	payment_id	uuid NOT NULL UNIQUE REFERENCES advertising_payments(id) ON DELETE CASCADE	apps/api/migrations/049_commercial_chat_finalization.sql
	token_hash	text NOT NULL UNIQUE	apps/api/migrations/049_commercial_chat_finalization.sql
	status	text NOT NULL DEFAULT 'CREATED' CHECK (status IN ('CREATED','OPENED','SUBMITTED','EXPIRED','REVOKED'))	apps/api/migrations/049_commercial_chat_finalization.sql
	expires_at	timestamptz NOT NULL	apps/api/migrations/049_commercial_chat_finalization.sql
	opened_at	timestamptz	apps/api/migrations/049_commercial_chat_finalization.sql
	submitted_at	timestamptz	apps/api/migrations/049_commercial_chat_finalization.sql
	email_sent_at	timestamptz	apps/api/migrations/049_commercial_chat_finalization.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/049_commercial_chat_finalization.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/049_commercial_chat_finalization.sql

Tabla	Columna	Definición SQL	Fuente
advertising_payments	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	order_id	uuid NOT NULL REFERENCES advertising_orders(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	advertiser_id	uuid NOT NULL REFERENCES advertisers(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	amount	numeric(12,2) NOT NULL CHECK (amount>=0)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	currency	char(3) NOT NULL DEFAULT 'USD'	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	payment_method_id	uuid NOT NULL REFERENCES advertising_payment_methods(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	proof_mime	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	proof_data	bytea	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	reference	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	status	text NOT NULL DEFAULT 'PENDING' CHECK (status IN ('PENDING','UNDER_REVIEW','APPROVED','REJECTED','REFUNDED'))	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	reviewed_by	uuid REFERENCES users(id) ON DELETE SET NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	reviewed_at	timestampz	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	rejection_reason	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	updated_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	received_by	uuid REFERENCES users(id) ON DELETE SET NULL, ADD COLUMN IF NOT EXISTS received_at timestampz, ADD COLUMN IF NOT EXISTS receiver_role text, ADD COLUMN IF NOT EXISTS settlement_status text NOT NULL DEFAULT 'NOT_RECEIVED', ADD COLUMN IF NOT	apps/api/migrations/072_fiscal_clients_and_invoicing.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos cash_closure_id	Costa-Go · Documento controlado v2.0 uuid REFERENCES advertising_cash_closures(id) ON DELETE SET NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	fiscal_client_id	uuid REFERENCES fiscal_clients(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	fiscal_profile_id	uuid REFERENCES fiscal_profiles(id) ON DELETE SET NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
advertising_plans	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/045_commercial_advertising.sql
	code	text NOT NULL UNIQUE	apps/api/migrations/045_commercial_advertising.sql
	name	text NOT NULL	apps/api/migrations/045_commercial_advertising.sql
	monthly_price	numeric(12,2) NOT NULL DEFAULT 0	apps/api/migrations/045_commercial_advertising.sql
	currency	char(3) NOT NULL DEFAULT 'USD'	apps/api/migrations/045_commercial_advertising.sql
	default_weight	integer NOT NULL DEFAULT 1 CHECK (default_weight BETWEEN 1 AND 10)	apps/api/migrations/045_commercial_advertising.sql
	allowed_placements	text[] NOT NULL	apps/api/migrations/045_commercial_advertising.sql
	enabled	boolean NOT NULL DEFAULT true	apps/api/migrations/045_commercial_advertising.sql
	created_by	uuid REFERENCES users(id)	apps/api/migrations/045_commercial_advertising.sql
	updated_by	uuid REFERENCES users(id)	apps/api/migrations/045_commercial_advertising.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/045_commercial_advertising.sql
	updated_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/045_commercial_advertising.sql
affiliate_banners	description	text, ADD COLUMN IF NOT EXISTS placement text, ADD COLUMN IF NOT EXISTS duration_days integer NOT NULL DEFAULT 30, ADD COLUMN IF NOT EXISTS price numeric(12,2) NOT NULL DEFAULT 0, ADD COLUMN IF NOT EXISTS active boolean NOT NULL DEFAULT tru	apps/api/migrations/045_commercial_advertising.sql
	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/061_whatsapp_campaign_message.sql

Tabla	Columna	Definición SQL	Fuente
Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0	title	varchar(120) NOT NULL	apps/api/migrations/061_whats app_campaign_message.sql
	placement	varchar(30) NOT NULL CHECK (placement IN ('PASSENGER_HOME', 'DRIVER_HOME'))	apps/api/migrations/061_whats app_campaign_message.sql
	image_mime	varchar(30) NOT NULL CHECK (image_mime IN ('image/jpeg', 'image/png', 'image/webp'))	apps/api/migrations/061_whats app_campaign_message.sql
	image_data	bytea NOT NULL	apps/api/migrations/061_whats app_campaign_message.sql
	target_url	text	apps/api/migrations/061_whats app_campaign_message.sql
	starts_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/061_whats app_campaign_message.sql
	ends_at	timestamptz	apps/api/migrations/061_whats app_campaign_message.sql
	active	boolean NOT NULL DEFAULT true	apps/api/migrations/061_whats app_campaign_message.sql
	sort_order	integer NOT NULL DEFAULT 0	apps/api/migrations/061_whats app_campaign_message.sql
	created_by	uuid REFERENCES users(id)	apps/api/migrations/061_whats app_campaign_message.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/061_whats app_campaign_message.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/061_whats app_campaign_message.sql
	advertiser_id	uuid, ADD COLUMN IF NOT EXISTS advertiser_name text, ADD COLUMN IF NOT EXISTS advertising_plan_id uuid REFERENCES advertising_plans(id), ADD COLUMN IF NOT EXISTS service_area_id uuid REFERENCES service_areas(id), ADD COLUMN IF NOT EXISTS ca	apps/api/migrations/061_whats app_campaign_message.sql
	order_id	uuid REFERENCES advertising_orders(id) ON DELETE SET NULL, ADD COLUMN IF NOT EXISTS rejection_reason text, ADD COLUMN IF NOT EXISTS correction_note text, ADD COLUMN IF NOT EXISTS submitted_at timestamptz, ADD	apps/api/migrations/061_whats app_campaign_message.sql

Tabla	Columna	Definición SQL	Fuente
Costa-Go - Diccionario de datos Costa-Go - Documentos controlados v2.0			
		COLUMN IF NOT EXISTS review_req	
	internal_campaign_type	text, ADD COLUMN IF NOT EXISTS internal_partner_name text, ADD COLUMN IF NOT EXISTS internal_reason text, ADD COLUMN IF NOT EXISTS internal_reference text, ADD COLUMN IF NOT EXISTS internal_authorized_by uuid REFERENCES users(id) ON DELETE	apps/api/migrations/061_whats_app_campaign_message.sql
	action_message	text	apps/api/migrations/061_whats_app_campaign_message.sql
api_usage_events	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/041_memberships_navigation_collection.sql
	provider	text NOT NULL CHECK (provider IN ('NAVIGATION_SDK','ROUTES','PLACES_AUTOCOMPLETE','PLACE_DETAILS','TEXT_SEARCH_PRO','GEOCODING','MOBILE_MAP','WEB_DYNAMIC_MAP'))	apps/api/migrations/041_memberships_navigation_collection.sql
	environment	text NOT NULL DEFAULT 'PRODUCTION'	apps/api/migrations/041_memberships_navigation_collection.sql
	billing_period	date NOT NULL	apps/api/migrations/041_memberships_navigation_collection.sql
	trip_id	uuid REFERENCES trips(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	user_id	uuid REFERENCES users(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	service_area_id	uuid REFERENCES service_areas(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	cooperative_id	uuid REFERENCES cooperatives(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	phase	text	apps/api/migrations/041_memberships_navigation_collection.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 session_key_hash	text	apps/api/migrations/041_memberships_navigation_collection.sql
	request_key	text NOT NULL	apps/api/migrations/041_memberships_navigation_collection.sql
	result	text	apps/api/migrations/041_memberships_navigation_collection.sql
	metadata	jsonb NOT NULL DEFAULT '{}':jsonb	apps/api/migrations/041_memberships_navigation_collection.sql
	occurred_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/041_memberships_navigation_collection.sql
audit_log	id	bigserial PRIMARY KEY	apps/api/migrations/001_initial.sql
	actor_id	uuid REFERENCES users(id)	apps/api/migrations/001_initial.sql
	action	text NOT NULL	apps/api/migrations/001_initial.sql
	entity_type	text NOT NULL	apps/api/migrations/001_initial.sql
	entity_id	text NOT NULL	apps/api/migrations/001_initial.sql
	previous_value	jsonb	apps/api/migrations/001_initial.sql
	next_value	jsonb	apps/api/migrations/001_initial.sql
	reason	text	apps/api/migrations/001_initial.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/001_initial.sql
biometric_credentials	id	uuid primary key default gen_random_uuid()	apps/api/migrations/037_biometric_credentials.sql
	user_id	uuid not null references users(id) on delete cascade	apps/api/migrations/037_biometric_credentials.sql
	secret_hash	text not null unique	apps/api/migrations/037_biometric_credentials.sql
	created_at	timestamptz not null default now()	apps/api/migrations/037_biometric_credentials.sql
	last_used_at	timestamptz	apps/api/migrations/037_biometric_credentials.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0 revoked_at	timestampz	apps/api/migrations/037_biometric_credentials.sql
campaign_status_history	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/045_commercial_advertising.sql
	campaign_id	uuid NOT NULL REFERENCES affiliate_banners(id) ON DELETE CASCADE	apps/api/migrations/045_commercial_advertising.sql
	from_status	text	apps/api/migrations/045_commercial_advertising.sql
	to_status	text NOT NULL	apps/api/migrations/045_commercial_advertising.sql
	note	text	apps/api/migrations/045_commercial_advertising.sql
	changed_by	uuid REFERENCES users(id) ON DELETE SET NULL	apps/api/migrations/045_commercial_advertising.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/045_commercial_advertising.sql
collection_point_closure_payments	closure_id	uuid NOT NULL REFERENCES collection_point_closures(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	payment_id	uuid NOT NULL UNIQUE REFERENCES membership_payments(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/041_memberships_navigation_collection.sql
collection_point_closures	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/041_memberships_navigation_collection.sql
	collection_point_id	uuid NOT NULL REFERENCES collection_points(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	collector_id	uuid NOT NULL REFERENCES users(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	period_start	timestampz NOT NULL	apps/api/migrations/041_memberships_navigation_collection.sql
	period_end	timestampz NOT NULL	apps/api/migrations/041_memberships_navigation_collection.sql
	status	text NOT NULL DEFAULT 'OPEN' CHECK (status IN ('OPEN','CLOSED','PENDING_	apps/api/migrations/041_memberships_navigation_collection.sql

Tabla	Columna	Definición SQL	Fuente
Costa-Go - Diccionario de datos Costa-Go - Documento controlado, v2.0 (SETTLEMENT, SETTLED, DISPUTED'))			
	cash_total	numeric(12,2) NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	deuna_total	numeric(12,2) NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	transfer_total	numeric(12,2) NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	gross_amount	numeric(12,2) NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	commission_enabled_snapshot	boolean NOT NULL DEFAULT false	apps/api/migrations/041_memberships_navigation_collection.sql
	commission_type_snapshot	text NOT NULL DEFAULT 'NONE' CHECK (commission_type_snapshot IN ('NONE','FIXED_PER_PAYMENT', 'PERCENTAGE'))	apps/api/migrations/041_memberships_navigation_collection.sql
	commission_value_snapshot	numeric(12,4) NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	commission_amount	numeric(12,2) NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	net_amount	numeric(12,2) NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	closed_at	timestamptz	apps/api/migrations/041_memberships_navigation_collection.sql
	settled_at	timestamptz	apps/api/migrations/041_memberships_navigation_collection.sql
	verified_by	uuid REFERENCES users(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	notes	text	apps/api/migrations/041_memberships_navigation_collection.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/041_memberships_navigation_collection.sql

Tabla	Columna	Definición SQL	Fuente
collection_point_payment_accounts	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/041_memberships_navigation_collection.sql
	collection_point_id	uuid NOT NULL REFERENCES collection_points(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	account_type	text NOT NULL CHECK (account_type IN ('BANK_ACCOUNT','DEUNA'))	apps/api/migrations/041_memberships_navigation_collection.sql
	bank_name	text	apps/api/migrations/041_memberships_navigation_collection.sql
	account_type_name	text	apps/api/migrations/041_memberships_navigation_collection.sql
	account_identifier_encrypted	text	apps/api/migrations/041_memberships_navigation_collection.sql
	account_last_four	text	apps/api/migrations/041_memberships_navigation_collection.sql
	holder_name	text	apps/api/migrations/041_memberships_navigation_collection.sql
	holder_identification_encrypted	text	apps/api/migrations/041_memberships_navigation_collection.sql
	deuna_reference	text	apps/api/migrations/041_memberships_navigation_collection.sql
	enabled	boolean NOT NULL DEFAULT true	apps/api/migrations/041_memberships_navigation_collection.sql
	valid_from	timestampz NOT NULL DEFAULT now()	apps/api/migrations/041_memberships_navigation_collection.sql
	valid_until	timestampz	apps/api/migrations/041_memberships_navigation_collection.sql
	created_by	uuid REFERENCES users(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/041_memberships_navigation_collection.sql

Tabla	Columna	Definición SQL	Fuente
collection_point_schedules	id	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/062_collecti on_point_directory.sql
	collection_point_id	uuid NOT NULL REFERENCES collection_points(id) ON DELETE CASCADE	apps/api/migrations/062_collecti on_point_directory.sql
	day_of_week	smallint NOT NULL CHECK (day_of_week BETWEEN 0 AND 6)	apps/api/migrations/062_collecti on_point_directory.sql
	opens_at	time	apps/api/migrations/062_collecti on_point_directory.sql
	closes_at	time	apps/api/migrations/062_collecti on_point_directory.sql
	closed	boolean NOT NULL DEFAULT false	apps/api/migrations/062_collecti on_point_directory.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/062_collecti on_point_directory.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/062_collecti on_point_directory.sql
collection_point_settlements	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/041_memb erships_navigation_collection.s ql
	closure_id	uuid NOT NULL REFERENCES collection_point_closures(id)	apps/api/migrations/041_memb erships_navigation_collection.s ql
	collection_point_id	uuid NOT NULL REFERENCES collection_points(id)	apps/api/migrations/041_memb erships_navigation_collection.s ql
	gross_amount	numeric(12,2) NOT NULL	apps/api/migrations/041_memb erships_navigation_collection.s ql
	commission_amount	numeric(12,2) NOT NULL	apps/api/migrations/041_memb erships_navigation_collection.s ql
	net_amount	numeric(12,2) NOT NULL	apps/api/migrations/041_memb erships_navigation_collection.s ql
	method	text NOT NULL	apps/api/migrations/041_memb erships_navigation_collection.s ql
	reference_normalized_has h	text	apps/api/migrations/041_memb erships_navigation_collection.s ql
	reference_masked	text	apps/api/migrations/041_memb erships_navigation_collection.s ql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 proof_mime	text	apps/api/migrations/041_memberships_navigation_collection.sql
	proof_data	bytea	apps/api/migrations/041_memberships_navigation_collection.sql
	status	text NOT NULL DEFAULT 'PENDING' CHECK (status IN ('PENDING','SUBMITTED','VERIFIED','REJECTED','DISPUTED'))	apps/api/migrations/041_memberships_navigation_collection.sql
	submitted_at	timestamptz	apps/api/migrations/041_memberships_navigation_collection.sql
	verified_at	timestamptz	apps/api/migrations/041_memberships_navigation_collection.sql
	verified_by	uuid REFERENCES users(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	notes	text	apps/api/migrations/041_memberships_navigation_collection.sql
	idempotency_key	text UNIQUE	apps/api/migrations/041_memberships_navigation_collection.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/041_memberships_navigation_collection.sql
	collection_points	id	apps/api/migrations/062_collection_point_directory.sql
	code	text NOT NULL UNIQUE	apps/api/migrations/062_collection_point_directory.sql
	name	text NOT NULL	apps/api/migrations/062_collection_point_directory.sql
	address	text	apps/api/migrations/062_collection_point_directory.sql
	service_area_id	uuid REFERENCES service_areas(id)	apps/api/migrations/062_collection_point_directory.sql
	status	text NOT NULL DEFAULT 'ACTIVE' CHECK (status IN ('ACTIVE','SUSPENDED','INACTIVE'))	apps/api/migrations/062_collection_point_directory.sql
	cash_enabled	boolean NOT NULL DEFAULT false	apps/api/migrations/062_collection_point_directory.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 deuna_enabled	boolean NOT NULL DEFAULT false	apps/api/migrations/062_collecti on_point_directory.sql
	bank_transfer_enabled	boolean NOT NULL DEFAULT false	apps/api/migrations/062_collecti on_point_directory.sql
	settlement_deadline_hours	integer NOT NULL DEFAULT 48	apps/api/migrations/062_collecti on_point_directory.sql
	pending_limit	numeric(12,2)	apps/api/migrations/062_collecti on_point_directory.sql
	created_by	uuid REFERENCES users(id)	apps/api/migrations/062_collecti on_point_directory.sql
	updated_by	uuid REFERENCES users(id)	apps/api/migrations/062_collecti on_point_directory.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/062_collecti on_point_directory.sql
	updated_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/062_collecti on_point_directory.sql
collector_assignments	reference	text, ADD COLUMN IF NOT EXISTS phone text, ADD COLUMN IF NOT EXISTS whatsapp text, ADD COLUMN IF NOT EXISTS email text, ADD COLUMN IF NOT EXISTS latitude numeric(10,7), ADD COLUMN IF NOT EXISTS longitude numeric(10,7), ADD COLUMN IF NOT EXI	apps/api/migrations/062_collecti on_point_directory.sql
	collector_id	uuid NOT NULL REFERENCES users(id) ON DELETE CASCADE	apps/api/migrations/041_memb erships_navigation_collection.s ql
	collection_point_id	uuid NOT NULL REFERENCES collection_points(id) ON DELETE CASCADE	apps/api/migrations/041_memb erships_navigation_collection.s ql
	starts_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/041_memb erships_navigation_collection.s ql
	ends_at	timestampz	apps/api/migrations/041_memb erships_navigation_collection.s ql
	created_by	uuid REFERENCES users(id)	apps/api/migrations/041_memb erships_navigation_collection.s ql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/041_memb erships_navigation_collection.s ql

Tabla	Columna	Definición SQL	Fuente
cooperatives	Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0 id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/016_rbac_c cooperatives.sql
	name	text NOT NULL UNIQUE	apps/api/migrations/016_rbac_c cooperatives.sql
	legal_name	text	apps/api/migrations/016_rbac_c cooperatives.sql
	registration_number	text UNIQUE	apps/api/migrations/016_rbac_c cooperatives.sql
	email	text	apps/api/migrations/016_rbac_c cooperatives.sql
	phone_e164	text	apps/api/migrations/016_rbac_c cooperatives.sql
	status	text NOT NULL DEFAULT 'ACTIVE' CHECK (status IN ('ACTIVE', 'SUSPENDED', 'INACTIVE'))	apps/api/migrations/016_rbac_c cooperatives.sql
	created_by	uuid REFERENCES users(id)	apps/api/migrations/016_rbac_c cooperatives.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/016_rbac_c cooperatives.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/016_rbac_c cooperatives.sql
costa_go_payment_accounts	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/062_collecti on_point_directory.sql
	account_type	text NOT NULL CHECK (account_type IN ('BANK_ACCOUNT', 'DEUNA'))	apps/api/migrations/062_collecti on_point_directory.sql
	bank_name	text	apps/api/migrations/062_collecti on_point_directory.sql
	account_type_name	text	apps/api/migrations/062_collecti on_point_directory.sql
	account_identifier_encryp ted	text	apps/api/migrations/062_collecti on_point_directory.sql
	account_last_four	text	apps/api/migrations/062_collecti on_point_directory.sql
	holder_name	text	apps/api/migrations/062_collecti on_point_directory.sql
	holder_identification_enc rypted	text	apps/api/migrations/062_collecti on_point_directory.sql
	enabled	boolean NOT NULL DEFAULT true	apps/api/migrations/062_collecti on_point_directory.sql

Tabla	Columna	Definición SQL	Fuente
	remote_payments_enabled	Costa-Go · Diccionario de datos boolean NOT NULL DEFAULT true	apps/api/migrations/062_collecti on_point_directory.sql
	created_by	uuid REFERENCES users(id)	apps/api/migrations/062_collecti on_point_directory.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/062_collecti on_point_directory.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/062_collecti on_point_directory.sql
	account_identifier_public	text, ADD COLUMN IF NOT EXISTS holder_identification_public text, ADD COLUMN IF NOT EXISTS support_email text	apps/api/migrations/062_collecti on_point_directory.sql
device_tokens	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/069_passe nger_cancellations_and_trip_int egrity.sql
	user_id	uuid NOT NULL REFERENCES users(id) ON DELETE CASCADE	apps/api/migrations/069_passe nger_cancellations_and_trip_int egrity.sql
	token	text NOT NULL UNIQUE	apps/api/migrations/069_passe nger_cancellations_and_trip_int egrity.sql
	platform	text NOT NULL DEFAULT 'ANDROID'	apps/api/migrations/069_passe nger_cancellations_and_trip_int egrity.sql
	last_seen_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/069_passe nger_cancellations_and_trip_int egrity.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/069_passe nger_cancellations_and_trip_int egrity.sql
	notification_protocol	smallint not null default 1	apps/api/migrations/069_passe nger_cancellations_and_trip_int egrity.sql
driver_approval_notification_settings	id	smallint PRIMARY KEY DEFAULT 1 CHECK (id=1)	apps/api/migrations/018_driver_ approval_workflow.sql
	admin_emails	text[] NOT NULL DEFAULT '{}'	apps/api/migrations/018_driver_ approval_workflow.sql
	email_enabled	boolean NOT NULL DEFAULT false	apps/api/migrations/018_driver_ approval_workflow.sql
	internal_enabled	boolean NOT NULL DEFAULT true	apps/api/migrations/018_driver_ approval_workflow.sql
	push_enabled	boolean NOT NULL DEFAULT true	apps/api/migrations/018_driver_ approval_workflow.sql

Tabla	Columna	Definición SQL	Fuente
driver_approval_reviews	updated_by	Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0 uuid REFERENCES users(id)	apps/api/migrations/018_driver_approval_workflow.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/018_driver_approval_workflow.sql
	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/018_driver_approval_workflow.sql
	driver_id	uuid NOT NULL REFERENCES drivers(user_id) ON DELETE CASCADE	apps/api/migrations/018_driver_approval_workflow.sql
	reviewer_id	uuid REFERENCES users(id)	apps/api/migrations/018_driver_approval_workflow.sql
	previous_status	text NOT NULL	apps/api/migrations/018_driver_approval_workflow.sql
	next_status	text NOT NULL	apps/api/migrations/018_driver_approval_workflow.sql
	decision	text NOT NULL	apps/api/migrations/018_driver_approval_workflow.sql
	observation	text	apps/api/migrations/018_driver_approval_workflow.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/018_driver_approval_workflow.sql
driver_documents	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/014_driver_identity_documents.sql
	driver_id	uuid NOT NULL REFERENCES drivers(user_id) ON DELETE CASCADE	apps/api/migrations/014_driver_identity_documents.sql
	document_type	text NOT NULL	apps/api/migrations/014_driver_identity_documents.sql
	file_url	text NOT NULL	apps/api/migrations/014_driver_identity_documents.sql
	issued_at	date	apps/api/migrations/014_driver_identity_documents.sql
	expires_at	date	apps/api/migrations/014_driver_identity_documents.sql
	status	account_status NOT NULL DEFAULT 'PENDING'	apps/api/migrations/014_driver_identity_documents.sql
	reviewed_by	uuid REFERENCES users(id)	apps/api/migrations/014_driver_identity_documents.sql
	reviewed_at	timestamptz	apps/api/migrations/014_driver_identity_documents.sql
	review_note	text	apps/api/migrations/014_driver_identity_documents.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0 created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/014_driver_identity_documents.sql
	file_data	bytea, ADD COLUMN IF NOT EXISTS file_mime text	apps/api/migrations/014_driver_identity_documents.sql
driver_import_batches	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/041_memberships_navigation_collection.sql
	original_filename	text NOT NULL	apps/api/migrations/041_memberships_navigation_collection.sql
	total_rows	integer NOT NULL	apps/api/migrations/041_memberships_navigation_collection.sql
	valid_rows	integer NOT NULL	apps/api/migrations/041_memberships_navigation_collection.sql
	imported_rows	integer NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	rejected_rows	integer NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	status	text NOT NULL CHECK (status IN ('VALIDATED', 'COMPLETED', 'FAILED'))	apps/api/migrations/041_memberships_navigation_collection.sql
	created_by	uuid NOT NULL REFERENCES users(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/041_memberships_navigation_collection.sql
	completed_at	timestampz	apps/api/migrations/041_memberships_navigation_collection.sql
driver_import_rows	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/041_memberships_navigation_collection.sql
	batch_id	uuid NOT NULL REFERENCES driver_import_batches(id) ON DELETE CASCADE	apps/api/migrations/041_memberships_navigation_collection.sql
	row_number	integer NOT NULL	apps/api/migrations/041_memberships_navigation_collection.sql
	normalized_data	jsonb NOT NULL	apps/api/migrations/041_memberships_navigation_collection.s

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0		ql
	status	text NOT NULL CHECK (status IN ('VALID','IMPORTED','REJECTED'))	apps/api/migrations/041_memberships_navigation_collection.sql
	errors	text[] NOT NULL DEFAULT '{}'	apps/api/migrations/041_memberships_navigation_collection.sql
	driver_id	uuid REFERENCES drivers(user_id)	apps/api/migrations/041_memberships_navigation_collection.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/041_memberships_navigation_collection.sql
driver_memberships	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/041_memberships_navigation_collection.sql
	driver_id	uuid NOT NULL REFERENCES drivers(user_id)	apps/api/migrations/041_memberships_navigation_collection.sql
	plan_id	uuid REFERENCES membership_plans(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	plan_code	text NOT NULL	apps/api/migrations/041_memberships_navigation_collection.sql
	status	text NOT NULL CHECK (status IN ('PENDING','ACTIVE','EXPIRING','GRACE_PERIOD','PAYMENT_DUE','SUSPENSION_PENDING_ACTIVE_TRIP','SUSPENDED_NON_PAYMENT','SUSPENDED','CLOSED'))	apps/api/migrations/041_memberships_navigation_collection.sql
	starts_at	timestampz	apps/api/migrations/041_memberships_navigation_collection.sql
	expires_at	timestampz	apps/api/migrations/041_memberships_navigation_collection.sql
	expiration_local_date	date	apps/api/migrations/041_memberships_navigation_collection.sql
	grace_ends_at	timestampz	apps/api/migrations/041_memberships_navigation_collection.sql

Tabla	Columna	Definición SQL	Fuente
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0	last_grace_local_date	date	apps/api/migrations/041_memberships_navigation_collection.sql
	suspension_at	timestamptz	apps/api/migrations/041_memberships_navigation_collection.sql
	suspension_timezone_snapshot	text NOT NULL DEFAULT 'America/Guayaquil'	apps/api/migrations/041_memberships_navigation_collection.sql
	suspension_local_time_snapshot	time NOT NULL DEFAULT '07:00'	apps/api/migrations/041_memberships_navigation_collection.sql
	suspension_pending_active_trip	boolean NOT NULL DEFAULT false	apps/api/migrations/041_memberships_navigation_collection.sql
	suspended_non_payment_at	timestamptz	apps/api/migrations/041_memberships_navigation_collection.sql
	reactivated_after_payment_at	timestamptz	apps/api/migrations/041_memberships_navigation_collection.sql
	grace_policy_id	uuid REFERENCES membership_grace_policies(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	grace_reason	text	apps/api/migrations/041_memberships_navigation_collection.sql
	grace_days_applied	integer NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	grace_allows_trips_applied	boolean NOT NULL DEFAULT false	apps/api/migrations/041_memberships_navigation_collection.sql
	previous_membership_cycle_id	uuid REFERENCES driver_memberships(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	plan_snapshot	jsonb NOT NULL DEFAULT '{}::jsonb	apps/api/migrations/041_memberships_navigation_collection.sql
	cycle_duration_snapshot	integer NOT NULL DEFAULT 30	apps/api/migrations/041_memberships_navigation_collection.sql
	base_membership_amount_snapshot	numeric(12,2) NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go - Diccionario de datos included_trips_snapshot	Costa-Go - Documento controlado v2.0 integer NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	extra_trip_fee_snapshot	numeric(12,4) NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	extra_trip_share_percent_snapshot	numeric(6,2) NOT NULL DEFAULT 40	apps/api/migrations/041_memberships_navigation_collection.sql
	max_renewal_amount_snapshot	numeric(12,2) NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	passenger_service_additional_snapshot	numeric(12,4) NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	completed_trips	integer NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	extra_trips	integer NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	raw_extra_amount	numeric(12,2) NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	billable_extra_amount	numeric(12,2) NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	adjustment_amount	numeric(12,2) NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	estimated_next_renewal_amount	numeric(12,2) NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	final_renewal_amount	numeric(12,2)	apps/api/migrations/041_memberships_navigation_collection.sql
	cycle_closed_at	timestampz	apps/api/migrations/041_memberships_navigation_collection.sql
	cycle_close_reason	text	apps/api/migrations/041_memberships_navigation_collection.sql
	opening_payment_id	uuid	apps/api/migrations/041_memberships_navigation_collection.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 renewal_order_id	uuid	apps/api/migrations/041_memberships_navigation_collection.sql
	payer_type	text NOT NULL DEFAULT 'INDIVIDUAL' CHECK (payer_type IN ('INDIVIDUAL','COOPERATIVE'))	apps/api/migrations/041_memberships_navigation_collection.sql
	cooperative_id	uuid REFERENCES cooperatives(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	amount	numeric(12,2) NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	currency	char(3) NOT NULL DEFAULT 'USD'	apps/api/migrations/041_memberships_navigation_collection.sql
	payment_status	text NOT NULL DEFAULT 'PENDING'	apps/api/migrations/041_memberships_navigation_collection.sql
	payment_method	text	apps/api/migrations/041_memberships_navigation_collection.sql
	payment_reference	text	apps/api/migrations/041_memberships_navigation_collection.sql
	paid_at	timestamptz	apps/api/migrations/041_memberships_navigation_collection.sql
	renewed_at	timestamptz	apps/api/migrations/041_memberships_navigation_collection.sql
	suspended_at	timestamptz	apps/api/migrations/041_memberships_navigation_collection.sql
	suspension_reason	text	apps/api/migrations/041_memberships_navigation_collection.sql
	source	text NOT NULL DEFAULT 'NORMAL' CHECK (source IN ('NORMAL','MIGRATION','NEW_DRIVER_ONBOARDING','COURTESY'))	apps/api/migrations/041_memberships_navigation_collection.sql
	created_by	uuid REFERENCES users(id)	apps/api/migrations/041_memberships_navigation_collection.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos updated_by	Costa-Go · Documento controlado v2.0 uuid REFERENCES users(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/041_memberships_navigation_collection.sql
	updated_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/041_memberships_navigation_collection.sql
driver_offers	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/074_vehicle_session_integrity.sql
	trip_id	uuid NOT NULL REFERENCES trips(id)	apps/api/migrations/074_vehicle_session_integrity.sql
	driver_id	uuid NOT NULL REFERENCES drivers(user_id)	apps/api/migrations/074_vehicle_session_integrity.sql
	offered_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/074_vehicle_session_integrity.sql
	expires_at	timestampz NOT NULL	apps/api/migrations/074_vehicle_session_integrity.sql
	responded_at	timestampz	apps/api/migrations/074_vehicle_session_integrity.sql
	accepted	boolean	apps/api/migrations/074_vehicle_session_integrity.sql
	search_round	integer NOT NULL DEFAULT 1, ADD COLUMN IF NOT EXISTS distance_meters integer, ADD COLUMN IF NOT EXISTS notification_sent_at timestampz	apps/api/migrations/074_vehicle_session_integrity.sql
	response_reason	text	apps/api/migrations/074_vehicle_session_integrity.sql
driver_vehicle_sessions	vehicle_session_id	uuid REFERENCES driver_vehicle_sessions(id)	apps/api/migrations/074_vehicle_session_integrity.sql
	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/073_vehicle_fleet.sql
	driver_id	uuid NOT NULL REFERENCES drivers(user_id)	apps/api/migrations/073_vehicle_fleet.sql
	vehicle_id	uuid NOT NULL REFERENCES vehicles(id)	apps/api/migrations/073_vehicle_fleet.sql
	started_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/073_vehicle_fleet.sql
	ended_at	timestampz	apps/api/migrations/073_vehicle_fleet.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 last_heartbeat	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/073_vehicle_fleet.sql
	status	text NOT NULL DEFAULT 'ACTIVE' CHECK(status IN ('ACTIVE', 'ENDED'))	apps/api/migrations/073_vehicle_fleet.sql
	start_method	text NOT NULL CHECK(start_method IN ('MANUAL_SELECTION', 'QR_S CAN', 'RECOVERY', 'ADMIN_AS SIGNED'))	apps/api/migrations/073_vehicle_fleet.sql
	end_reason	text CHECK(end_reason IN ('MANUAL_RELEASE', 'LOGOU T', 'AUTO_RELEASE', 'TAKEOV ER', 'VEHICLE_CHANGE', 'ADM IN_RELEASE'))	apps/api/migrations/073_vehicle_fleet.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/073_vehicle_fleet.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/073_vehicle_fleet.sql
drivers	user_id	uuid PRIMARY KEY REFERENCES users(id)	apps/api/migrations/041_memb erships_navigation_collection.s ql
	approval_note	text	apps/api/migrations/041_memb erships_navigation_collection.s ql
	approved_at	timestamptz	apps/api/migrations/041_memb erships_navigation_collection.s ql
	approved_by	uuid REFERENCES users(id)	apps/api/migrations/041_memb erships_navigation_collection.s ql
	is_available	boolean NOT NULL DEFAULT false	apps/api/migrations/041_memb erships_navigation_collection.s ql
	rating	numeric(3, 2)	apps/api/migrations/041_memb erships_navigation_collection.s ql
	last_location	geography(Point, 4326)	apps/api/migrations/041_memb erships_navigation_collection.s ql
	last_location_at	timestamptz	apps/api/migrations/041_memb erships_navigation_collection.s ql
	deuna_qr_image_url	text	apps/api/migrations/041_memb erships_navigation_collection.s ql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go - Diccionario de datos deuna_enabled	Costa-Go - Documento controlado v2.0 boolean NOT NULL DEFAULT false	apps/api/migrations/041_memb erships_navigation_collection.s ql
	approval_status	text NOT NULL DEFAULT 'PENDIENTE_DOCUMENTOS', ADD COLUMN IF NOT EXISTS approval_observation text, ADD COLUMN IF NOT EXISTS submitted_for_review_at timestampz, ADD COLUMN IF NOT EXISTS approval_updated_at timestampz NOT NULL DEFAULT now()	apps/api/migrations/041_memb erships_navigation_collection.s ql
	identity_number	text, ADD COLUMN IF NOT EXISTS imported_at timestampz, ADD COLUMN IF NOT EXISTS imported_by uuid REFERENCES users(id)	apps/api/migrations/041_memb erships_navigation_collection.s ql
email_verification_codes	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/032_email_ verification.sql
	user_id	uuid NOT NULL REFERENCES users(id) ON DELETE CASCADE	apps/api/migrations/032_email_ verification.sql
	code_hash	text NOT NULL	apps/api/migrations/032_email_ verification.sql
	attempts	integer NOT NULL DEFAULT 0	apps/api/migrations/032_email_ verification.sql
	expires_at	timestampz NOT NULL	apps/api/migrations/032_email_ verification.sql
	used_at	timestampz	apps/api/migrations/032_email_ verification.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/032_email_ verification.sql
fare_route_rules	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/050_ataca mes_official_territorial_fares.sql
	service_area_id	uuid NOT NULL REFERENCES service_areas(id)	apps/api/migrations/050_ataca mes_official_territorial_fares.sql
	origin_sector_id	uuid NOT NULL REFERENCES fare_sectors(id)	apps/api/migrations/050_ataca mes_official_territorial_fares.sql
	destination_sector_id	uuid NOT NULL REFERENCES fare_sectors(id)	apps/api/migrations/050_ataca mes_official_territorial_fares.sql
	minimum_passengers	smallint NOT NULL CHECK (minimum_passengers BETWEEN 1 AND 3)	apps/api/migrations/050_ataca mes_official_territorial_fares.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 maximum_passengers	smallint NOT NULL CHECK (maximum_passengers BETWEEN minimum_passengers AND 3)	apps/api/migrations/050_atacames_official_territorial_fares.sql
	day_total_cents	integer NOT NULL CHECK (day_total_cents >= 0)	apps/api/migrations/050_atacames_official_territorial_fares.sql
	night_total_cents	integer NOT NULL CHECK (night_total_cents >= 0)	apps/api/migrations/050_atacames_official_territorial_fares.sql
	bidirectional	boolean NOT NULL DEFAULT true	apps/api/migrations/050_atacames_official_territorial_fares.sql
	enabled	boolean NOT NULL DEFAULT false	apps/api/migrations/050_atacames_official_territorial_fares.sql
	active_from	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/050_atacames_official_territorial_fares.sql
	active_until	timestamptz	apps/api/migrations/050_atacames_official_territorial_fares.sql
	created_by	uuid REFERENCES users(id)	apps/api/migrations/050_atacames_official_territorial_fares.sql
	updated_by	uuid REFERENCES users(id)	apps/api/migrations/050_atacames_official_territorial_fares.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/050_atacames_official_territorial_fares.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/050_atacames_official_territorial_fares.sql
	priority	integer NOT NULL DEFAULT 0, ADD COLUMN IF NOT EXISTS source_code text	apps/api/migrations/050_atacames_official_territorial_fares.sql
fare_sectors	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/036_territorial_fare_engine.sql
	service_area_id	uuid NOT NULL REFERENCES service_areas(id)	apps/api/migrations/036_territorial_fare_engine.sql
	code	text NOT NULL	apps/api/migrations/036_territorial_fare_engine.sql
	name	text NOT NULL	apps/api/migrations/036_territorial_fare_engine.sql
	description	text	apps/api/migrations/036_territorial_fare_engine.sql
	boundary	geography(MultiPolygon,4326) NOT NULL	apps/api/migrations/036_territorial_fare_engine.sql
	priority	integer NOT NULL DEFAULT 0	apps/api/migrations/036_territorial_fare_engine.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go-enabled	boolean NOT NULL DEFAULT false	apps/api/migrations/036_territorial_fare_engine.sql
	created_by	uuid REFERENCES users(id)	apps/api/migrations/036_territorial_fare_engine.sql
	updated_by	uuid REFERENCES users(id)	apps/api/migrations/036_territorial_fare_engine.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/036_territorial_fare_engine.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/036_territorial_fare_engine.sql
favorite_places	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/013_security_favorite_places.sql
	user_id	uuid NOT NULL REFERENCES users(id) ON DELETE CASCADE	apps/api/migrations/013_security_favorite_places.sql
	label	text NOT NULL CHECK (char_length(label) BETWEEN 2 AND 50)	apps/api/migrations/013_security_favorite_places.sql
	address	text NOT NULL CHECK (char_length(address) BETWEEN 3 AND 200)	apps/api/migrations/013_security_favorite_places.sql
	location	geography(Point, 4326) NOT NULL	apps/api/migrations/013_security_favorite_places.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/013_security_favorite_places.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/013_security_favorite_places.sql
fiscal_audit	id	bigint GENERATED ALWAYS AS IDENTITY PRIMARY KEY	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	client_id	uuid REFERENCES fiscal_clients(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	entity_type	text NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	entity_id	text NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	event_type	text NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	actor_id	uuid REFERENCES users(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	actor_process	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql

Tabla	Columna	Definición SQL	Fuente
fiscal_billing_outbox	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 result	text NOT NULL DEFAULT 'SUCCESS'	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	source	text NOT NULL CHECK(source IN ('MEMBRESIA','PUBLICIDAD','PUNTO_VENTA','OTRO'))	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	payment_id	uuid NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	document_type	text NOT NULL DEFAULT 'FACTURA'	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	client_id	uuid REFERENCES fiscal_clients(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	fiscal_snapshot	jsonb	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	amount	numeric(14,2) NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	currency	text NOT NULL DEFAULT 'USD'	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	concept	text NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	zone_id	uuid REFERENCES service_areas(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	service_type	text NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	paid_at	timestamptz NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	payment_reversed	boolean NOT NULL DEFAULT false	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
fiscal_client_links	processed_at	timestamptz	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	client_id	uuid NOT NULL REFERENCES fiscal_clients(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	link_type	text NOT NULL CHECK(link_type IN	apps/api/migrations/072_fiscal_clients_and_invoicing.sql

Tabla	Columna	Definición SQL	Fuente
Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0			
		(CONDUCTOR,'COMERCIO', COOPERATIVA','EMPRESA','O TRO'))	
	entity_id	uuid NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	user_id	uuid REFERENCES users(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	advertiser_id	uuid REFERENCES advertisers(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
fiscal_clients	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	active	boolean NOT NULL DEFAULT true	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	deleted_at	timestamptz	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
fiscal_credit_notes	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	invoice_id	uuid NOT NULL REFERENCES fiscal_invoices(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	external_reference	text NOT NULL UNIQUE	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	fiscal_snapshot	jsonb NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	amount	numeric(14,2) NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	status	text NOT NULL DEFAULT 'PENDIENTE_INTEGRACION'	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	document_number	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	authorization_number	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
fiscal_invoices	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql

Tabla	Columna	Definición SQL	Fuente
Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0	external_reference	text NOT NULL UNIQUE	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	source	text NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	service_type	text NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	zone_id	uuid REFERENCES service_areas(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	payment_id	uuid NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	document_type	text NOT NULL DEFAULT 'FACTURA'	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	client_id	uuid REFERENCES fiscal_clients(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	fiscal_snapshot	jsonb	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	concept	text NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	subtotal	numeric(14,2)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	tax_amount	numeric(14,2)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	total	numeric(14,2) NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	currency	text NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	status	text NOT NULL DEFAULT 'PENDIENTE_INTEGRACION' CHECK(status IN ('BORRADOR','PENDIENTE','PENDIENTE_INTEGRACION','ENVIANDO','RECIBIDA','AUTORIZADA','RECHAZADA','ERROR','PENDIENTE_REINTENTO','ANULADA'))	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	provider	text NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	environment	text NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	document_number	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	access_key	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0 authorization_number	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	issued_at	timestamptz	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	authorized_at	timestamptz	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	xml_location	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	ride_location	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	email_to	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	email_sent	boolean NOT NULL DEFAULT false	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	email_sent_at	timestamptz	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	email_status	text NOT NULL DEFAULT 'NO_ENVIADO'	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	paid_at	timestamptz NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
fiscal_profiles	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	client_id	uuid NOT NULL UNIQUE REFERENCES fiscal_clients(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	identification_type	text NOT NULL CHECK(identification_type IN ('CEDULA','RUC'))	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	identification	text NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	legal_name	text NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	address	text NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	billing_email	text NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	active	boolean NOT NULL DEFAULT true	apps/api/migrations/072_fiscal_clients_and_invoicing.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0 revision	integer NOT NULL DEFAULT 1	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
fleet_entitlements	user_id	uuid PRIMARY KEY REFERENCES users(id)	apps/api/migrations/073_vehicle_fleet.sql
	tier	text NOT NULL DEFAULT 'BASIC' CHECK(tier IN ('BASIC','PRO'))	apps/api/migrations/073_vehicle_fleet.sql
	capabilities	jsonb NOT NULL DEFAULT '{"history":true	apps/api/migrations/073_vehicle_fleet.sql
	notification_events	text[] NOT NULL DEFAULT ARRAY['session_started'	apps/api/migrations/073_vehicle_fleet.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/073_vehicle_fleet.sql
fleet_notification_outbox	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/073_vehicle_fleet.sql
	audit_id	bigint NOT NULL REFERENCES vehicle_audit(id)	apps/api/migrations/073_vehicle_fleet.sql
	user_id	uuid NOT NULL REFERENCES users(id)	apps/api/migrations/073_vehicle_fleet.sql
	vehicle_id	uuid NOT NULL REFERENCES vehicles(id)	apps/api/migrations/073_vehicle_fleet.sql
	event	text NOT NULL	apps/api/migrations/073_vehicle_fleet.sql
	status	text NOT NULL DEFAULT 'PENDING' CHECK(status IN ('PENDING','SENDING','SENT','FAILED'))	apps/api/migrations/073_vehicle_fleet.sql
	attempts	integer NOT NULL DEFAULT 0	apps/api/migrations/073_vehicle_fleet.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/073_vehicle_fleet.sql
fleet_settings	id	boolean PRIMARY KEY DEFAULT true CHECK(id)	apps/api/migrations/073_vehicle_fleet.sql
	heartbeat_seconds	integer NOT NULL DEFAULT 30 CHECK(heartbeat_seconds BETWEEN 10 AND 120)	apps/api/migrations/073_vehicle_fleet.sql
	offline_seconds	integer NOT NULL DEFAULT 180 CHECK(offline_seconds	apps/api/migrations/073_vehicle_fleet.sql

Tabla	Columna	Definición SQL	Fuente
Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0			
incidents	auto_release_seconds	integer NOT NULL DEFAULT 900 CHECK(auto_release_seconds BETWEEN 60 AND 86400)	apps/api/migrations/073_vehicle_fleet.sql
	owner_notifications	boolean NOT NULL DEFAULT false	apps/api/migrations/073_vehicle_fleet.sql
	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/019_support_t_incidents_faq.sql
	trip_id	uuid REFERENCES trips(id)	apps/api/migrations/019_support_t_incidents_faq.sql
	reported_by	uuid REFERENCES users(id)	apps/api/migrations/019_support_t_incidents_faq.sql
	category	text NOT NULL	apps/api/migrations/019_support_t_incidents_faq.sql
	description	text NOT NULL	apps/api/migrations/019_support_t_incidents_faq.sql
	evidence	jsonb NOT NULL DEFAULT '[]::jsonb	apps/api/migrations/019_support_t_incidents_faq.sql
	status	text NOT NULL DEFAULT 'OPEN' CHECK (status IN ('OPEN','IN_REVIEW','RESOLVED'))	apps/api/migrations/019_support_t_incidents_faq.sql
	assigned_to	uuid REFERENCES users(id)	apps/api/migrations/019_support_t_incidents_faq.sql
	resolution_note	text	apps/api/migrations/019_support_t_incidents_faq.sql
	resolved_at	timestampz	apps/api/migrations/019_support_t_incidents_faq.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/019_support_t_incidents_faq.sql
	updated_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/019_support_t_incidents_faq.sql
	subject	text, ADD COLUMN IF NOT EXISTS priority text NOT NULL DEFAULT 'MEDIA', ADD COLUMN IF NOT EXISTS preferred_contact text NOT NULL DEFAULT 'APP', ADD COLUMN IF NOT EXISTS related_user_id uuid REFERENCES users(id) ON DELETE SET NULL, ADD COLUMN	apps/api/migrations/019_support_t_incidents_faq.sql

Tabla	Columna	Definición SQL	Fuente
membership_cycle_adjustments	id	Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0 uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/041_memberships_navigation_collection.sql
	membership_cycle_id	uuid NOT NULL REFERENCES driver_memberships(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	adjustment_type	text NOT NULL CHECK (adjustment_type IN ('BONUS', 'DISCOUNT', 'WAIVER', 'POSITIVE', 'NEGATIVE', 'TRIP_REVERSAL')	apps/api/migrations/041_memberships_navigation_collection.sql
	amount	numeric(12,2) NOT NULL	apps/api/migrations/041_memberships_navigation_collection.sql
	reason	text NOT NULL	apps/api/migrations/041_memberships_navigation_collection.sql
	reference	text	apps/api/migrations/041_memberships_navigation_collection.sql
	created_by	uuid NOT NULL REFERENCES users(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	reversed_by	uuid REFERENCES users(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	reversed_at	timestamptz	apps/api/migrations/041_memberships_navigation_collection.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/041_memberships_navigation_collection.sql
membership_cycle_trip_usages	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/070_membership_usage_passenger_reversal.sql
	membership_cycle_id	uuid NOT NULL REFERENCES driver_memberships(id)	apps/api/migrations/070_membership_usage_passenger_reversal.sql
	trip_id	uuid NOT NULL REFERENCES trips(id)	apps/api/migrations/070_membership_usage_passenger_reversal.sql
	driver_id	uuid NOT NULL REFERENCES drivers(user_id)	apps/api/migrations/070_membership_usage_passenger_reversal.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0 completed_at	timestampz NOT NULL	apps/api/migrations/070_membership_usage_passenger_reversal.sql
	sequence_number	integer NOT NULL	apps/api/migrations/070_membership_usage_passenger_reversal.sql
	usage_kind	text NOT NULL CHECK (usage_kind IN ('INCLUDED','EXTRA'))	apps/api/migrations/070_membership_usage_passenger_reversal.sql
	extra_trip_fee_snapshot	numeric(12,4) NOT NULL DEFAULT 0	apps/api/migrations/070_membership_usage_passenger_reversal.sql
	amount_before_cap	numeric(12,2) NOT NULL DEFAULT 0	apps/api/migrations/070_membership_usage_passenger_reversal.sql
	amount_after_cap	numeric(12,2) NOT NULL DEFAULT 0	apps/api/migrations/070_membership_usage_passenger_reversal.sql
	idempotency_key	text NOT NULL UNIQUE	apps/api/migrations/070_membership_usage_passenger_reversal.sql
	reversed_at	timestampz	apps/api/migrations/070_membership_usage_passenger_reversal.sql
	reversal_reason	text	apps/api/migrations/070_membership_usage_passenger_reversal.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/070_membership_usage_passenger_reversal.sql
	accepted_at	timestampz	apps/api/migrations/070_membership_usage_passenger_reversal.sql
	reversed_by	uuid references users(id)	apps/api/migrations/070_membership_usage_passenger_reversal.sql
membership_grace_policies	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/041_memberships_navigation_collection.sql
	name	text NOT NULL	apps/api/migrations/041_memberships_navigation_collection.sql
	reason	text NOT NULL	apps/api/migrations/041_memberships_navigation_collection.sql

Tabla	Columna	Definición SQL	Fuente
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0	scope	text NOT NULL CHECK (scope IN ('ALL','COOPERATIVE','DRIVER'))	apps/api/migrations/041_memberships_navigation_collection.sql
	cooperative_id	uuid REFERENCES cooperatives(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	driver_id	uuid REFERENCES drivers(user_id)	apps/api/migrations/041_memberships_navigation_collection.sql
	grace_days	integer NOT NULL CHECK (grace_days >= 0)	apps/api/migrations/041_memberships_navigation_collection.sql
	allows_trips	boolean NOT NULL DEFAULT true	apps/api/migrations/041_memberships_navigation_collection.sql
	campaign_kind	text NOT NULL DEFAULT 'RENEWAL' CHECK (campaign_kind IN ('RENEWAL','NEW_DRIVER_ONBOARDING'))	apps/api/migrations/041_memberships_navigation_collection.sql
	starts_at	timestamptz NOT NULL	apps/api/migrations/041_memberships_navigation_collection.sql
	ends_at	timestamptz NOT NULL	apps/api/migrations/041_memberships_navigation_collection.sql
	expiry_window_start	date	apps/api/migrations/041_memberships_navigation_collection.sql
	expiry_window_end	date	apps/api/migrations/041_memberships_navigation_collection.sql
	priority	integer NOT NULL DEFAULT 0	apps/api/migrations/041_memberships_navigation_collection.sql
	status	text NOT NULL DEFAULT 'DRAFT' CHECK (status IN ('DRAFT','ACTIVE','PAUSED','FINISHED'))	apps/api/migrations/041_memberships_navigation_collection.sql
	created_by	uuid REFERENCES users(id)	apps/api/migrations/041_memberships_navigation_collection.sql
	approved_by	uuid REFERENCES users(id)	apps/api/migrations/041_memberships_navigation_collection.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/041_memberships_navigation_collection.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/041_memberships_navigation_collection.sql
membership_payment_orders	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	public_token_hash	text NOT NULL UNIQUE	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	short_code	text NOT NULL UNIQUE	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	driver_id	uuid NOT NULL REFERENCES drivers(user_id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	membership_cycle_id	uuid REFERENCES driver_memberships(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	plan_id	uuid NOT NULL REFERENCES membership_plans(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	plan_snapshot	jsonb NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	base_amount	numeric(12,2) NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	prior_usage_amount	numeric(12,2) NOT NULL DEFAULT 0	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	adjustment_amount	numeric(12,2) NOT NULL DEFAULT 0	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	total_amount	numeric(12,2) NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	currency	char(3) NOT NULL DEFAULT 'USD'	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	intended_method	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	receiver_scope	text NOT NULL DEFAULT 'NOT_APPLICABLE' CHECK (receiver_scope IN ('COLLECTION_POINT', 'COST_A_GO_CENTRAL', 'NOT_APPLICABLE'))	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	verification_channel	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	status	text NOT NULL DEFAULT 'PENDING' CHECK (status IN ('PENDING', 'PENDING_VERIFI	apps/api/migrations/072_fiscal_clients_and_invoicing.sql

Tabla	Columna	Definición SQL	Fuente
Costa-Go - Diccionario de datos Costa-Go - Documento servitode v2.0		CATION',PAID',REJECTED',EXPIRED',CANCELLED'))	
	expires_at	timestamptz NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	paid_at	timestamptz	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	rejected_at	timestamptz	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	cancelled_at	timestamptz	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	created_by	uuid REFERENCES users(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	idempotency_key	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	metadata	jsonb NOT NULL DEFAULT '{}':jsonb	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	cancellation_reason_code	text, ADD COLUMN IF NOT EXISTS cancellation_observation text, ADD COLUMN IF NOT EXISTS cancelled_by uuid REFERENCES users(id), ADD COLUMN IF NOT EXISTS cancellation_channel text, ADD COLUMN IF NOT EXISTS cancellation_idempotency_key text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	fiscal_required	boolean NOT NULL DEFAULT false	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
membership_payments	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	order_id	uuid NOT NULL UNIQUE REFERENCES membership_payment_orders(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	driver_id	uuid NOT NULL REFERENCES drivers(user_id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	membership_cycle_id	uuid REFERENCES driver_memberships(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	collection_point_id	uuid REFERENCES collection_points(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos collector_id	Costa-Go · Documento controlado v2.0 uuid REFERENCES users(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	method	text NOT NULL CHECK (method IN ('CASH','DEUNA','BANK_TRANSFER','COOPERATIVE','COURTESY'))	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	receiver_scope	text NOT NULL CHECK (receiver_scope IN ('COLLECTION_POINT','COSTA_GO_CENTRAL','NOT_APPLICABLE'))	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	verification_channel	text NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	amount	numeric(12,2) NOT NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	currency	char(3) NOT NULL DEFAULT 'USD'	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	reference_normalized_hash	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	reference_masked	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	status	text NOT NULL DEFAULT 'CONFIRMED' CHECK (status IN ('CONFIRMED','REVERSED'))	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	settlement_status	text NOT NULL DEFAULT 'NOT_APPLICABLE' CHECK (settlement_status IN ('NOT_APPLICABLE','PENDING_SETTLEMENT','PARTIALLY_SETTLED','SETTLED','DISPUTED','CANCELLED'))	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	confirmed_by	uuid NOT NULL REFERENCES users(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	confirmed_at	timestamp tz NOT NULL DEFAULT now()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	reversed_by	uuid REFERENCES users(id)	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	reversed_at	timestamp tz	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	reversal_reason	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	idempotency_key	text NOT NULL UNIQUE	apps/api/migrations/072_fiscal_clients_and_invoicing.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 metadata	jsonb NOT NULL DEFAULT '{}'::jsonb	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	reference_display	text	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
	fiscal_profile_id	uuid REFERENCES fiscal_profiles(id) ON DELETE SET NULL	apps/api/migrations/072_fiscal_clients_and_invoicing.sql
membership_plans	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/043_membership_plan_versioning.sql
	code	text NOT NULL UNIQUE	apps/api/migrations/043_membership_plan_versioning.sql
	name	text NOT NULL	apps/api/migrations/043_membership_plan_versioning.sql
	period_unit	text NOT NULL CHECK (period_unit IN ('DAY', 'MONTH', 'QUARTER', 'YEAR'))	apps/api/migrations/043_membership_plan_versioning.sql
	period_count	integer NOT NULL CHECK (period_count > 0)	apps/api/migrations/043_membership_plan_versioning.sql
	duration_days	integer NOT NULL CHECK (duration_days > 0)	apps/api/migrations/043_membership_plan_versioning.sql
	base_amount	numeric(12,2) NOT NULL CHECK (base_amount >= 0)	apps/api/migrations/043_membership_plan_versioning.sql
	currency	char(3) NOT NULL DEFAULT 'USD'	apps/api/migrations/043_membership_plan_versioning.sql
	included_trips	integer NOT NULL DEFAULT 120 CHECK (included_trips >= 0)	apps/api/migrations/043_membership_plan_versioning.sql
	max_renewal_amount	numeric(12,2) NOT NULL DEFAULT 30 CHECK (max_renewal_amount >= base_amount)	apps/api/migrations/043_membership_plan_versioning.sql
	extra_trip_share_percent	numeric(6,2) NOT NULL DEFAULT 40 CHECK (extra_trip_share_percent BETWEEN 0 AND 100)	apps/api/migrations/043_membership_plan_versioning.sql
	enabled	boolean NOT NULL DEFAULT true	apps/api/migrations/043_membership_plan_versioning.sql
	effective_from	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/043_membership_plan_versioning.sql
	effective_until	timestamptz	apps/api/migrations/043_membership_plan_versioning.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos created_by	Costa-Go · Documento controlado v2.0 uuid REFERENCES users(id)	apps/api/migrations/043_membership_plan_versioning.sql
	updated_by	uuid REFERENCES users(id)	apps/api/migrations/043_membership_plan_versioning.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/043_membership_plan_versioning.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/043_membership_plan_versioning.sql
	version	integer NOT NULL DEFAULT 1	apps/api/migrations/043_membership_plan_versioning.sql
membership_transfer_proofs	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/064_membership_transfer_reference_display.sql
	order_id	uuid NOT NULL REFERENCES membership_payment_orders(id)	apps/api/migrations/064_membership_transfer_reference_display.sql
	bank_name	text NOT NULL	apps/api/migrations/064_membership_transfer_reference_display.sql
	reference_normalized_hash	text NOT NULL	apps/api/migrations/064_membership_transfer_reference_display.sql
	reference_masked	text NOT NULL	apps/api/migrations/064_membership_transfer_reference_display.sql
	transfer_date	date NOT NULL	apps/api/migrations/064_membership_transfer_reference_display.sql
	declared_amount	numeric(12,2) NOT NULL	apps/api/migrations/064_membership_transfer_reference_display.sql
	file_mime	text NOT NULL CHECK (file_mime IN ('image/jpeg','image/png','image/webp','application/pdf'))	apps/api/migrations/064_membership_transfer_reference_display.sql
	file_data	bytea NOT NULL CHECK (octet_length(file_data) BETWEEN 100 AND 5242880)	apps/api/migrations/064_membership_transfer_reference_display.sql
	observation	text	apps/api/migrations/064_membership_transfer_reference_display.sql
	status	text NOT NULL DEFAULT 'PENDING' CHECK (status IN ('PENDING','APPROVED','REJECTED'))	apps/api/migrations/064_membership_transfer_reference_display.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos reviewed_by	Costa-Go · Documento controlado v2.0 uuid REFERENCES users(id)	apps/api/migrations/064_membership_transfer_reference_display.sql
	reviewed_at	timestampz	apps/api/migrations/064_membership_transfer_reference_display.sql
	rejection_reason	text	apps/api/migrations/064_membership_transfer_reference_display.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/064_membership_transfer_reference_display.sql
	reference_display	text	apps/api/migrations/064_membership_transfer_reference_display.sql
mobile_account_roles	user_id	uuid not null references users(id) on delete cascade	apps/api/migrations/034_mobile_account_roles.sql
	role	text not null check (role in ('PASSENGER', 'DRIVER'))	apps/api/migrations/034_mobile_account_roles.sql
	created_at	timestampz not null default now()	apps/api/migrations/034_mobile_account_roles.sql
operational_settings	id	smallint PRIMARY KEY DEFAULT 1 CHECK (id = 1)	apps/api/migrations/069_passenger_cancellations_and_trip_integrity.sql
	search_radius_meters	integer NOT NULL DEFAULT 3000 CHECK (search_radius_meters BETWEEN 500 AND 20000)	apps/api/migrations/069_passenger_cancellations_and_trip_integrity.sql
	updated_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/069_passenger_cancellations_and_trip_integrity.sql
	updated_by	uuid REFERENCES users(id)	apps/api/migrations/069_passenger_cancellations_and_trip_integrity.sql
	scheduled_trip_lead_minutes	smallint NOT NULL DEFAULT 10 CHECK (scheduled_trip_lead_minutes BETWEEN 5 AND 60)	apps/api/migrations/069_passenger_cancellations_and_trip_integrity.sql
	scheduled_trip_minimum_notice_minutes	smallint NOT NULL DEFAULT 30 CHECK (scheduled_trip_minimum_notice_minutes BETWEEN 5 AND 720)	apps/api/migrations/069_passenger_cancellations_and_trip_integrity.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 document_expiry_alert_days	smallint NOT NULL DEFAULT 30 CHECK (document_expiry_alert_days BETWEEN 1 AND 180)	apps/api/migrations/069_passenger_cancellations_and_trip_integrity.sql
	navigation_pickup_provider	text NOT NULL DEFAULT 'EXTERNAL_MAPS', ADD COLUMN IF NOT EXISTS navigation_destination_provider text NOT NULL DEFAULT 'EXTERNAL_MAPS', ADD COLUMN IF NOT EXISTS navigation_pickup_start_mode text NOT NULL DEFAULT 'MANUAL', ADD COLUMN IF NOT E	apps/api/migrations/069_passenger_cancellations_and_trip_integrity.sql
	advertising_invitation_days	integer NOT NULL DEFAULT 7, ADD COLUMN IF NOT EXISTS advertising_max_image_bytes integer NOT NULL DEFAULT 1048576, ADD COLUMN IF NOT EXISTS advertising_banner_width integer NOT NULL DEFAULT 1200, ADD COLUMN IF NOT EXISTS advertising_banner_	apps/api/migrations/069_passenger_cancellations_and_trip_integrity.sql
	driver_search_initial_radius_meters	integer NOT NULL DEFAULT 1000, ADD COLUMN IF NOT EXISTS driver_search_radius_increment_meters integer NOT NULL DEFAULT 1000, ADD COLUMN IF NOT EXISTS driver_search_round_wait_seconds integer NOT NULL DEFAULT 15	apps/api/migrations/069_passenger_cancellations_and_trip_integrity.sql
	distance_fare_cents_per_km	integer NOT NULL DEFAULT 50, ADD COLUMN IF NOT EXISTS local_fare_max_distance_meters integer NOT NULL DEFAULT 2000, ADD COLUMN IF NOT EXISTS distance_fare_minimum_cents integer NOT NULL DEFAULT 0	apps/api/migrations/069_passenger_cancellations_and_trip_integrity.sql
	trip_tracking_grace_minutes	integer NOT NULL DEFAULT 45, ADD COLUMN IF NOT EXISTS support_whatsapp_country_code text NOT NULL DEFAULT '593', ADD COLUMN IF NOT EXISTS support_whatsapp_number text, ADD COLUMN IF NOT EXISTS	apps/api/migrations/069_passenger_cancellations_and_trip_integrity.sql

Tabla	Columna	Definición SQL	Fuente
Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0			
	support_whatsapp_enabled	boolean NOT NULL DEFAU	
	passenger_cancellation_policy	jsonb not null default '{"enabled":true,"steps":[{"fromCount":1,"suspensionDays":0}, {"fromCount":3,"suspensionDays":2}, {"fromCount":4,"suspensionDays":5}, {"fromCount":5,"suspensionDays":7}, {"fromCount":6,"suspensionDays":null}]}'	apps/api/migrations/069_passenger_cancellations_and_trip_integrity.sql
passenger_cancellation_cycles	id	uuid primary key default gen_random_uuid()	apps/api/migrations/071_passenger_cancellation_cycles.sql
	passenger_id	uuid not null references users(id)	apps/api/migrations/071_passenger_cancellation_cycles.sql
	starts_at	timestamptz not null	apps/api/migrations/071_passenger_cancellation_cycles.sql
	ends_at	timestamptz not null	apps/api/migrations/071_passenger_cancellation_cycles.sql
	duration_days	integer not null check(duration_days>0)	apps/api/migrations/071_passenger_cancellation_cycles.sql
	source	text not null default 'OPERATIONAL' check(source in ('OPERATIONAL','LEGACY'))	apps/api/migrations/071_passenger_cancellation_cycles.sql
	created_at	timestamptz not null default now()	apps/api/migrations/071_passenger_cancellation_cycles.sql
passenger_cancellations	id	uuid primary key default gen_random_uuid()	apps/api/migrations/071_passenger_cancellation_cycles.sql
	passenger_id	uuid not null references users(id)	apps/api/migrations/071_passenger_cancellation_cycles.sql
	trip_id	uuid not null unique references trips(id)	apps/api/migrations/071_passenger_cancellation_cycles.sql
	driver_id	uuid not null references users(id)	apps/api/migrations/071_passenger_cancellation_cycles.sql
	occurred_at	timestamptz not null default now()	apps/api/migrations/071_passenger_cancellation_cycles.sql
	consecutive_number	integer not null	apps/api/migrations/071_passenger_cancellation_cycles.sql
	trip_status	text not null	apps/api/migrations/071_passenger_cancellation_cycles.sql
	suspension_days	integer check (suspension_days >= 0)	apps/api/migrations/071_passenger_cancellation_cycles.sql

Tabla	Columna	Definición SQL	Fuente
	suspension_started_at	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 timestampz	apps/api/migrations/071_passenger_cancellation_cycles.sql
	suspension_until	timestampz	apps/api/migrations/071_passenger_cancellation_cycles.sql
	status	text not null check (status in ('RECORDED','SUSPENDED','EXPIRED','REACTIVATED'))	apps/api/migrations/071_passenger_cancellation_cycles.sql
	policy_snapshot	jsonb not null	apps/api/migrations/071_passenger_cancellation_cycles.sql
	reactivated_by	uuid references users(id)	apps/api/migrations/071_passenger_cancellation_cycles.sql
	reactivated_at	timestampz	apps/api/migrations/071_passenger_cancellation_cycles.sql
	cycle_id	uuid	apps/api/migrations/071_passenger_cancellation_cycles.sql
	reason_code	text not null default 'PASSENGER_CANCELLED'	apps/api/migrations/071_passenger_cancellation_cycles.sql
	originated_by	uuid references users(id)	apps/api/migrations/071_passenger_cancellation_cycles.sql
password_reset_tokens	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/031_privacy_account_recovery.sql
	user_id	uuid NOT NULL REFERENCES users(id) ON DELETE CASCADE	apps/api/migrations/031_privacy_account_recovery.sql
	code_hash	text NOT NULL	apps/api/migrations/031_privacy_account_recovery.sql
	expires_at	timestampz NOT NULL	apps/api/migrations/031_privacy_account_recovery.sql
	used_at	timestampz	apps/api/migrations/031_privacy_account_recovery.sql
	attempts	smallint NOT NULL DEFAULT 0	apps/api/migrations/031_privacy_account_recovery.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/031_privacy_account_recovery.sql
pricing_versions	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/036_territorial_fare_engine.sql
	version	integer NOT NULL UNIQUE	apps/api/migrations/036_territorial_fare_engine.sql
	currency	char(3) NOT NULL DEFAULT 'USD'	apps/api/migrations/036_territorial_fare_engine.sql
	timezone	text NOT NULL DEFAULT 'America/Guayaquil'	apps/api/migrations/036_territorial_fare_engine.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 day_starts_at	time NOT NULL	apps/api/migrations/036_territorial_fare_engine.sql
	night_starts_at	time NOT NULL	apps/api/migrations/036_territorial_fare_engine.sql
	urban_day_cents_per_passenger	integer NOT NULL CHECK (urban_day_cents_per_passenger >= 0)	apps/api/migrations/036_territorial_fare_engine.sql
	night_cents_per_passenger	integer NOT NULL CHECK (night_cents_per_passenger >= 0)	apps/api/migrations/036_territorial_fare_engine.sql
	extended_cents_per_passenger	integer NOT NULL CHECK (extended_cents_per_passenger >= 0)	apps/api/migrations/036_territorial_fare_engine.sql
	group_promotion_enabled	boolean NOT NULL DEFAULT true	apps/api/migrations/036_territorial_fare_engine.sql
	group_promotion_passengers	smallint NOT NULL	apps/api/migrations/036_territorial_fare_engine.sql
	group_promotion_total_cents	integer NOT NULL	apps/api/migrations/036_territorial_fare_engine.sql
	maximum_passengers	smallint NOT NULL	apps/api/migrations/036_territorial_fare_engine.sql
	active_from	timestampz NOT NULL	apps/api/migrations/036_territorial_fare_engine.sql
	active_until	timestampz	apps/api/migrations/036_territorial_fare_engine.sql
	created_by	uuid NOT NULL REFERENCES users(id)	apps/api/migrations/036_territorial_fare_engine.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/036_territorial_fare_engine.sql
	stop_surcharge_cents	integer NOT NULL DEFAULT 0 CHECK (stop_surcharge_cents >= 0)	apps/api/migrations/036_territorial_fare_engine.sql
	platform_commission_cents_per_leg	integer NOT NULL DEFAULT 5 CHECK (platform_commission_cents_per_leg >= 0)	apps/api/migrations/036_territorial_fare_engine.sql
push_delivery_events	id	uuid primary key default gen_random_uuid()	apps/api/migrations/029_push_delivery_events.sql
	user_id	uuid references users(id) on delete set null	apps/api/migrations/029_push_delivery_events.sql
	trip_id	uuid references trips(id) on delete set null	apps/api/migrations/029_push_delivery_events.sql

Tabla	Columna	Definición SQL	Fuente
	event_type	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 text not null	apps/api/migrations/029_push_delivery_events.sql
	status	text not null check (status in ('SENT','PARTIAL','FAILED','SKIPPED'))	apps/api/migrations/029_push_delivery_events.sql
	attempted	integer not null default 0 check (attempted >= 0)	apps/api/migrations/029_push_delivery_events.sql
	sent	integer not null default 0 check (sent >= 0)	apps/api/migrations/029_push_delivery_events.sql
	failed	integer not null default 0 check (failed >= 0)	apps/api/migrations/029_push_delivery_events.sql
	error_codes	text[] not null default '{}'	apps/api/migrations/029_push_delivery_events.sql
	duration_ms	integer not null default 0 check (duration_ms >= 0)	apps/api/migrations/029_push_delivery_events.sql
	created_at	timestamptz not null default now()	apps/api/migrations/029_push_delivery_events.sql
ratings	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/002_admin_operations.sql
	trip_id	uuid NOT NULL REFERENCES trips(id) ON DELETE CASCADE	apps/api/migrations/002_admin_operations.sql
	author_id	uuid NOT NULL REFERENCES users(id)	apps/api/migrations/002_admin_operations.sql
	recipient_id	uuid NOT NULL REFERENCES users(id)	apps/api/migrations/002_admin_operations.sql
	score	smallint NOT NULL CHECK (score BETWEEN 1 AND 5)	apps/api/migrations/002_admin_operations.sql
	tags	text[] NOT NULL DEFAULT '{}'	apps/api/migrations/002_admin_operations.sql
	comment	text	apps/api/migrations/002_admin_operations.sql
scheduled_trip_responses	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/002_admin_operations.sql
	trip_id	uuid NOT NULL REFERENCES trips(id) ON DELETE CASCADE	apps/api/migrations/020_scheduled_trips_stops.sql
	driver_id	uuid NOT NULL REFERENCES drivers(user_id) ON DELETE CASCADE	apps/api/migrations/020_scheduled_trips_stops.sql
	accepted	boolean NOT NULL	apps/api/migrations/020_scheduled_trips_stops.sql

Tabla	Columna	Definición SQL	Fuente
service_area_catalog	Costa-Go - Diccionario de datos responded_at	Costa-Go - Documento controlado v2.0 timestamptz NOT NULL DEFAULT now()	apps/api/migrations/020_scheduled_trips_stops.sql
	id	smallint PRIMARY KEY DEFAULT 1 CHECK (id = 1)	apps/api/migrations/025_operational_service_areas.sql
	version	bigint NOT NULL DEFAULT 1	apps/api/migrations/025_operational_service_areas.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/025_operational_service_areas.sql
service_area_role_access	service_area_id	uuid NOT NULL REFERENCES service_areas(id) ON DELETE CASCADE	apps/api/migrations/026_service_area_administration.sql
	role	text NOT NULL CHECK (role IN ('PASSENGER', 'DRIVER'))	apps/api/migrations/026_service_area_administration.sql
	granted_by	uuid REFERENCES users(id)	apps/api/migrations/026_service_area_administration.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/026_service_area_administration.sql
service_area_versions	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/025_operational_service_areas.sql
	service_area_id	uuid NOT NULL REFERENCES service_areas(id) ON DELETE RESTRICT	apps/api/migrations/025_operational_service_areas.sql
	version	integer NOT NULL CHECK (version > 0)	apps/api/migrations/025_operational_service_areas.sql
	geometry	geometry(MultiPolygon, 4326) NOT NULL	apps/api/migrations/025_operational_service_areas.sql
	source_name	text	apps/api/migrations/025_operational_service_areas.sql
	source_url	text	apps/api/migrations/025_operational_service_areas.sql
	change_note	text NOT NULL	apps/api/migrations/025_operational_service_areas.sql
	created_by	uuid REFERENCES users(id)	apps/api/migrations/025_operational_service_areas.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/025_operational_service_areas.sql
service_areas	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/026_service_area_administration.sql
	code	text NOT NULL UNIQUE CHECK (code ~ '^[A-Z0-9_]+\$')	apps/api/migrations/026_service_area_administration.sql
	name	text NOT NULL	apps/api/migrations/026_service_area_administration.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0 description	text	apps/api/migrations/026_service_area_administration.sql
	environment	text NOT NULL CHECK (environment IN ('PRODUCTION', 'TEST'))	apps/api/migrations/026_service_area_administration.sql
	audience	text NOT NULL CHECK (audience IN ('ALL', 'TESTERS'))	apps/api/migrations/026_service_area_administration.sql
	enabled	boolean NOT NULL DEFAULT true	apps/api/migrations/026_service_area_administration.sql
	allow_inter_zone_trips	boolean NOT NULL DEFAULT false	apps/api/migrations/026_service_area_administration.sql
	priority	integer NOT NULL DEFAULT 0	apps/api/migrations/026_service_area_administration.sql
	current_version_id	uuid	apps/api/migrations/026_service_area_administration.sql
	created_by	uuid REFERENCES users(id)	apps/api/migrations/026_service_area_administration.sql
	updated_by	uuid REFERENCES users(id)	apps/api/migrations/026_service_area_administration.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/026_service_area_administration.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/026_service_area_administration.sql
	archived_at	timestamptz, ADD COLUMN IF NOT EXISTS archived_by uuid REFERENCES users(id)	apps/api/migrations/026_service_area_administration.sql
service_zones	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/005_admin_operations_seed.sql
	name	text NOT NULL	apps/api/migrations/005_admin_operations_seed.sql
	zone_type	service_zone_type NOT NULL	apps/api/migrations/005_admin_operations_seed.sql
	boundary	geography(Polygon, 4326) NOT NULL	apps/api/migrations/005_admin_operations_seed.sql
	version	integer NOT NULL	apps/api/migrations/005_admin_operations_seed.sql
	active_from	timestamptz NOT NULL	apps/api/migrations/005_admin_operations_seed.sql
	active_until	timestamptz	apps/api/migrations/005_admin_operations_seed.sql

Tabla	Columna	Definición SQL	Fuente
	created_by	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 uuid NOT NULL REFERENCES users(id)	apps/api/migrations/005_admin_operations_seed.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/005_admin_operations_seed.sql
	editor_points	jsonb NOT NULL DEFAULT '[]':jsonb, ADD COLUMN IF NOT EXISTS is_active boolean NOT NULL DEFAULT true	apps/api/migrations/005_admin_operations_seed.sql
support_faqs	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/019_support_incidents_faq.sql
	category	text NOT NULL	apps/api/migrations/019_support_incidents_faq.sql
	question	text NOT NULL	apps/api/migrations/019_support_incidents_faq.sql
	answer	text NOT NULL	apps/api/migrations/019_support_incidents_faq.sql
	audiences	text[] NOT NULL DEFAULT ARRAY['PASSENGER']	apps/api/migrations/019_support_incidents_faq.sql
	sort_order	integer NOT NULL DEFAULT 0	apps/api/migrations/019_support_incidents_faq.sql
	active	boolean NOT NULL DEFAULT true	apps/api/migrations/019_support_incidents_faq.sql
	created_by	uuid REFERENCES users(id) ON DELETE SET NULL	apps/api/migrations/019_support_incidents_faq.sql
	updated_by	uuid REFERENCES users(id) ON DELETE SET NULL	apps/api/migrations/019_support_incidents_faq.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/019_support_incidents_faq.sql
	updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/019_support_incidents_faq.sql
support_incident_attachments	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/019_support_incidents_faq.sql
	incident_id	uuid NOT NULL REFERENCES incidents(id) ON DELETE CASCADE	apps/api/migrations/019_support_incidents_faq.sql
	uploaded_by	uuid REFERENCES users(id) ON DELETE SET NULL	apps/api/migrations/019_support_incidents_faq.sql
	file_name	text NOT NULL	apps/api/migrations/019_support_incidents_faq.sql
	file_mime	text NOT NULL CHECK (file_mime IN ('image/jpeg','image/png','image/webp','application/pdf'))	apps/api/migrations/019_support_incidents_faq.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0 file_size	integer NOT NULL CHECK (file_size > 0 AND file_size <= 2500000)	apps/api/migrations/019_support_incidents_faq.sql
	file_data	bytea NOT NULL	apps/api/migrations/019_support_incidents_faq.sql
	visibility	text NOT NULL DEFAULT 'USER' CHECK (visibility IN ('USER','INTERNAL'))	apps/api/migrations/019_support_incidents_faq.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/019_support_incidents_faq.sql
support_incident_messages	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/019_support_incidents_faq.sql
	incident_id	uuid NOT NULL REFERENCES incidents(id) ON DELETE CASCADE	apps/api/migrations/019_support_incidents_faq.sql
	author_id	uuid REFERENCES users(id) ON DELETE SET NULL	apps/api/migrations/019_support_incidents_faq.sql
	author_role	text NOT NULL	apps/api/migrations/019_support_incidents_faq.sql
	body	text NOT NULL	apps/api/migrations/019_support_incidents_faq.sql
	visibility	text NOT NULL DEFAULT 'USER' CHECK (visibility IN ('USER','INTERNAL'))	apps/api/migrations/019_support_incidents_faq.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/019_support_incidents_faq.sql
trip_driver_cancellations	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/055_trip_request_safety_driver_cancellation.sql
	trip_id	uuid NOT NULL REFERENCES trips(id)	apps/api/migrations/055_trip_request_safety_driver_cancellation.sql
	driver_id	uuid NOT NULL REFERENCES drivers(user_id)	apps/api/migrations/055_trip_request_safety_driver_cancellation.sql
	trip_status	trip_status NOT NULL	apps/api/migrations/055_trip_request_safety_driver_cancellation.sql
	reason_code	text NOT NULL CHECK (reason_code IN ('VEHICLE_PROBLEM','PERSONAL_EMERGENCY','CANNOT_REACH_PICKUP','PASSENGER_CONTACT_ISSUE','OTHER'))	apps/api/migrations/055_trip_request_safety_driver_cancellation.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0 observation	text	apps/api/migrations/055_trip_request_safety_driver_cancellation.sql
	idempotency_key	text NOT NULL UNIQUE	apps/api/migrations/055_trip_request_safety_driver_cancellation.sql
	cancelled_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/055_trip_request_safety_driver_cancellation.sql
trip_events	id	bigserial PRIMARY KEY	apps/api/migrations/001_initial.sql
	trip_id	uuid NOT NULL REFERENCES trips(id)	apps/api/migrations/001_initial.sql
	from_status	trip_status	apps/api/migrations/001_initial.sql
	to_status	trip_status NOT NULL	apps/api/migrations/001_initial.sql
	actor_id	uuid REFERENCES users(id)	apps/api/migrations/001_initial.sql
	reason_code	text	apps/api/migrations/001_initial.sql
	metadata	jsonb NOT NULL DEFAULT '{}':jsonb	apps/api/migrations/001_initial.sql
	occurred_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/001_initial.sql
	trip_id	uuid PRIMARY KEY REFERENCES trips(id) ON DELETE CASCADE	apps/api/migrations/010_realtime_tracking_chat.sql
trip_live_locations	driver_id	uuid NOT NULL REFERENCES drivers(user_id)	apps/api/migrations/010_realtime_tracking_chat.sql
	position	geography(Point, 4326) NOT NULL	apps/api/migrations/010_realtime_tracking_chat.sql
	bearing	numeric(6, 2)	apps/api/migrations/010_realtime_tracking_chat.sql
	speed_mps	numeric(8, 2)	apps/api/migrations/010_realtime_tracking_chat.sql
	accuracy_meters	numeric(8, 2)	apps/api/migrations/010_realtime_tracking_chat.sql
	sequence	bigint NOT NULL DEFAULT 0	apps/api/migrations/010_realtime_tracking_chat.sql
	recorded_at	timestamptz NOT NULL	apps/api/migrations/010_realtime_tracking_chat.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 updated_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/010_realtim e_tracking_chat.sql
trip_location_history	id	bigserial PRIMARY KEY	apps/api/migrations/010_realtim e_tracking_chat.sql
	trip_id	uuid NOT NULL REFERENCES trips(id) ON DELETE CASCADE	apps/api/migrations/010_realtim e_tracking_chat.sql
	driver_id	uuid NOT NULL REFERENCES drivers(user_id)	apps/api/migrations/010_realtim e_tracking_chat.sql
	position	geography(Point, 4326) NOT NULL	apps/api/migrations/010_realtim e_tracking_chat.sql
	bearing	numeric(6, 2)	apps/api/migrations/010_realtim e_tracking_chat.sql
	speed_mps	numeric(8, 2)	apps/api/migrations/010_realtim e_tracking_chat.sql
	accuracy_meters	numeric(8, 2)	apps/api/migrations/010_realtim e_tracking_chat.sql
	sequence	bigint NOT NULL	apps/api/migrations/010_realtim e_tracking_chat.sql
	recorded_at	timestamptz NOT NULL	apps/api/migrations/010_realtim e_tracking_chat.sql
trip_messages	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/010_realtim e_tracking_chat.sql
	trip_id	uuid NOT NULL REFERENCES trips(id) ON DELETE CASCADE	apps/api/migrations/010_realtim e_tracking_chat.sql
	sender_id	uuid NOT NULL REFERENCES users(id)	apps/api/migrations/010_realtim e_tracking_chat.sql
	client_message_id	uuid NOT NULL	apps/api/migrations/010_realtim e_tracking_chat.sql
	body	text NOT NULL CHECK (char_length(body) BETWEEN 1 AND 500)	apps/api/migrations/010_realtim e_tracking_chat.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/010_realtim e_tracking_chat.sql
	read_at	timestamptz	apps/api/migrations/010_realtim e_tracking_chat.sql
trip_share_links	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/068_trip_pu blic_tracking.sql
	trip_id	uuid NOT NULL UNIQUE REFERENCES trips(id) ON DELETE CASCADE	apps/api/migrations/068_trip_pu blic_tracking.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0 public_reference	text NOT NULL UNIQUE	apps/api/migrations/068_trip_public_tracking.sql
	access_token	text NOT NULL UNIQUE	apps/api/migrations/068_trip_public_tracking.sql
	created_by	uuid NOT NULL REFERENCES users(id)	apps/api/migrations/068_trip_public_tracking.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/068_trip_public_tracking.sql
	revoked_at	timestamptz	apps/api/migrations/068_trip_public_tracking.sql
trip_stops	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/020_scheduled_trips_stops.sql
	trip_id	uuid NOT NULL REFERENCES trips(id) ON DELETE CASCADE	apps/api/migrations/020_scheduled_trips_stops.sql
	stop_order	smallint NOT NULL CHECK (stop_order BETWEEN 1 AND 3)	apps/api/migrations/020_scheduled_trips_stops.sql
	location	geography(Point, 4326) NOT NULL	apps/api/migrations/020_scheduled_trips_stops.sql
	reference	text NOT NULL	apps/api/migrations/020_scheduled_trips_stops.sql
	completed_at	timestamptz	apps/api/migrations/020_scheduled_trips_stops.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/020_scheduled_trips_stops.sql
trips	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/073_vehicle_fleet.sql
	passenger_id	uuid NOT NULL REFERENCES users(id)	apps/api/migrations/073_vehicle_fleet.sql
	driver_id	uuid REFERENCES drivers(user_id)	apps/api/migrations/073_vehicle_fleet.sql
	vehicle_id	uuid REFERENCES vehicles(id)	apps/api/migrations/073_vehicle_fleet.sql
	status	trip_status NOT NULL DEFAULT 'SEARCHING'	apps/api/migrations/073_vehicle_fleet.sql
	passengers	smallint NOT NULL CHECK (passengers > 0)	apps/api/migrations/073_vehicle_fleet.sql
	origin	geography(Point, 4326) NOT NULL	apps/api/migrations/073_vehicle_fleet.sql
	destination	geography(Point, 4326) NOT NULL	apps/api/migrations/073_vehicle_fleet.sql

Tabla	Columna	Definición SQL	Fuente
	origin_reference	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 text	apps/api/migrations/073_vehicle_fleet.sql
	destination_reference	text	apps/api/migrations/073_vehicle_fleet.sql
	service_zone	service_zone_type NOT NULL	apps/api/migrations/073_vehicle_fleet.sql
	pricing_version	integer NOT NULL	apps/api/migrations/073_vehicle_fleet.sql
	pricing_snapshot	jsonb NOT NULL	apps/api/migrations/073_vehicle_fleet.sql
	quoted_total_cents	integer NOT NULL CHECK (quoted_total_cents >= 0)	apps/api/migrations/073_vehicle_fleet.sql
	final_total_cents	integer CHECK (final_total_cents >= 0)	apps/api/migrations/073_vehicle_fleet.sql
	payment_method	text NOT NULL DEFAULT 'CASH' CHECK (payment_method = 'CASH')	apps/api/migrations/073_vehicle_fleet.sql
	requested_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/073_vehicle_fleet.sql
	assigned_at	timestamptz	apps/api/migrations/073_vehicle_fleet.sql
	started_at	timestamptz	apps/api/migrations/073_vehicle_fleet.sql
	completed_at	timestamptz	apps/api/migrations/073_vehicle_fleet.sql
	cancelled_at	timestamptz	apps/api/migrations/073_vehicle_fleet.sql
	passenger_notes	text	apps/api/migrations/073_vehicle_fleet.sql
	cooperative_id	uuid REFERENCES cooperatives(id) ON DELETE SET NULL	apps/api/migrations/073_vehicle_fleet.sql
	scheduled_for	timestamptz	apps/api/migrations/073_vehicle_fleet.sql
	schedule_status	text, ADD COLUMN IF NOT EXISTS schedule_activated_at timestamptz, ADD COLUMN IF NOT EXISTS passenger_reminder_sent_at timestamptz, ADD COLUMN IF NOT EXISTS driver_reminder_sent_at timestamptz, ADD COLUMN IF NOT EXISTS estimated_distance_met	apps/api/migrations/073_vehicle_fleet.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos service_area_id	Costa-Go · Documento controlado v2.0 uuid REFERENCES service_areas(id)	apps/api/migrations/073_vehicle_fleet.sql
	service_area_version_id	uuid REFERENCES service_area_versions(id)	apps/api/migrations/073_vehicle_fleet.sql
	route_snapshot	jsonb	apps/api/migrations/073_vehicle_fleet.sql
	driver_search_round	integer NOT NULL DEFAULT 0, ADD COLUMN IF NOT EXISTS driver_search_lower_meters integer NOT NULL DEFAULT 0, ADD COLUMN IF NOT EXISTS driver_search_upper_meters integer NOT NULL DEFAULT 0, ADD COLUMN IF NOT EXISTS driver_search_next_round_at	apps/api/migrations/073_vehicle_fleet.sql
	client_request_id	text	apps/api/migrations/073_vehicle_fleet.sql
	vehicle_snapshot	jsonb, ADD COLUMN vehicle_session_id uuid REFERENCES driver_vehicle_sessions(id)	apps/api/migrations/073_vehicle_fleet.sql
user_notifications	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/030_passenger_experience.sql
	user_id	uuid NOT NULL REFERENCES users(id) ON DELETE CASCADE	apps/api/migrations/030_passenger_experience.sql
	title	text NOT NULL	apps/api/migrations/030_passenger_experience.sql
	message	text NOT NULL	apps/api/migrations/030_passenger_experience.sql
	notification_type	text NOT NULL	apps/api/migrations/030_passenger_experience.sql
	entity_type	text	apps/api/migrations/030_passenger_experience.sql
	entity_id	uuid	apps/api/migrations/030_passenger_experience.sql
	event_key	text	apps/api/migrations/030_passenger_experience.sql
	data	jsonb NOT NULL DEFAULT '{}'::jsonb	apps/api/migrations/030_passenger_experience.sql
	read_at	timestampz	apps/api/migrations/030_passenger_experience.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/030_passenger_experience.sql

Tabla	Columna	Definición SQL	Fuente
user_service_area_access	Costa-Go - Diccionario de datos Costa-Go - Documento controlado v2.0 user_id	uuid NOT NULL REFERENCES users(id) ON DELETE CASCADE	apps/api/migrations/040_play_review_location_mode.sql
	service_area_id	uuid NOT NULL REFERENCES service_areas(id) ON DELETE CASCADE	apps/api/migrations/040_play_review_location_mode.sql
	granted_by	uuid REFERENCES users(id)	apps/api/migrations/040_play_review_location_mode.sql
	expires_at	timestamptz	apps/api/migrations/040_play_review_location_mode.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/040_play_review_location_mode.sql
	review_mode	boolean NOT NULL DEFAULT false	apps/api/migrations/040_play_review_location_mode.sql
user_vehicle_relations	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/073_vehicle_fleet.sql
	user_id	uuid NOT NULL REFERENCES users(id)	apps/api/migrations/073_vehicle_fleet.sql
	vehicle_id	uuid NOT NULL REFERENCES vehicles(id)	apps/api/migrations/073_vehicle_fleet.sql
	relation_type	text NOT NULL CHECK (relation_type IN ('AUTHORIZED_DRIVER','OWNER_MANAGER'))	apps/api/migrations/073_vehicle_fleet.sql
	status	text NOT NULL CHECK (status IN ('PENDING','APPROVED','REJECTED','REVOKED'))	apps/api/migrations/073_vehicle_fleet.sql
	source	text NOT NULL CHECK (source IN ('LEGACY_MIGRATION','USER_REQUEST','ADMIN','MANAGER'))	apps/api/migrations/073_vehicle_fleet.sql
	requested_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/073_vehicle_fleet.sql
	reviewed_at	timestamptz	apps/api/migrations/073_vehicle_fleet.sql
	reviewed_by	uuid REFERENCES users(id)	apps/api/migrations/073_vehicle_fleet.sql
	reason	text	apps/api/migrations/073_vehicle_fleet.sql
users	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/071_passenger_cancellation_cycles.sql

Tabla	Columna	Definición SQL	Fuente
Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0	phone_e164	text NOT NULL UNIQUE	apps/api/migrations/071_passenger_cancellation_cycles.sql
	full_name	text NOT NULL	apps/api/migrations/071_passenger_cancellation_cycles.sql
	role	user_role NOT NULL	apps/api/migrations/071_passenger_cancellation_cycles.sql
	status	account_status NOT NULL DEFAULT 'PENDING'	apps/api/migrations/071_passenger_cancellation_cycles.sql
	phone_verified_at	timestampz	apps/api/migrations/071_passenger_cancellation_cycles.sql
	terms_accepted_at	timestampz	apps/api/migrations/071_passenger_cancellation_cycles.sql
	created_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/071_passenger_cancellation_cycles.sql
	updated_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/071_passenger_cancellation_cycles.sql
	email	text UNIQUE, ADD COLUMN IF NOT EXISTS password_hash text	apps/api/migrations/071_passenger_cancellation_cycles.sql
	active_session_id	uuid	apps/api/migrations/071_passenger_cancellation_cycles.sql
	must_change_password	boolean NOT NULL DEFAULT false	apps/api/migrations/071_passenger_cancellation_cycles.sql
	profile_photo_data	bytea, ADD COLUMN IF NOT EXISTS profile_photo_mime text, ADD COLUMN IF NOT EXISTS profile_photo_updated_at timestampz	apps/api/migrations/071_passenger_cancellation_cycles.sql
	cooperative_id	uuid REFERENCES cooperatives(id) ON DELETE SET NULL	apps/api/migrations/071_passenger_cancellation_cycles.sql
	deleted_at	timestampz	apps/api/migrations/071_passenger_cancellation_cycles.sql
	email_verified_at	timestampz	apps/api/migrations/071_passenger_cancellation_cycles.sql
	last_mobile_role	text	apps/api/migrations/071_passenger_cancellation_cycles.sql
	passenger_cancellation_count	integer not null default 0 check (passenger_cancellation_count >= 0)	apps/api/migrations/071_passenger_cancellation_cycles.sql
	passenger_cancellation_suspended	boolean not null default false	apps/api/migrations/071_passenger_cancellation_cycles.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go · Diccionario de datos Costa-Go · Documento controlado v2.0 passenger_suspended_until	timestampz	apps/api/migrations/071_passenger_cancellation_cycles.sql
	passenger_cancellation_total	bigint not null default 0 check(passenger_cancellation_total>=0)	apps/api/migrations/071_passenger_cancellation_cycles.sql
	passenger_cancellation_cycle_id	uuid	apps/api/migrations/071_passenger_cancellation_cycles.sql
vehicle_audit	id	bigint GENERATED ALWAYS AS IDENTITY PRIMARY KEY	apps/api/migrations/073_vehicle_fleet.sql
	vehicle_id	uuid REFERENCES vehicles(id)	apps/api/migrations/073_vehicle_fleet.sql
	driver_id	uuid REFERENCES users(id)	apps/api/migrations/073_vehicle_fleet.sql
	actor_id	uuid REFERENCES users(id)	apps/api/migrations/073_vehicle_fleet.sql
	action	text NOT NULL	apps/api/migrations/073_vehicle_fleet.sql
	reason	text	apps/api/migrations/073_vehicle_fleet.sql
	previous_value	jsonb	apps/api/migrations/073_vehicle_fleet.sql
	next_value	jsonb	apps/api/migrations/073_vehicle_fleet.sql
	source_ip	text	apps/api/migrations/073_vehicle_fleet.sql
	occurred_at	timestampz NOT NULL DEFAULT now()	apps/api/migrations/073_vehicle_fleet.sql
vehicle_files	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/073_vehicle_fleet.sql
	vehicle_id	uuid NOT NULL REFERENCES vehicles(id)	apps/api/migrations/073_vehicle_fleet.sql
	kind	text NOT NULL CHECK(kind IN (‘PHOTO’,‘REGISTRATION’,‘OPERATING_PERMIT’,‘OWNERSHIP_EVIDENCE’))	apps/api/migrations/073_vehicle_fleet.sql
	mime_type	text NOT NULL	apps/api/migrations/073_vehicle_fleet.sql
	original_bytes	bytea NOT NULL	apps/api/migrations/073_vehicle_fleet.sql
	display_bytes	bytea	apps/api/migrations/073_vehicle_fleet.sql

Tabla	Columna	Definición SQL	Fuente
	Costa-Go sha256	Costa-Go Diccionario de datos Costa-Go Documento controlado v2.0 text NOT NULL	apps/api/migrations/073_vehicle_fleet.sql
	uploaded_by	uuid NOT NULL REFERENCES users(id)	apps/api/migrations/073_vehicle_fleet.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/073_vehicle_fleet.sql
	vehicle_ownership_claims id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/073_vehicle_fleet.sql
	vehicle_id	uuid NOT NULL REFERENCES vehicles(id)	apps/api/migrations/073_vehicle_fleet.sql
	claimant_id	uuid NOT NULL REFERENCES users(id)	apps/api/migrations/073_vehicle_fleet.sql
	evidence_id	uuid NOT NULL REFERENCES vehicle_files(id)	apps/api/migrations/073_vehicle_fleet.sql
	status	text NOT NULL DEFAULT 'PENDING' CHECK(status IN ('PENDING', 'APPROVED', 'REJECTED' 'REJECTED'))	apps/api/migrations/073_vehicle_fleet.sql
	reason	text NOT NULL	apps/api/migrations/073_vehicle_fleet.sql
	review_note	text	apps/api/migrations/073_vehicle_fleet.sql
vehicle_ownership_claims	reviewed_by	uuid REFERENCES users(id)	apps/api/migrations/073_vehicle_fleet.sql
	reviewed_at	timestamptz	apps/api/migrations/073_vehicle_fleet.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/073_vehicle_fleet.sql
	vehicle_qr_tokens id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/073_vehicle_fleet.sql
	vehicle_id	uuid NOT NULL REFERENCES vehicles(id)	apps/api/migrations/073_vehicle_fleet.sql
	token	text NOT NULL UNIQUE	apps/api/migrations/073_vehicle_fleet.sql
	created_by	uuid NOT NULL REFERENCES users(id)	apps/api/migrations/073_vehicle_fleet.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/073_vehicle_fleet.sql
vehicle_qr_tokens	revoked_at	timestamptz	apps/api/migrations/073_vehicle_fleet.sql
	revoked_by	uuid REFERENCES users(id)	apps/api/migrations/073_vehicle_fleet.sql

Tabla	Columna	Definición SQL	Fuente
vehicle_session_assignments	Costa-Go reason	Costa-Go Diccionario de datos Costa-Go Documento controlado v2.0 text	apps/api/migrations/073_vehicle_fleet.sql
	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/073_vehicle_fleet.sql
	session_id	uuid NOT NULL REFERENCES driver_vehicle_sessions(id)	apps/api/migrations/073_vehicle_fleet.sql
	trip_id	uuid NOT NULL REFERENCES trips(id)	apps/api/migrations/073_vehicle_fleet.sql
	driver_id	uuid NOT NULL REFERENCES drivers(user_id)	apps/api/migrations/073_vehicle_fleet.sql
	vehicle_id	uuid NOT NULL REFERENCES vehicles(id)	apps/api/migrations/073_vehicle_fleet.sql
	vehicle_snapshot	jsonb NOT NULL	apps/api/migrations/073_vehicle_fleet.sql
	accepted_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/073_vehicle_fleet.sql
	ended_at	timestamptz	apps/api/migrations/073_vehicle_fleet.sql
	outcome	text CHECK(outcome IN ('COMPLETED','DRIVER_CANCELLED','PASSENGER_CANCELLED','CANCELLED','REASSIGNED','INCIDENT'))	apps/api/migrations/073_vehicle_fleet.sql
	distance_meters	numeric NOT NULL DEFAULT 0	apps/api/migrations/073_vehicle_fleet.sql
	total_cents	integer NOT NULL DEFAULT 0	apps/api/migrations/073_vehicle_fleet.sql
vehicles	id	uuid PRIMARY KEY DEFAULT gen_random_uuid()	apps/api/migrations/073_vehicle_fleet.sql
	driver_id	uuid NOT NULL REFERENCES drivers(user_id)	apps/api/migrations/073_vehicle_fleet.sql
	identifier	text NOT NULL UNIQUE	apps/api/migrations/073_vehicle_fleet.sql
	maximum_passengers	smallint NOT NULL CHECK (maximum_passengers > 0)	apps/api/migrations/073_vehicle_fleet.sql
	status	account_status NOT NULL DEFAULT 'PENDING'	apps/api/migrations/073_vehicle_fleet.sql
	created_at	timestamptz NOT NULL DEFAULT now()	apps/api/migrations/073_vehicle_fleet.sql
	brand	text, ADD COLUMN IF NOT EXISTS model text, ADD COLUMN IF NOT EXISTS model_year integer, ADD	apps/api/migrations/073_vehicle_fleet.sql

Tabla	Columna	Definición SQL	Fuente
Costa-Go - Diccionario de datos Costa-Go - Documentos controlados v2.0			
		COLUMN IF NOT EXISTS notes text	
	cooperative_id	uuid REFERENCES cooperatives(id), ADD COLUMN color text, ADD COLUMN unit_number text, ADD COLUMN declared_owner_name text, ADD COLUMN created_by uuid REFERENCES users(id), ADD COLUMN fleet_status text NOT NULL DEFAULT 'PENDING' CHECK (fleet	apps/api/migrations/073_vehicle _fleet.sql
	photo_id	uuid REFERENCES vehicle_files(id)	apps/api/migrations/073_vehicle _fleet.sql

Protección

- Identificadores y estados se usan para integridad, no como texto de interfaz.
- Contraseñas se almacenan como hash; tokens y claves no forman parte de este documento.
- Documentos y comprobantes requieren acceso autorizado.
- Datos eliminados se excluyen de vistas operativas y se retienen solo conforme a política/historia.

Limitaciones del inventario

El parser documental no sustituye el catálogo del motor. Definiciones añadidas mediante bloques SQL complejos pueden aparecer resumidas. La fuente normativa sigue siendo cada migración y el esquema desplegado.