MT-80Z (FOX) **SCHEMATIC** and **BOM**



E&L Instruments
An Interplex Electronics Company
70 Fulton Terrace, P.O. Box 1942
New Haven, Connecticut 06509
(203) 624-3103 • TWX 710 465-1227


All rights reserved. No Part of this book shall be reproduced, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying recording, or otherwise, without written permission from the publisher. No patent liability is assumed with respect to the use of the information contained herein. While every precaution has been taken in the preparation of this book, the publisher assumes no responsibility for errors or omissions. Neither is any liability assumed for damages resulting from the use of the information contained herein.

Ву



TABLE OF CONTENTS

Schematic	Fox Main Bd (Memory)	Pg.	1
Schematic	Fox Main Bd (Keypad & Display)	Pg.	2
Schematic	Fox Main Bd (CTC) (PIO)	Pg.	3
Schematic	Fox Expansion Bd (Z80 & Buffer)	Pg.	4
Schematic	Fox Expansion Bd (I/O)	Pg.	5
Schematics	Fox Expansion Bd (Power Supply W/Regulated Power Adapters)	Pg.	6
	Fox Expansion Bd (Power Supply W/Heatsink & Unregulated Power Adapters)	Pg.	6
BOM	115 Volt	Рg.	7



3.58 MHZ

10300 74LS14

VCC

RESET WAIT BUSRO

INT RO WR

DI

D2 D3

D4 D5

D6 D7

AO Al

A2 A3 A4 A5 A6 A7

A8 39 A9 40

All AI2

AI3

Al4 AI5

MREQ

HALT IORQ NMI MT

+5

다<mark>야</mark> N.O.

GND

RAI IOK

9 U3 05

74LS14

CH4 4

GND 29

GND

"BREAK"

32

UI

SEE NOTE 3

CIS IOOPF

GND

3 03 74LSI4

3 74HCT74

GND

"INTER"

GND CLR

-(Z)-

5_{U3}-6

74LS14

QO VCC QA

Q4

R9(1) R9(2)GND RO(2) RO(2)

74LS90

GND

BREAK

BIN


IS HALT IORO

PR D U2

GND

74HCT74

L.Þ



74LSI39

					2. JUMI	PERIISI	USED FOR SE	LECTING CER	TAIN MEMOI	RY TYPE.	
							NORMALLY				•
					MEMORY 2516 OR		MEMORY		CUTS	JUMPERS	i
					2532		2000 - 2000 -	27FF	NIL	NIL	i
5 +5							2000	2177	PINI TO2	PIN 2 TO 3	i
CC PR					2732	: 1	2000 -	2 F F F	PINSTO 4	PIN 4 TO 5	
									PIN5TO6	PIN 6 TO 7	1
us o					6116		2000	27FF	PIN3TO4	PIN 4 TO 5	i
4HCT74 8											
w (1817)											*
NO CLR											
ND +5											
										TO UI-	-20 -
. [1
İ											i
	l										
	<u>_</u>							SEE N			
35	RESET								7-7		
-(z) 37	WAITRO							lui-3	4-21		
(7) 36	ACCEPTO 1				r				31-5 l		1 1
-(z) 16	INTRO										1 1
10.	RO WR			GND +5 +5	-			GND +5			+5 21 24 20
(2)				112 21 24	,		- F	12 24	21		21 24 20
(2)	DO		10	UC	F		- 10 D	GNO VCC WE	VPP		9 DO WE VOC OE
(z) 13 (z) 12	D1 D2	Z 8		DI				l	V		<u> </u>
(z) 0	03	0	13	02			13 0		_		13 02
	D4	0	14	D3 D4			14				14 I US
	05	0	15	05			- is 1 D				(g D4
(Z) 10 13	D6	\cup	19.	DE UE			15 D				16 05 UB
—(z)———————————————————————————————————	D7			D7 2516	<u> </u>		17 D				17 D7 HM6116
(z) 31		С	•	OR			• .	OR	1		1800H
(2) 30	AO Al		-	AO 2532			A	0 2532	<u> </u>		AO THRU
29	AZ	Ρ	•	AI 0000H	<u> </u>		6 1				Al 2FFFH
17 \ 28	1		8	A2 THRU			A			***************************************	5 A2
77	A4	U	4	A3 OFFFH			4 4				4 A3
(Z) 26 (Z) 25	A5	•	3	AS MONITOR							
14	A6		2	AS ROM	 		2 A				2 46
14	A7	В	23	A7			27 4				
(Z) 23 (Z) 22	AB AS		22	AB .	h		23 A				23 AB
(7) 21	AIO	U	19	A9			19 ^		<u> </u>		
(2)	AII	\sim	. 16	AIO ME . SAIT		~ ~ ¬	18 A				AIO C'S SHO
—(z)—— — 2	AIZ	S		ATT PD/PGM	i i	1-3 JI-4		PD/PGM/OE			18 7 12
(z) 3	AIS	-		720	1	0 0 1 1-3 JI-4	SEE	7 20			GND
	1			L				<u> 제-eit</u> _ 스	T SEE		İ
4 مر						+	-,	, I GNI	NOTE		ĺ
(z) 5	AI4 AI5		——————————————————————————————————————			+		기-5년	٠		ł
7 19	MEMRO	:		118	1		1		╗,		
316.	GND	'		2A U5 2YO	P16		- 2 !A	U9 I	۲3 þ₹		
18			 	28 74LS/39 2Y2	Dix.		- 3 18	74LS139			

14 2A 7

RIO

93


2N9015


74LSI39 2Y2 010 2Y1 011 2Y3 0 N.C.


U5 1YO 05 N.C. 1G 1Y3


	INTERF 20 Fulton Terrace				
	X MAIN BD (M	EMORY	()		
USED ON MT	r-80Z		****		
SCALE.	DR MINE T		8/82	23-06-0065	PEY B
	CHILD	V APP	MV	SHT 1 OF 6 SHTS	














POWER CONNECTOR
5 PIN DIN PANEL MT.
REAR VIEW

| MT-80Z POWER SUPPLY | FOX | Exp | 3-7-85 | 700-0140 |

	INTERPL 70 Fulton Terrace P.O.				
Title F	OX POWER SUPP	LY .			
MODEL USED ON B	AT-80Z				_
SCALE.	DRAWN TL	DATE	8/82	03-05-0065	REV
	CH K D. MV	APP	MV	SHT 6 OF 6 SHTS	

E & L INSTRUMENTS / GLOBAL SPECIALTIES

BILL OF MATERIAL LISTING

BOM #	341-0080	THE FOXMT-80Z		
LINE	COMPONENT	DESCRIPTION	QTY	LVLi
1	17-01-0010	BOM REV K		1
2	02-05-0490	FOX EXPNSN BD ASS'Y		1
3	95-01-0211	FOX EXPNSN PC BD R/D	1	
4	44-01-0074	SN74LSOO	1	2
5	44-01-0091	SN74LS155	1	2
5	44-01-0097	74LS367	7	2 2 2 2 2 2 2 2
7	44-01-0059	RCA CD4042AE	2	2
8	44-01-0262	SN74LS148	1	2
9	44-01-0263	SN74LS245	1	2
10	44-01-0087	SN74LS74	1	2
11	44-01-0075	SN74LSJ2	1	2
12	44-01-0275	74LS373	1	2 2 2
13	44-01-0200	SN7407	1	2
14	44-01-0076	SN74LSD4	1	
15	37-01-1025	CCRES 1/4W 1K OHM 5%	3	2 2 2 2 2 2 2 2 2 2
16	37-01-1 035	CCRES 1/4W 10K OHM 5%	7	2
17	37-01-1045	CCRES 1/4W 100K OHM 5%	2	2
18	37-08-0002	10K COM SIP 9RES	2	2
19	37-08- 0603	103K COM SIP 9 RES	1	2
20	37-08-0001	1K SERIES SIP 4RES	4	2
21	08-02-3020	TAN CAP 10UF 20V 1.5"	4	2
2 2	08-04-0103	CER CAP _ 01 MFD _ 50V	3	2
23	10-02-0018	MINI RED LED 100 CENT*	16	2
24.	77-01-0167	FOX SK10/IF 44 SKT L3L	1	2
25	77-01-7168	FOX IF33 SKT LBL	1	2 2
25	40-09-0001	8 POSN DIP SWITCH	2	2
27	02-03-0001	SK10-PL JNIV SKT NEW	1	2
28	02-03-0018	SK-50 IF-33 HF SKT R/-	1	2
29	02-03-0021	SK10 HALF/IF44 R/A	1	2
30	23-03-0091	SULLINS ETA28DRJ1 CONN	1	2
31:	20-03-0156	PLRZNG KEY, LAMINATE	1	1
32	84-04-0002	4-40 X 5/8" FL HD. SC	11	2 2 2
33	85-02-3013	#4 SPLIT LW 1/32	11	2
34	86-03-3004	4-40X3/16" HEXNUT SMAL.	11	
35,	20-02-0014	14 PIN DIP SKT STD.	5	2
35	20-02-3004	16 PIN DIP SKT STD	11	2
37	20-02-009	20PIN DIP SKT COM STD	2	2
38	20-02-0040	40 PIN DIP SKT COM STD	1	2
39:	77-01-3170	FOX SPKR/BD LBL	2 2	2
43	34-01-3012	20 COND FLEX CABLE 2LG		2
41+	40-03-0024	SPST PWR SWITCH ALCO	1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
4 <u>2</u> 43	40-04-3027	SPDT P3 SW (SHAWDDW) 5-PIN DIN PNL.MNT.503	1	<u> </u>
43 44	20-03-0221 84-02-4380	SCREW 4-40X3/8 PHIL!	1 2	2
44	85-02-0013	#4 SPLIT LW 1/32	2	<u>-</u>
45 46	86-02-0004	4-40 HEX NUT	2	2
40.	00-02-0004	T-40 HEN MUI	۲.	۲.

E & L INSTRUMENTS / GLOBAL SPECIALTIES

BILL OF MATERIAL LISTING

H MCB	341-0080	THE FOXMT:80Z		
LINE	COMPONENT	DESCRIPTION	QTY	LVL
47	05 -03- 0208	HOUSING ASSY FOX		1
43	94-03-0089		1	
43.	84-01-9004	The second secon	8	2
53	81-01-0129		1	2
51+	81-02-0129	FINISH FOR 6190017	1	2
52	77-01-3172	E&L ADDRS & LOGO W/B	1	2
53	77-01-0156	FOX PACKAGE LABEL	1	2
5 4	79-01-0059	FOX BOX	1	2
55.	41-01-3075	1200CA-1 ADPT 115V R/B	1	2
56	73-01-0021	MPROF MOD B W/5V ADPTR	1	2
5 7	02-05-0408	SUPPLIED IC SKTS - MPF	1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
58	92-01-3009	R33R BMPRS SMITH #2451	4	,
5 9 .	66-00-0153	WARNING LBL ATTACHMENT	•	2
60	85-01-0034	#4 FLAT NYLON WASHER	2	ž
61	80-01-0444	MT-80Z SCHEM & BOM MAN	1	1
62	80-01-0443	FOX USERS MANUAL	i	i
63	30 -01- 0428	E & L WARRANTY CARD	1	i
64	02-05-0446	ASSEMBLY DRAWINGS/INFO	•	1
55	05-02-0131	SK-10/IF44 HALF DWG		3
65	05-02-0116	FOX PKG/L3L ASS Y DWG		3
67	05-02-0097			3
63	05-02-0117	FOX PRE-PROD MODS DWG		3
69.	05-03-0287	FOX EXP 3D ASS'Y DWG		3
73	35-03 -0286			3 3 3 3 3 3 3
71 ·	05-02-0118	FOX PREP FOR QC DWG		3
72	05-03-0285		-	3