

SparkNotify

An Ignition alarm notification profile module covering Slack, Teams, Telegram, WhatsApp, Twilio SMS and Voice, Discord, PagerDuty, Email, and generic webhooks.

Version 0.2.0 Ignition 8.1.33+ and 8.3 Runs on: any gateway

1. [Overview](#)
2. [What You Need](#)
3. [Install](#)
4. [License](#)
5. [Configure](#)
6. [Operate](#)
7. [Verify](#)
8. [Troubleshoot](#)
9. [Reference](#)
10. [Support](#)

1. Overview

SparkNotify is an Ignition alarm notification profile module. It fans an alarm pipeline out to whichever combination of Slack, Teams, Telegram, WhatsApp, Twilio SMS or Voice, Discord, PagerDuty, SMTP Email, or a generic webhook a plant wants, all from the standard Ignition alarm notification pipeline mechanism. Released for both the Ignition 8.1 and 8.3 lines, built from a shared design with per-line differences noted below.

SparkNotify does not create or manage alarms; it is a delivery channel invoked from an alarm pipeline's Notification block, the same as Ignition's built-in Email/SMS notification profiles.

2. What You Need

- Ignition 8.1.33 or newer, or the 8.3 line (separate modl per line; see 8.3 differences under Configure).
- Credentials for whichever channel or channels you configure: webhook URLs, bot tokens, API keys, or SMTP credentials.
- No other SparkBridge module is required. SparkNotify is standalone with its own license.

3. Install

1. Gateway web UI > Config > Modules > Install or Upgrade a Module, upload the .modl file matching your Ignition line, accept the EULA (see license.html at the repository root).
2. If the module is self-signed, the gateway warns about an untrusted certificate; accept or trust it to complete install.
3. Confirm Config > Modules shows SparkNotify state = Running.

4. License

An unlicensed install runs on Ignition's 2-hour module trial clock, same as every SparkBridge-suite module. When it expires, sends stop silently with no error shown anywhere. Reset it from the gateway home page

(/web/home > Reset Trial) for further trial use, or license the module for production use by dropping sparkbridge-license.key in the gateway's data directory (re-read within 30 seconds). See the README in the bundle for pricing.

5. Configure

8.1

1. Config > Alarming > Notification > Create New Notification Profile > type SparkNotify. Create one profile per channel.
2. Fill in the fields for the chosen channel (see table below).
3. Designer > Alarm Notification > Rosters: add at least one user with a Contact Info entry whose type matches a configured profile's channel. An empty roster produces a log line and nothing sends.
4. Build an alarm pipeline: Start -> Notification (profiles + roster) -> Delay -> loop back to Notification, with Acknowledged, Cleared, and Shelved set as dropout conditions.
5. On the tag's Alarms tab, set Active Pipeline to the pipeline just built.
6. For a gateway-scope tag alarm, set Config > System > Gateway Settings > Gateway Scripting Project to the project containing the alarm pipeline, or the alarm fires but never reaches the pipeline.

Channel	Required fields
Slack	SlackWebhookUrl
Teams	TeamsWebhookUrl
Telegram	TelegramBotToken, TelegramChatId, optional TelegramApiBaseUrl
WhatsApp	WhatsAppPhoneNumberId, WhatsAppAccessToken, WhatsAppToNumber, WhatsAppTemplateName, WhatsAppLanguageCode
Twilio SMS / Voice	TwilioAccountSid, TwilioAuthToken, TwilioFromNumber, TwilioToNumber, optional TwilioApiBaseUrl
Discord	DiscordWebhookUrl
PagerDuty	PagerDutyRoutingKey
Email (SMTP)	EmailSmtphost, EmailSmtpport, EmailSmtphost, EmailSmtppass, EmailUseTls, EmailFrom, EmailTo, EmailAllowLoopbackRelay, EmailAllowPrivateRelay
Webhook (generic)	WebhookUrl, optional WebhookHmacSecret

Common fields across all channels: MessageTemplate, ThrottledMessageTemplate, RepeatDelayMillis, MaxRepeats, DedupeWindowMillis, and AckEnabled, AckHmacSecret, AckBaseUrl for the acknowledge-link feature.

Ignition ships only three built-in contact types: EMAIL, SMS, and PHONE. SparkNotify maps Slack and Email to EMAIL; Telegram, WhatsApp, and Twilio SMS to SMS; Teams, Webhook, and Twilio Voice to PHONE; and defines two custom types, discord and pagerduty. A roster user routes to the first profile matching one of their contact types, so fanning out to multiple channels that share a contact type needs one roster user per profile.

8.3 differences

- Notification profiles are configured through the newer resource-config (project/resource-based) UI rather than the legacy Config > Alarming > Notification page, depending on how the install exposes it; check both locations if the profile type does not appear where expected.
- Per-channel roster routing on 8.3 mirrors 8.1's channel-to-ContactType mapping exactly, including the custom discord and pagerduty types, so the multi-channel fan-out above works the same way on both lines.

- The seven credential fields (Telegram bot token, WhatsApp access token, Twilio auth token, webhook HMAC secret, PagerDuty routing key, SMTP password, ack HMAC secret) are Ignition SecretConfig values on 8.3, encrypted at rest and entered through the SECRET form field. An 8.1 profile upgraded in place has these migrated automatically; nothing needs re-entering. The three non-secret fields AckBaseUrl, EmailAllowLoopbackRelay, and EmailAllowPrivateRelay are also carried through the migration.

6. Operate

Day to day, alarms fire through their assigned pipeline and SparkNotify sends on the configured channels. Repeats continue on the pipeline's Delay loop until a dropout condition (Acknowledged, Cleared, Shelved) is met; make sure those are wired as dropout conditions or repeats never stop. Watch the per-profile status route for send failures rather than waiting for a user to report a missed alert.

7. Verify

1. Force the tag past its setpoint. Gateway web UI > Status > Alarming > Alarm Pipelines should show Active = true, Items = 1 while unacked.
2. GET /data/sparknotify/status.json reports per-profile status and sent counts (requires an authenticated gateway session; returns 401 if not logged into the gateway web UI first).
3. With AckEnabled, AckHmacSecret, and AckBaseUrl all set, the delivered message includes an acknowledge link at <AckBaseUrl>/data/sparknotify/ack/link/<profile>?event=<uuid>&sig=<hmac>. Opening it returns {"acknowledged":true} and acks the alarm in Ignition.

8. Troubleshoot

Symptom	Cause	Fix
Alarm fires but nothing sends	Roster has no user with a Contact Info entry matching a configured profile's channel	Add a roster user with a matching contact type; check the gateway log for the empty-roster line
Gateway-scope tag alarm never reaches the pipeline	Gateway Scripting Project not set to the project containing the pipeline	Config > System > Gateway Settings > Gateway Scripting Project
Pipeline never executes at all	Notification block not wired into the path from Start	Check the pipeline canvas; the block must be reachable from Start, not floating disconnected
Repeats never stop after ack	Dropout Conditions missing Acknowledged	Add Acknowledged (and Cleared/Shelved) as dropout conditions on the pipeline/Notification block
status.json shows a profile status that isn't Good	Bad credential, URL, or token in the profile	Check the gateway log for the channel's send error; re-verify the field against the channel table
GET /data/sparknotify/status.json returns 401	Not authenticated as a gateway user, or session expired	Log into the gateway web UI first; SparkNotify's status route requires an authenticated session
Sends silently stop with no error	Module trial expired and not licensed	Reset Trial from /web/home or license the module
On an 8.3 upgrade, ack link renders empty or a private-relay Email profile stops sending	An earlier 8.3 build dropped AckBaseUrl, EmailAllowLoopbackRelay, and	Upgrade to a build with the 2026-09-01 migration fix, or re-check

EmailAllowPrivateRelay during migration

those three fields on any profile upgraded before it

9. Reference

Item	Value
Status route	GET /data/sparknotify/status.json (authenticated gateway session)
Ack link route	GET/POST <AckBaseUrl>/data/sparknotify/ack/link/<profile>?event=<uuid>&sig=<hmac>
License key path	<data>/sparkbridge-license.key, re-read within 30 s
Trial behavior	2-hour clock; expiry stops sends silently; reset via gateway home > Reset Trial
Built-in Ignition contact types used	EMAIL, SMS, PHONE, plus custom discord and pagerduty
Build lines	Ignition 8.1 and 8.3, per-line modl

10. Support

[SparkNotify install and config reference](#) · [Contact](#) · [Downloads and release notes](#)