

PUBLIC ROADMAP

WHAT IS PLANNED, AND WHAT IS ALREADY PARTLY THERE

No dates. Each item states what ships today, what is being built, and what would make it done. Product pages describe only what is released; this page is the only place planned work appears.

CAPABILITY	SHIPS TODAY	PLANNED	STATUS
Capacity intelligence	Host /capacity reports its own ceiling from benchmark evidence and the shard count it runs; /fleet shows capacity headroom per edge; Prometheus metrics	Shipped in 2.8.0: per-site buffer health (outage coverage from each site's own store-and-forward figures, kept current between BIRTHs), a seven-day ingest trend at /capacity/history, and one expansion recommendation naming the layer to grow, the number behind it, and the benchmark row it rests on. Every figure is a measured lower bound. Proven live on the reference gateway 2026-09-04. Shipped in 2.9.0: per-site buffer message depth and degraded flag on the wire, a degraded-buffer recommendation that names the site, sparklines	Shipped 2.9.0

[● ASK AN ENGINEER](#)

CAPABILITY	SHIPS TODAY	PLANNED	STATUS
		/capacity/view, and a clock-skew clamp on the refresh watermark; a 2.8.0 Edge keeps reporting to a 2.9.0 Host. Planned: per-shard queue depth at /capacity/view, the pool-wide figure stands in for now.	
Zero-touch enrollment	One-time enrollment code: a new site bootstraps identity over a signed, TLS-required channel; credentials written owner-only	Shipped in 2.8.0: the Host answers the code itself, keeps a site registry, issues the site's broker identity inside the signed document, and writes the authorization scopes both brokers read. Enrollment sessions are confined to the two enrollment topics on HiveMQ and the embedded broker. Proven live 2026-09-04. Shipped in 2.9.0: the Host issues a certificate for each enrolled site from its own CA, writes the broker credential and reloads the broker without a restart, registers the site with FleetOps, and the Edge settings page (8.1 only) carries the enrollment field and status. Honest limit: the broker does not yet require the client certificate at connect. Planned: client-cert enforcement and cert-to-identity binding, certificate renewal and revocation, a two-round name exchange for true zero-touch enrollment, and Edge settings on the 8.3 line.	Shipped 2.9.0
Data lineage	Single-metric trace inside Host: five hops from receipt to tag write, with per-	Shipped in 2.8.0: a sixth hop at the MQTT client boundary, source timestamp kept apart from arrival time with the store-and-forward  replay flag, consumer hops	Shipped 2.8.0

CAPABILITY	SHIPS TODAY	PLANNED	STATUS
	stage timing, over an admin route	appended by historian and cloud adapters over a write route, a durable ring of the last 1,000 traces that survives a restart, and a lineage page that shows every stage with "not measured" where a boundary is not instrumented. Proven live 2026-09-04. Still to come: edge and broker hops, SparkVault and SparkInject instrumentation.	
Data contracts	SparkRecord validates records against a versioned schema and refuses narrowing changes	Shipped in 2.8.0: a namespace registry on Host (prefix, owner, required metadata, strict or additive or open), a shape adopted per node and device from its first BIRTH, and every later BIRTH held to it. Removals, type changes, suspected renames and missing metadata raise an alarm-able status tag, a Prometheus counter and a registry row; additive mode accepts additions and bumps the version. Proven live 2026-09-04. Still to come: bad-quality projection in strict mode, a settings tab, and a CI check command.	Shipped 2.8.0
GitOps / Enterprise Governance	Signed configuration bundles distributed fleet-wide with anti-rollback sequencing	Shipped in 2.8.0 in a first form: a bundle directory as the source of truth (one signed document per site, every document checked before signing), drift on the Host between the bundle and the version each site declares on its own BIRTH, apply to one site as a canary or to all with an approvals gate, rollback as an older bundle at a newer sequence, and an	Shipped 2.8.0

CAPABILITY	SHIPS TODAY	PLANNED	STATUS
		append-only audit trail. Proven live 2026-09-04. Still to come: the Git adapter with commit-signature verification, signature-based two-key approvals, and the policy documents.	
SparkRecord	Shipped 0.1.0 early access 2026-09-05: tamper-evident record historian with a per-stream SHA-256 chain, Sparkplug B, MQTT JSON and NATS sources, PostgreSQL, TimescaleDB, SQL Server and object-store sinks, at-least-once delivery with a disk spill buffer	0.2.0: writer lifecycle and ownership ledger extracted into separately tested classes, schema migration for existing tables, Snowflake sink validated live, manual MQTT acknowledgement through the shared transport	Shipped 0.1.0
SparkInject connector families	Kafka, BigQuery, Databricks, Azure Data Explorer, S3 and Snowflake modules ship in the 2.7.0 bundle; Kafka, BigQuery, Databricks and ADX proven against live services	Snowflake live validation; further families as partners ask for them	Shipped 2.7.0
SparkNotify channels	Teams, Slack, WhatsApp,	Email channel deprecated; Ignition  ships its own email notification	Shipped 0.2.0

CAPABILITY	SHIPS TODAY	PLANNED	STATUS
	Telegram, Twilio SMS and voice, Discord, PagerDuty (0.2.0, 2026-09-05)	module	
Host MultipleBroker TCK profile	Single-server- with-failover Host plus warm standby; profile not run	Decision on simultaneous multi- server Host sessions, then the profile run	Under review
Sparkplug Compatible listing	TCK record published with the ratified binary	Listing request to the Eclipse Sparkplug Working Group	Administrative

Roadmap items are not commitments to a date and are not sold. If one of them decides a purchase for you, say so and we will tell you plainly where it stands.

ASK ABOUT ANY ROW

- ASK AN ENGINEER
- WHAT HAS ALREADY SHIPPED

