Deliverable 3: Chosen C4 Context Diagram

Chosen Diagram: Option A, Minimal Context

Source File (3-chosen-eventhub-context.dsl)

Structurizr DSL. Paste this text into Structurizr Lite to regenerate the diagram.

```
workspace "EventHub Ticketing - Chosen Context (Option A)" "Minimal context: one actor, no external
systems" {

    model {
        buyer = person "Ticket Buyer" "Student, parent, or fan anywhere in the world. The only user
role in version 1."

        eventhub = softwareSystem "EventHub Ticketing" "Python/Flask web app for registration,
browsing, and ticket purchase (simulated payment, on-screen confirmation). Event data, exchange-rate
config, and audit log live inside. BOUNDARY RULE: all incoming data is validated here." {
            tags "EventHub"
        }

        buyer -> eventhub "Registers, browses events, and buys tickets using" "HTTPS"
    }

    views {
        systemContext eventhub "Chosen_Context" "Chosen Design: Option A, Minimal Context" {
            include *
            autoLayout lr
        }

        styles {
            element "Person" {
                shape Person
                background #08427b
                color #ffffff
            }
            element "Software System" {
                background #1168bd
                color #ffffff
            }
        }
    }
}
```

Chosen Diagram: Option A, Minimal Context: Output File

Rendered diagram generated from 3-chosen-eventhub-context.dsl.

