```
<!DOCTYPE html>
    <html lang="en">
3
    <head>
4
    <title> Bob Brown CIS195 Lab 1a </title>
5
    <!-- Updated 1/1/2020 -->
6
7
    <meta name="keywords" content="Lab 1, Bob Brown, CIS195, LCC">
8
    <meta name="description" content="It's my lab 1!">
9
    <meta name="author" content="Andrea Hirons">
10
11
    </head>
12
13
    <body>
14
15
   <h1>CIS195</h1>
16
    <h2>Bob Brown's Lab 1</h2>
17
    <h3>Page 1 - Basic Tags</h3>
18
    <hr>
19
    Here
                    is
                               some
                                               text.
20
    Type
               it
                            like
                                               this.
21
    Notice how the browser blithely ignores my white space.
22
    <br>You need a break tag to move to the next line.
23
    A paragraph tag creates a blank line, white space, above itself.
24
    Notice how the tags are lower case.
    For XHTML lower case tags are required. All XHTML elements must be closed. That also
25
    means tags like break, paragraph, and image must be "self-closing." Your code must also
    be "well-formed" (Tags must be properly nested. Ask me about it in class.) bold italic
    and bold-italic
26
27
   28
        \langle t.r \rangle
29
            Here's a small table, row 1
30
            cell 2
31
        32
        33
            row 2, cell 1 row 2
            cell 2
34
35
        36
    37
    <br>
    You can specify all sorts of things in a table, but we're keeping it simple. And, yes,
38
    I'm cheating using border="1" because we're not using CSS yet.
39
    <br>
40
    Go to <a href="cis195_lab01sample2.html">page 2</a>.
41
42
    <hr>
43
44
45
    </body>
    </html>
46
47
```