1. Desinstalar todas las versiones por incompatibilidad

```
C:\Users\Daniel GP Gamming\vue\portalwebeducativo_v33.final (master) \lambda npm uninstall eslint @typescript-eslint/eslint-plugin @typescript-eslint/parser ts-loader typescript webpack-cli vue-loader removed 942 packages in 5s
```

2. Limpiar la memoria caché, por si permanecieron archivos temporales.

```
C:\Users\Daniel GP Gamming\vue\portalwebeducativo_v33.final (master) 
\( \lambda \) npm cache clean -force 
npm warn using --force Recommended protections disabled.
```

3. Instalar nuevamente las siguientes dependencias

```
C:\Users\Daniel GP Gamming\vue\portalwebeducativo_v33.final (master)
\[ \lambda \text{ npm install typescript@latest ts-loader@latest webpack@5 webpack-cli@4 vue-loader@next --save-dev added 136 packages, and audited 137 packages in 12s

22 packages are looking for funding run `npm fund` for details
```

4. Crear script de configuración para iniciar la predominancia de lenguajesde Ts

```
C:\Users\Daniel GP Gamming\vue\portalwebeducativo_v33.final (master) \lambda npx tsc --init error TS5054: A 'tsconfig.json' file is already defined at: 'C:/Users/Daniel GP Gamming/vue/portalwebeducativo_v33.final/tsconfig.json'.
```

5. Configurar eslint y aplicar las respuestas siguientes en la configuración

```
C:\Users\Daniel GP Gamming\vue (master)
\[ \lambda \ npx \ eslint \ --init \]
Need to install the following packages:
eslint@9.38.0
Ok to proceed? (y) y
```

5ª Efectuar las configuraciones aplicadas tal como se muestra. Usar space y enter

```
@eslint/create-config: v1.10.0

Very What do you want to lint? · javascript
? How would you like to use ESLint? ...
    To check syntax only
Very How would you like to use ESLint? · problems
Very What type of modules does your project use? · esm
Very Which framework does your project use? · vue
Does your project use TypeScript? · No / Yes
Very Where does your code run? · browser, node
Very Which language do you want your configuration file be written in? · ts
```

```
Jiti is required for Node.js <24.3.0 to read TypeScript configuration files.

√ Would you like to add Jiti as a devDependency? · No / Yes
The config that you've selected requires the following dependencies:

eslint, @eslint/js, globals, typescript-eslint, eslint-plugin-vue

√ Would you like to install them now? · No / Yes

√ Which package manager do you want to use? · npm

⊘ Installing...

added 128 packages, and audited 259 packages in 11s

54 packages are looking for funding
 run `npm fund` for details
```

Parte ll – A) Verificación de dependencias instaladas

Paso 6: Verificar todas las dependencias

```
C:\Users\Daniel GP Gamming\vue\portalwebeducativo v33.final (master)
npm ls
portalwebeducativo_v33.final@ C:\Users\Daniel GP Gamming\vue\portalwebeducativo_v33.final
  - @babel/core@7.28.4
  - @babel/preset-env@7.28.3
  — @typescript-eslint/eslint-plugin@5.15.0

    @typescript-eslint/parser@5.15.0

  - @vue/cli-service@5.0.9
  babel-loader@10.0.0
  - eslint@8.5.0
  ts-loader@9.5.4
  typescript@5.9.3
  vue-loader@17.3.1
  vue-router@4.0.0
  vue-template-compiler@2.6.14
  - vue@3.2.1
  · webpack-cli@4.10.0
   webpack@5.102.1
```

Paso 7.1: Listar los módulos de compilación de Vue

```
C:\Users\Daniel GP Gamming\vue\portalwebeducativo_v33.final (master)
\( \lambda\) npm ls vue-template-compiler
portalwebeducativo_v33.final@ C:\Users\Daniel GP Gamming\vue\portalwebeducativo_v33.final
\( \lambda\) evue/cli-service@5.0.9
\( \lambda\) vue-template-compiler@2.6.14 deduped
\( \lambda\) vue-template-compiler@2.6.14
```

Paso 7.2: Listar los módulos de arranque de Vue

Parte ll – B) Revisión de configuraciones. Paso 8: Verificar que hayan sido bien definidas.

```
webpack.config.js
module.exports = {
   entry: './src/main.js',
  output: {
    filename: 'bundle.js',
     path: path.resolve(__dirname, 'dist'),
  },
   resolve: {
     extensions: ['.js', '.vue', '.ts', '.json'],
     '@': path.resolve(__dirname, 'src'),
    },
  module: {
      rules: [
       {test: /\.vue$/,
        loader: 'vue-loader',
       },
         test: /\.ts$/,
         loader: 'ts-loader',
          options: {
            appendTsSuffixTo: [/\.vue$/],
           transpileOnly: true,
          },
          exclude: /node_modules/,
         test: /\.js$/,
         loader: 'babel-loader',
         exclude: /node modules/,
      },
```

Paso 9: Constatar en el archivo package. j son respectivamente de la consola.

```
"scripts": {
         "serve": "vue-cli-service serve",
        "build": "vue-cli-service build",
        "lint": "eslint --ext .js,.vue, .ts scr"
      "devDependencies": {
         "@babel/core": "^7.28.4",
         "@babel/preset-env": "^7.28.3",
        "@typescript-eslint/eslint-plugin": "^5.15.0",
10
         "@typescript-eslint/parser": "^5.15.0",
11
        "@vue/cli-service": "^5.0.9",
12
        "@vue/compiler-sfc": "^3.4.0",
13
        "babel-loader": "^10.0.0",
14
15
        "eslint": "^8.5.0",
        "ts-loader": "^9.5.4",
16
        "typescript": "^5.9.3",
17
         "vue-loader": "^17.3.1",
18
        "vue-template-compiler": "^2.6.14",
19
20
        "webpack": "^5.102.1",
21
        "webpack-cli": "^4.10.0"
22
23
      "dependencies": {
24
         "vue": "^3.2.1",
         "vue-router": "^4.0.0"
25
26
27
```

Paso 7.3: Listar los módulos de Web-Pack, así como el nodo cargador mismo.

```
C:\Users\Daniel GP Gamming\vue\portalwebeducativo_v33.final (master)

\( \lambda \) npm ls webpack

portalwebeducativo_v33.final@ C:\Users\Daniel GP Gamming\vue\portalwebeducativo_v33.final

\( \lambda \) @vue/cli-service@5.0.9

\( \lambda \) @soda/friendly-errors-webpack-plugin@1.8.1

\( \lambda \) webpack@5.102.1 deduped

\( \lambda \) webpack@5.102.1 deduped

\( \lambda \) copy-webpack-plugin@9.1.0

\( \lambda \) webpack@5.102.1 deduped

\( \lambda \) css-loader@6.11.0

\( \lambda \) webpack@5.102.1 deduped
```

Opcionalmente:

a) Se reinstalaron los mismos módulos, con el objetivo de solucionar los errores de compilación de: loader-ts

```
C:\Users\Daniel GP Gamming\vue\portalwebeducativo_v33.final (master)
\( \) npm install
\( \) npm warn deprecated rimraf@3.0.2: Rimraf versions prior to v4 are no longer supported
\( \) npm warn deprecated @humanwhocodes/config-array@0.9.5: Use @eslint/config-array instead
\( \) npm warn deprecated @humanwhocodes/object-schema@1.2.1: Use @eslint/object-schema instead
\( \) npm warn deprecated eslint@8.5.0: This version is no longer supported. Please see https://eslint.org/version-support for other options.
\( \) changed 195 packages, and audited 857 packages in 18s
```

b) Se tipeo esta línea con el propósito de eliminar permanente, todas las librerías.

del /s "%USERPROFILE \vue\portalwebeducativo v33.final"