

- GENERAL**
- The main contractor is to provide Build Collective and the local authority building control officer with at least 48 hours notice for any site inspection.
 - The following list of materials / substances are not to be used within the construction works:
 - High alumina cement in structural elements.
 - Wood wool slabs in permanent formwork to concrete.
 - Calcium chloride in admixtures for use in reinforced concrete.
 - asbestos products.
 - Naturally occurring aggregates for use in reinforced concrete which do not comply with BS EN 12620 (LATEST REVISION) and / or naturally occurring aggregates for use in concrete which do not comply with BS EN 206-1 (LATEST REVISION)
 - Urea formaldehyde in cavity wall insulation.
 - Sand lime brickwork.
 - Wood preservatives or paint containing pentachlorophenol (PCP).
 - Insulation materials formed with chlorofluorocarbons (CFCs).
 - Capping and subbase that do not comply to be EN 13265
 - Drainage materials that do nto comply to BS EN 13242
 - Mortars, render aggregate sourced materials that do not comply to BS EN 13139

Plus any other substances which are not in accordance with the current British Standards, Eurocodes and Codes of Practice

- DIMENSIONS & SETTING OUT**
- This drawing is to be read in conjunction with all relevant Engineer's drawings, Architect's drawings, schedules and specifications.
 - Refer to Architect drawings for levels and setting out information.
 - Dimensions critical to the structural design are shown on the Structural Engineer drawings. Any significant discrepancies between the Architect and SE drawings and site measurements should be resolved before carrying out the work on site.
 - Ground level varies.
 - Dimensions in mm unless otherwise stated.
 - Do not scale from drawings.

- QUALITY**
- All building work to be carried out by a competent contractor in accordance with the relevant mandatory regulations, UK Building Regulations, British Standards and good practice.
 - Similarly materials and fabrication to meet the relevant British Standards and national specifications.

Drawing Title
Strip Foundation

Drawing No 004 Rev - Scale 1:25 @A1 1:50 @A3

Drawing Status
PRELIM



Drawn By TKF Checked By Date Aug 2020

BUILD COLLECTIVE
Studio B, 25-27 Stokes Croft, Bristol, BS1 3PY
0117 280 0175, info@buildcollective.co.uk, www.buildcollective.co.uk


Project Number BC00507 Project Name Rear Extension

Client Don & Joanne


Copyright 2017 Build Collective - All Rights Reserved



RAFT FOUNDATION TYPE 1 - PLAN VIEW
SCALE 1:5



RAFT FOUNDATION TYPE 1 - SECTION
SCALE 1:5



DL STEEL COLUMN SUPPORTING BEAM - RESTRAINT @ TOP OF POST
SCALE 1:10

- GENERAL**
- The main contractor is to provide Build Collective and the local authority building control officer with at least 48 hours notice for any site inspection.
 - The following list of materials / substances are not to be used within the construction works.
 - High alumina cement in structural elements.
 - Wood wool slabs in permanent formwork to concrete.
 - Calcium chloride in admixtures for use in reinforced concrete.
 - asbestos products.
 - Naturally occurring aggregates for use in reinforced concrete which do not comply with BS EN 12620 (LATEST REVISION) and / or naturally occurring aggregates for use in concrete which do not comply with BS EN 206-1 (LATEST REVISION)
 - Urea formaldehyde in cavity wall insulation.
 - Sand lime brickwork.
 - Wood preservatives or paint containing pentachlorophenol (PCP).
 - Insulation materials formed with chlorofluorocarbons (CFCs).
 - Capping and subbase that do not comply to be EN 13265
 - Drainage materials that do nto comply to BS EN 13242
 - Mortars, render aggregate sourced materials that do not comply to BS EN 13139

Plus any other substances which are not in accordance with the current British Standards, Eurocodes and Codes of Practice

- DIMENSIONS & SETTING OUT**
- This drawing is to be read in conjunction with all relevant Engineer's drawings, Architect's drawings, schedules and specifications.
 - Refer to Architect drawings for levels and setting out information.
 - Dimensions critical to the structural design are shown on the Structural Engineer drawings. Any significant discrepancies between the Architect and SE drawings and site measurements should be resolved before carrying out the work on site.
 - Ground level varies.
 - Dimensions in mm unless otherwise stated.
 - Do not scale from drawings.

- QUALITY**
- All building work to be carried out by a competent contractor in accordance with the relevant mandatory regulations, UK Building Regulations, British Standards and good practice.
 - Similarly materials and fabrication to meet the relevant British Standards and national specifications.

Drawing Title
Raft Foundation

Drawing No Rev Scale
004 - 1:20 @A1
A1

Drawing Status
PRELIM

Drawn By Checked By Date
TKF **Aug 2020**


BUILD COLLECTIVE

Studio B, 25-27 Stokes Croft, Bristol, BS1 3PY
0117 280 0175, info@buildcollective.co.uk, www.buildcollective.co.uk

Project Number Project Name
BC00507 **Rear Extension**

Client
Dom & Jonne

Copyright 2017 Build Collective - All Rights Reserved



- GENERAL**
1. The main contractor is to provide Build Collective and the local authority building control officer with at least 48 hours notice for any site inspection.
 2. The following list of materials / substances are not to be used within the construction works.
 - a. High alumina cement in structural elements.
 - b. Wood wool slabs in permanent formwork to concrete.
 - c. Calcium chloride in admixtures for use in reinforced concrete.
 - d. asbestos products.
 - e. Naturally occurring aggregates for use in reinforced concrete which do not comply with BS EN 12620 (LATEST REVISION) and / or naturally occurring aggregates for use in concrete which do not comply with BS EN 206-1 (LATEST REVISION)
 - f. Urea formaldehyde in cavity wall insulation.
 - g. Sand lime brickwork.
 - h. Wood preservatives or paint containing pentachlorophenol (PCP).
 - i. Insulation materials formed with chlorofluorocarbons (CFCs).
 - j. Capping and subbase that do not comply to be EN 13265
 - k. Drainage materials that do nto comply to BS EN 13242
 - l. Mortars, render aggregate sourced materials that do not comply to BS EN 13139

Plus any other substances which are not in accordance with the current British Standards, Eurocodes and Codes of Practice.

- DIMENSIONS & SETTING OUT**
1. This drawing is to be read in conjunction with all relevant Engineer's drawings, Architect's drawings, schedules and specifications.
 2. Refer to Architect drawings for levels and setting out information.
 3. Dimensions critical to the structural design are shown on the Structural Engineer drawings. Any significant discrepancies between the Architect and SE drawings and site measurements should be resolved before carrying out the work on site.
 4. Ground level varies.
 5. Dimensions in mm unless otherwise stated.
 6. Do not scale from drawings.

- QUALITY**
1. All building work to be carried out by a competent contractor in accordance with the relevant mandatory regulations, UK Building Regulations, British Standards and good practice.
 2. Similarly materials and fabrication to meet the relevant British Standards and national specifications.

Drawing Title
Masonry Walls

Drawing No	Rev	Scale
004	-	1:25 @A1 1:50 @A3


Drawing Status
PRELIM

Drawn By	Checked By	Date
TKF		Aug 2020

BUILD COLLECTIVE
Studio B, 25-27 Stokes Croft, Bristol, BS1 3PY
0117 280 0175, info@buildcollective.co.uk, www.buildcollective.co.uk

Project Number	Project Name
BC00507	Rear Extension
Client	Dom and Joanne

Copyright 2017 Build Collective - All Rights Reserved



- GENERAL**
1. The main contractor is to provide Build Collective and the local authority building control officer with at least 48 hours notice for any site inspection.
 2. The following list of materials / substances are not to be used within the construction works:
 - a. High alumina cement in structural elements.
 - b. Wood wool slabs in permanent formwork to concrete.
 - c. Calcium chloride in admixtures for use in reinforced concrete.
 - d. asbestos products.
 - e. Naturally occurring aggregates for use in reinforced concrete which do not comply with BS EN 12620 (LATEST REVISION) and / or naturally occurring aggregates for use in concrete which do not comply with BS EN 206-1 (LATEST REVISION)
 - f. Urea formaldehyde in cavity wall insulation.
 - g. Sand lime brickwork.
 - h. Wood preservatives or paint containing pentachlorophenol (PCP).
 - i. Insulation materials formed with chlorofluorocarbons (CFCs).
 - j. Capping and subbase that do not comply to be EN 13265
 - k. Drainage materials that do nto comply to BS EN 13242
 - l. Mortars, render aggregate sourced materials that do not comply to BS EN 13139

Plus any other substances which are not in accordance with the current British Standards, Eurocodes and Codes of Practice

- DIMENSIONS & SETTING OUT**
1. This drawing is to be read in conjunction with all relevant Engineer's drawings, Architect's drawings, schedules and specifications.
 2. Refer to Architect drawings for levels and setting out information.
 3. Dimensions critical to the structural design are shown on the Structural Engineer drawings. Any significant discrepancies between the Architect and SE drawings and site measurements should be resolved before carrying out the work on site.
 4. Ground level varies.
 5. Dimensions in mm unless otherwise stated.
 6. Do not scale from drawings.

- QUALITY**
1. All building work to be carried out by a competent contractor in accordance with the relevant mandatory regulations, UK Building Regulations, British Standards and good practice.
 2. Similarly materials and fabrication to meet the relevant British Standards and national specifications.

Drawing Title
Timber Roof

Drawing No Rev Scale
004 - 1:25 @A1
1:50 @A3

Drawing Status
PRELIM

Drawn By Checked By Date
TKF Aug 2020

BUILD COLLECTIVE
Studio B, 25-27 Stokes Croft, Bristol, BS1 3PY
0117 280 0175, info@buildcollective.co.uk, www.buildcollective.co.uk

Project Number Project Name
BC00507 **Rear Extension**

Client
Dom and Joanne

Copyright 2017 Build Collective - All Rights Reserved