

d ô ôx O V d ô ¶ .

1. Overview

On October 3, 2025, a major fire broke out at GlobalLink Logistics Hub, disrupting supply chains. This report outlines key facts, causes, impact, and preventive measures.

2. Incident Summary

- 01:10 UTC: Smoke detected in warehouse B.
- 01:20 UTC: Sprinklers failed in section B2.
- 01:35 UTC: Fire spread to adjacent storage.
- 03:50 UTC: Fire fully contained.
- 10:00 UTC: Site cooling and inspection completed.

3. Root Cause

Short-circuit in an overloaded electrical panel triggered the fire. Failure of automatic sprinkler valves delayed suppression.

\* \$?c fVg~  
: W W[ 'je' ] eeZi '1Wk[ ZVjtKI: '(+'c lbed') #ZV6Z[ BW'd] lXW6  
i^\_fc [ dji''j[ c feMbYedjHWj'f[ dVj\_ ] i\$  
"  
+SC[ Wkh i"  
Kf) HwZ[ 'l h YhXW d j[ c i''\_dif[ Y'WZj[ ij^\_H 'ikffH ii\_ed[ gk\_fc [ dj''  
\_c flél [ 'ijW^\_H #H i fed i [ 'jH d d] "WZ[ d^ VWY 'eJ#XW[ Z^\_H "  
c edjehd] \$  
"  
, \$A[ o?dl [ ij\_ ] Vj\_ed: VjW

J[c "	: [jW"	J_c [ "	Dej[ "
?dj_Wk c ea[ "	: [j[ Yj[ Z'd nWk^eki[ '8"	& O&KJ9'	7Wk Wj_ ] Vj[ Z'
I kffH ii_ed <Wkh "	I fhdal h c Wk dYj_ed8( "	& Q &KJ9'	: [ BW[ Z' H i fed i [ "
I fH VZ'	; nj[ dZ[ Zje' VZ_Wj dj Vj W	& Q +KJ9'	>_ ] ^ ^ BW c Wkh ' ] eeZi "
9edjWdc [ dj"	<_H 'YedjlehZ'	& Q &KJ9'	9eehd] 'vellen[ Z'

# 国际物流中心火灾调查报告

## H i c

Ⓒ + \*

**Ⓢ + \***

**+**

**+**

**Q+**

✓	✓	✓	✓
✓	<b>Ž</b> ✓	<b>Tež</b>	✓
✓	<b>Ž</b> ✓	<b>Tež</b>	✓
✓	✓	<b>Tež</b>	✓
✓	✓	<b>Tež</b>	✓

• • • • •

.

T&E

° KO 5I P4 UKMK (~ 7P7(<TT/ I\*DÊGP&  
K&GD ~YNUQ P-D 5 &C ĀLQ' O05E&MKDQ(U

.

8?H&TØ

- • QN0ET' MG' 0B&7N&
- • • 60M 5POQJ P¥
- • " 71&5/L0&C D5 J0P(¥
- • " 710IC-HN0E¥
- • • P0& OHQVCIO&

.

ë

ö øÿ ÷ þ ê ó ë ÿ ë ë óò

ë

÷ ëë ë ÿ éë ë

ûë

ÿ ëô ë ÿ ë ë4ê ÿê ÷ ÿ ë

ë ë

êð	ÿ		þ ó
ë ê	âf ë	cl	éë þ
ë ÿ ë	L ë	cl	óò
ê ë	ë ,	cl	û ó
	ê	cl	ä ó

.

.

=hZfa YXY]bj YgUWbXY]bWbXcYbVbfc`c[lgW]bYbUWbU`

-â û

5 ÷û ñ ðû÷û Ø ñ÷ Øñ ûñ ñ J ðh  
 û û÷ ñûØ÷û 5 û ûû ûñ ñØ Ø Ø  
 û÷Ø ûû Ø

-â û ÷û ñ÷û û

«|+ 1ûûñ ÷û û Ø Øû \*  
 «|+ 1ØØ÷û ñØ ûû ûñ \*  
 «|+ ” ØØ ÷û û ØûØ ûñ Ø  
 «|+ Vñ÷ ñ Ø  
 «|+ 5 Ø û û ûñ ñ ûØ

.

‘a ì’

0 . . . ì . . . ì ì ‘ì ì . ‘í ì . .  
 ì . ì ì ‘ì . .

.

[ ì .

6 ì’ ì ì . . . ‘2®6’ ì . . . ì . . .  
 ì . ì ì . ì .

.

‘v ì’

° ì ì’ ì . . . ì’ ì . . . ì’ì ì ì . . .  
 ì . . . ì . [ ,’

.

‘6 . ì .

< .	6 ì .	V ì’	x ì’
6 . . .	< ì ì /’	‘2,0’	° ì ì ì ì ì’
N ì’ . ì .	® / .	‘2,0’	§ ì’ì ì’
¤ ì ì .	° ì ì’ ì .	‘2,0’	° ì’ ì ì ì .
0 .	[ . ì .	‘2,0’	< ì .’

$$\mathbf{A} \quad \quad \quad \mathbf{E} \quad \mathbf{A}$$

' "7uigY  
7dfhVWApXUgibHVLi fNOfi YgfVWLf jhXZTUBWxgj UBhgY  
gfb\_YgfYUxUH^Thpqb'

( "adW  
DfngYhJg & AIGSfYfXj fUgbachYUW 'dfgdJfUg  
vHfUfYg  
.

) "AYgfYg  
AcXbf YghUUhgfMfiYgVbf Y Yggh YgZfaf YdMgbbZ  
fBZfW Ugf YUBWMBYcH  
.

v_jaY'	8_jU'	<Yf'	Fyfei'
8_jmubXZaj'	9ifYd h6'	\$%\$SIH'	5UfaYXjWBWj'
8_jTUBW gfb_Yg'	Gmb6&	\$%&SIH'	FjdhgYfUXjY'
DcdUhd'	Ndbjchj'	\$% ) IH'	DcXjg HaaUVg'
AUgY	hWpYUg'	\$ ) SIH'	FYcNggYh YUf

.

308~010

nj Ž I  
nj Ž I  
nj Ž  
nj Ž  
nj Ž

.

I III" .  
. . . . . . .. .. . . . . .  
. . . . " "

.

(III" .  
. . . 1 . . . . . & . . "

.

)III" .  
. . .. . . . . . . . . .  
. . . . . . . "

.

\*III" . .

. .	. .	. .	. .
. . . . .	€	\$%\$IH	. . . .
. . . . .	G	\$%\$IH	. . . . .
. . . . .	. . . . .	\$%) IH	. . . . .
. .	. . . . .	\$.)\$IH	. . . . .

.