

Silica

JOB # _____ WEEK ENDING _____

Silica is in many materials common at construction sites, such as sand, concrete, rock, mortar, and brick. During tasks that disturb these materials (cutting, grinding, blasting, and jackhammering, for example), dust containing crystalline silica can be released into the air. Workers who inhale this dust are at risk of developing serious, sometimes fatal illnesses such as a lung disease called silicosis, lung cancer, and chronic obstructive pulmonary disease (COPD). It has also been linked to illnesses such as kidney disease.

Frank's Story

Frank has been a laborer for 22 years. His work frequently involved cutting, jackhammering, and drilling concrete. Water or vacuums were not used to control the dust, and he rarely was given a respirator. He began to have shortness of breath, wheezing, and tiredness after even short periods of work. Frank went to the doctor and told him about his work history. The doctor had Frank's x-ray read by a certified Class B reader because of the possible silica exposure. The results helped in diagnosing Frank's silicosis.

✘ **Have you ever been exposed to silica dust from the work you were doing or from work going on nearby?**

✘ **How could this illness have been prevented?**

Remember This

- Use vacuums and/or water to reduce dust at the source, before it becomes airborne. When these controls are not enough, use respiratory protection.
- Keep dust control systems in good working order, and check vacuum filters and hoses regularly to make sure they are not clogged.
- Do not use sand (or other substances containing more than 1% crystalline silica) for abrasive blasting. Substitute less hazardous materials.
- If a less hazardous material is not available, use the appropriate respiratory protection.
- Avoid eating, drinking, and smoking in areas where there is silica dust. A good practice is to first leave the dusty area and wash your hands and face.
- Avoid bringing dust home. Vacuum the dust from your clothes or change into clean clothing before leaving the work site. Do not brush or blow dust off.
- To learn more, visit www.silica-safe.org.

How can we stay safe today?

What will we do at the worksite to control and prevent exposure to silica dust?

1. _____

2. _____

OSHA Regulations: 1926.1153 Respirable crystalline silica

Silica



- ✘ Use vacuums and/or water to reduce the dust at the source, before it becomes airborne.
- ✘ Vacuum the dust from your clothes and change into clean clothing before leaving the work site.
- ✘ Do not brush or blow the dust off! Avoid bringing dust home!



Sílice

La sílice se encuentra en muchos materiales que son comunes en las obras de construcción, como la arena, hormigón, piedra, mortero y ladrillo. Durante las tareas que alteran estos materiales (corte, trituración, voladura y martilleo, por ejemplo), el polvo que contiene sílice cristalina puede ser liberado en el aire. Los trabajadores que inhalan este polvo corren el riesgo de desarrollar enfermedades graves, a veces fatales, como una enfermedad pulmonar llamada silicosis, cáncer de pulmón y enfermedad pulmonar obstructiva crónica (COPD). También se ha relacionado con enfermedades como la enfermedad renal.

La historia de Frank

Frank ha sido obrero por 22 años. Su trabajo frecuentemente incluía cortar, taladrar y perforar concreto. No se usa agua ni aspiradoras para controlar el polvo, y rara vez le daban un respirador. Comenzó a sentir dificultad respiratoria, sibilancias y fatiga después de incluso cortos periodos de trabajo. Frank fue al médico y le contó sobre su historial de trabajo. El médico le hizo una radiografía de Frank leída por un lector certificado de Clase B debido a la posible exposición a la sílice. Los resultados ayudaron a diagnosticar el silicosis de Frank.

✘ ¿Alguna vez ha estado expuesto al polvo de sílice, ya sea por algún trabajo que realizó o por un trabajo cerca de usted?

✘ ¿Cómo se pudo prevenir esta enfermedad?

Recuerde esto:

- Utilice aspiradoras o agua para reducir o eliminar el polvo en la fuente, antes de que pase al aire. Cuando estos controles no son suficientes, utilice protección respiratoria.
- Mantenga los sistemas de control de polvo en buen estado de funcionamiento, y revise los filtros de aspiración y las mangueras regularmente para asegurarse de que no estén obstruidos.
- No utilice arena (u otras sustancias que contengan más de 1% de sílice cristalina) para la limpieza abrasiva. Reemplácelos por materiales menos peligrosos.
- Si un material menos peligroso no está disponible, use la protección respiratoria apropiada.
- Evite comer, beber y fumar en áreas donde hay polvo de sílice. Una buena práctica es primero salir del área polvorienta y lavarse las manos y la cara.
- Evite llevar polvo a casa. Aspire el polvo de su ropa o cambiarse a ropa limpia antes de salir del sitio de trabajo. No cepille o sople el polvo fuera.
- Para obtener más información, visite www.silica-safe.org.

¿Cómo podemos estar seguros hoy?

¿Qué haremos en el trabajo para controlar y prevenir las exposiciones al polvo de sílice?

1. _____
2. _____

Sílice



- ✘ Utilice aspiradoras y/o agua para reducir o eliminar el polvo en la fuente, antes de que pase al aire.
- ✘ Utilice una aspiradora para quitar el polvo de su ropa y póngase ropa limpia antes de salir del lugar de trabajo.
- ✘ ¡No se quite el polvo cepillándolo o soplándolo! ¡No lleve el polvo a su hogar!