


Setting Up CodeIgniter 4


A Beginner's Easy Guide



Introduction to CodeIgniter 4


Importance of Meeting Environment Requirements

Welcome to the **exciting journey** of setting up CodeIgniter 4! Meeting the system requirements ensures a smooth installation and optimal performance, setting you up for success in web development.



Requirements

PHP 7.4+



PHP 7.4 or higher is crucial for running CodeIgniter 4 applications efficiently.

MySQL or MariaDB



MySQL or MariaDB is optional but enhances database interaction for your web projects.

Composer



Composer is recommended for smooth installation and dependency management during setup.

Installation Methods


Choose Your Preferred Setup Approach

Using Composer

Composer is a powerful dependency manager that simplifies setting up CodeIgniter. It automatically installs all necessary components, ensuring an efficient and hassle-free installation process for your project.

Manual Download


For those without Composer, downloading CodeIgniter manually is an option. Simply extract the files into your web server's root directory to start building your application.



Installing CodeIgniter with Composer

To easily set up CodeIgniter 4, use Composer to create your project. Run the command `composer create-project codeigniter4/appstarter myproject` followed by `cd myproject` to access your new project folder.






Manual Installation Steps

To manually install CodeIgniter, visit the official website, download the latest version, and extract the files into your web server's root directory, ensuring proper access for your application.

Configuration and Database Setup

Essential Steps for Successful Installation

Proper configuration is crucial for a smooth CodeIgniter experience. Start by renaming the .env file, setting the environment mode to development, and configuring the base URL for your application.



Configure Environment Settings

To ensure CodeIgniter functions correctly, rename the .env file to enable environment settings. Set `CI_ENVIRONMENT = development` for better error reporting and debugging during the development phase.



Configure Base URL




To ensure proper routing, set the base URL in `app/Config/App.php`. This URL defines where your application is accessible, crucial for loading resources and redirecting properly within your CodeIgniter project.


Running the Application

Understanding Project Structure and Launching

To launch your CodeIgniter application, use the command `php spark serve`. This will start a local server allowing you to access your project at `http://localhost:8080`.



Running CodeIgniter Application



To launch your CodeIgniter application, simply enter the command **php spark serve** in your terminal. This command starts the built-in PHP server, allowing access to your app at <http://localhost:8080>.

Ready to Develop

Start building your first application today!

