

WORK ORDER

MASPL						
Name: : ADANI PORTS & SPECIAL ECONOMIC ZONE LIMITED., ADANI HOUSE, PO BOX NO 1, MUNDRA, KUTCH 370 421, GUJARAT, INDIA Billing Address: : ADANI HOUSE, PO BOX NO 1, MUNDRA, KUTCH 370 421, GUJARAT, INDIA Shipping Address: : ADANI HOUSE, PO BOX NO 1, MUNDRA, KUTCH 370 421, GUJARAT, INDIA		P.O No. : 4502002428 Date : 02/06/2021		W.O No. : WO-2122-JUN-70 Date : 02/06/2021		
Sr.No	Item Description	Qty	Module Details / Rate	Discount	GST	Total
1	Part No: PRESSURE GAUGE DIAL SIZE: 63 MM RANGE: 0 TO 10BAR/PSI CASE & BEZEL: SS 304, CRIMPING TYPE SOCKET: SS 304 MOVEMENT: SS 304 SENSING MATERIAL: SS 316, BOURDON TUBE DIAL: ALUMINIUM, BLACK MARKINGS ON WHITE BACKGROUND POINTER: ALUMINIUM, BLACK WINDOW: ACRYLIC GLASS ACCURACY: +/- 1.6% OF FSD OVER-RANGE PROTECTION: 130% OF FSD CONNECTION: 1/4" BSP (M) MOUNTING: DIRECT BOTTOM MOUNTING GLYCERINE FILLED: YES	6	695	20	18	3,936

2	Part No: PRESSURE GAUGE DIAL SIZE: 63 MM RANGE: 0 TO 60BAR/PSI CASE & BEZEL: SS 304, CRIMPING TYPE SOCKET: SS 304 MOVEMENT: SS 304 SENSING MATERIAL: SS 316, BOURDON TUBE DIAL: ALUMINIUM, BLACK MARKINGS ON WHITE BACKGROUND POINTER: ALUMINIUM, BLACK WINDOW: ACRYLIC GLASS ACCURACY: +/- 1.6% OF FSD OVER-RANGE PROTECTION: 130% OF FSD CONNECTION: 1/4" BSP (M) MOUNTING: DIRECT BOTTOM MOUNTING GLYCERINE FILLED: YES	8	695	20	18	5,249
3	Part No: PRESSURE GAUGE DIAL SIZE: 63 MM RANGE: 0 TO 100BAR/PSI CASE & BEZEL: SS 304, CRIMPING TYPE SOCKET: SS 304 MOVEMENT: SS 304 SENSING MATERIAL: SS 316, BOURDON TUBE DIAL: ALUMINIUM, BLACK MARKINGS ON WHITE BACKGROUND POINTER: ALUMINIUM, BLACK WINDOW: ACRYLIC GLASS ACCURACY: +/- 1.6% OF FSD OVER-RANGE PROTECTION: 130% OF FSD CONNECTION: 1/4" BSP (M) MOUNTING: DIRECT BOTTOM MOUNTING GLYCERINE FILLED: YES	6	756	20	18	4,282

4	Part No: PRESSURE GAUGE DIAL SIZE: 63 MM RANGE: 0 TO 400BAR/PSI CASE & BEZEL: SS 304, CRIMPING TYPE SOCKET: SS 304 MOVEMENT: SS 304 SENSING MATERIAL: SS 316, BOURDON TUBE DIAL: ALUMINIUM, BLACK MARKINGS ON WHITE BACKGROUND POINTER: ALUMINIUM, BLACK WINDOW: ACRYLIC GLASS ACCURACY: +/- 1.6% OF FSD OVER-RANGE PROTECTION: 130% OF FSD CONNECTION: 1/4" BSP (M) MOUNTING: DIRECT BOTTOM MOUNTING GLYCERINE FILLED: YES	6	875	20	18	4,956
5	Part No: PRESSURE GAUGE DIAL SIZE: 63 MM RANGE:0 TO 600BAR/PSI CASE & BEZEL: SS 304, CRIMPING TYPE SOCKET: SS 304 MOVEMENT: SS 304 SENSING MATERIAL: SS 316, BOURDON TUBE DIAL: ALUMINIUM, BLACK MARKINGS ON WHITE BACKGROUND POINTER: ALUMINIUM, BLACK WINDOW: ACRYLIC GLASS ACCURACY: +/- 1.6% OF FSD OVER-RANGE PROTECTION: 130% OF FSD CONNECTION: 1/4" BSP (M) MOUNTING: DIRECT BOTTOM MOUNTING GLYCERINE FILLED: YES	4	875	20	18	3,304
	P & F		0		0	0
	Freight		0		0	0
				Total:		21727.1
	Twenty One Thousands Seven Hundred and Twenty Seven Rupees Only			Grand Total:		21727.1
Delivery Time / Date		Delivery by				

		Courier Name :	Docket No. :	
Prepared by : NIRAVRATHOD	Tested by : NIRAVRATHOD	Remarks :		

NG	PS	Account	Store	Production
----	----	---------	-------	------------