

Администрирование сетевых подсистем

Лабораторная работа №16

Авдадаев Джамал Геланиевич

11 декабря 2025

Российский университет дружбы народов, Москва, Россия

Цели и задачи

Цель лабораторной работы

Получить навыки по настройке Fail2ban
для защиты от атак типа «brute force».

Установка и запуск Fail2ban

Установка пакета

```
Installed:
  fail2ban-1.1.0-6.el10_0.noarch          fail2ban-firewalld-1.1.0-6.el10_0.noarch      fail2ban-selinux-1.1.0-6.el10_0.noarch
  fail2ban-sendmail-1.1.0-6.el10_0.noarch    fail2ban-server-1.1.0-6.el10_0.noarch

Complete!
[root@server.dgavdadaev.net server]#
[root@server.dgavdadaev.net server]# systemctl start fail2ban.service
[root@server.dgavdadaev.net server]# systemctl enable fail2ban.service
Created symlink '/etc/systemd/system/multi-user.target.wants/fail2ban.service' → '/usr/lib/systemd/system/fail2ban.service'.
[root@server.dgavdadaev.net server]#
```

:contentReferenceoaicite:0

Первичный запуск

```
Installed:
  fail2ban-1.1.0-6.el10_0.noarch          fail2ban-firewalld-1.1.0-6.el10_0.noarch      fail2ban-selinux-1.1.0-6.el10_0.noarch
  fail2ban-sendmail-1.1.0-6.el10_0.noarch    fail2ban-server-1.1.0-6.el10_0.noarch

Complete!
[root@server.dgavdadaev.net server]#
[root@server.dgavdadaev.net server]# systemctl start fail2ban.service
[root@server.dgavdadaev.net server]# systemctl enable fail2ban.service
Created symlink '/etc/systemd/system/multi-user.target.wants/fail2ban.service' → '/usr/lib/systemd/system/fail2ban.service'.
[root@server.dgavdadaev.net server]#
```

:contentReferenceoaicite:1

Первичная проверка работы

Просмотр журнала

```
logavdadaev@server.dgavdadaev.net ~»  
[dgavdadaev@server.dgavdadaev.net ~]$ sudo tail -f /var/log/fail2ban.log  
[sudo] password for dgavdadaev:  
2025-12-11 11:15:41,470 fail2ban.server      [17953]: INFO  -----  
2025-12-11 11:15:41,470 fail2ban.server      [17953]: INFO  Starting Fail2ban v1.1.0  
2025-12-11 11:15:41,470 fail2ban.observer    [17953]: INFO  Observer start...  
2025-12-11 11:15:41,474 fail2ban.database    [17953]: INFO  Connected to fail2ban persistent database '/var/lib/fail2ban/fail2ban.sqlite3'  
2025-12-11 11:15:41,474 fail2ban.database    [17953]: WARNING New database created. Version '4'
```

:contentReferenceoaicite:2

Настройка Fail2ban

Включение защиты SSH

```
Open ▾ +  
)  
)  
)  
)  
)  
)  
l  
i  
s  
i  
s  
i  
e  
n  
s  
1 [DEFAULT]  
2 bantime = 3600  
3  
4 [sshd]  
5 port = ssh,2022  
6 enabled = true  
7  
8 [sshd-ddos]  
9 filter = sshd  
10 enabled = true  
11  
12 [selinux-ssh]  
13 enabled = true|
```

Запуск jail-ов SSH

```
2025-12-11 11:19:41,577 fail2ban.server      [18784]: INFO  Starting Fail2ban v1.1.0
2025-12-11 11:19:41,577 fail2ban.observer    [18784]: INFO  Observer start...
2025-12-11 11:19:41,577 fail2ban.database    [18784]: INFO  Connected to fail2ban persistent database '/var/lib/fail2ban/fail2ban.sq
lite3'
2025-12-11 11:19:41,578 fail2ban.jail       [18784]: INFO  Creating new jail 'sshd'
2025-12-11 11:19:41,580 fail2ban.jail       [18784]: INFO  Jail 'sshd' uses systemd {}
2025-12-11 11:19:41,580 fail2ban.jail       [18784]: INFO  Initiated 'systemd' backend
2025-12-11 11:19:41,581 fail2ban.filter     [18784]: INFO  maxLines: 1
2025-12-11 11:19:41,585 fail2ban.filtersystemd [18784]: INFO  [sshd] Added journal match for: '_SYSTEMD_UNIT=sshd.service + _COMM=sshd
+ _COMM=sshd-session'
2025-12-11 11:19:41,585 fail2ban.filter     [18784]: INFO  maxRetry: 5
2025-12-11 11:19:41,585 fail2ban.filter     [18784]: INFO  findtime: 600
2025-12-11 11:19:41,585 fail2ban.actions   [18784]: INFO  banTime: 3600
2025-12-11 11:19:41,585 fail2ban.filter     [18784]: INFO  encoding: UTF-8
2025-12-11 11:19:41,585 fail2ban.jail       [18784]: INFO  Creating new jail 'selinux-ssh'
2025-12-11 11:19:41,588 fail2ban.jail       [18784]: INFO  Jail 'selinux-ssh' uses pyinotify {}
2025-12-11 11:19:41,589 fail2ban.jail       [18784]: INFO  Initiated 'pyinotify' backend
2025-12-11 11:19:41,589 fail2ban.datedetector [18784]: INFO  date pattern '': 'Epoch'
2025-12-11 11:19:41,589 fail2ban.filter     [18784]: INFO  maxRetry: 5
2025-12-11 11:19:41,589 fail2ban.filter     [18784]: INFO  findtime: 600
2025-12-11 11:19:41,589 fail2ban.actions   [18784]: INFO  banTime: 3600
2025-12-11 11:19:41,589 fail2ban.filter     [18784]: INFO  encoding: UTF-8
2025-12-11 11:19:41,590 fail2ban.filter     [18784]: INFO  Added logfile: '/var/log/audit/audit.log' (pos = 0, hash = 0447f9c83b285
4572b04db64904ee8578605c7dd)
2025-12-11 11:19:41,590 fail2ban.jail       [18784]: INFO  Creating new jail 'sshd-ddos'
2025-12-11 11:19:41,590 fail2ban.jail       [18784]: INFO  Jail 'sshd-ddos' uses pyinotify {}
2025-12-11 11:19:41,590 fail2ban.jail       [18784]: INFO  Initiated 'pyinotify' backend
2025-12-11 11:19:41,591 fail2ban.filter     [18784]: INFO  maxLines: 1
2025-12-11 11:19:41,591 fail2ban.filter     [18784]: INFO  maxRetry: 5
2025-12-11 11:19:41,591 fail2ban.filter     [18784]: INFO  findtime: 600
2025-12-11 11:19:41,591 fail2ban.actions   [18784]: INFO  banTime: 3600
2025-12-11 11:19:41,591 fail2ban.filter     [18784]: INFO  encoding: UTF-8
2025-12-11 11:19:41,591 fail2ban.jail       [18784]: INFO  Jail 'sshd' started
2025-12-11 11:19:41,592 fail2ban.jail       [18784]: INFO  Jail 'selinux-ssh' started
2025-12-11 11:19:41,592 fail2ban.jail       [18784]: INFO  Jail 'sshd-ddos' started
2025-12-11 11:19:41,592 fail2ban.filtersystemd [18784]: INFO  [sshd] Jail is in operation now (process new journal entries)
```

:contentReferenceoaicite:4

Защита HTTP-служб

Включение HTTP jail-ов

The screenshot shows a text editor window with the title bar "customisation.local" and the path "/etc/fail2ban/jail.d". The editor has a toolbar with "Open", a dropdown, and a "+" icon. The main area contains a configuration file with the following content:

```
i 10 enabled = true
e 11
n 12 [selinux-ssh]
s 13 enabled = true
n 14
s 15 [apache-auth]
n 16 enabled=true
s 17
s 18 [apache-badbots]
s 19 enabled=true
n 20
n 21 [apache-noscript]
a 22 enabled=true
a 23
i 24 [apache-overflows]
i 25 enabled=true
26
t 27 [apache-nohome]
t 28 enabled=true
t 29
t 30 [apache-botsearch]
t 31 enabled=true
t 32
t 33 [apache-fakegooglebot]
t 34 enabled=true
t 35
t 36 [apache-modsecurity]
t 37 enabled=true
t 38
t 39 [apache-shellshock]
t 40 enabled=true
```

Запуск HTTP jail-ов

```
2025-12-11 11:22:42,443 fail2ban.jail [19276]: INFO Creating new jail 'apache-shellshock'  
2025-12-11 11:22:42,443 fail2ban.jail [19276]: INFO Jail 'apache-shellshock' uses pyinotify {}  
2025-12-11 11:22:42,444 fail2ban.jail [19276]: INFO Initiated 'pyinotify' backend  
2025-12-11 11:22:42,445 fail2ban.filter [19276]: INFO maxRetry: 1  
2025-12-11 11:22:42,445 fail2ban.filter [19276]: INFO findtime: 600  
2025-12-11 11:22:42,445 fail2ban.actions [19276]: INFO banTime: 3600  
2025-12-11 11:22:42,445 fail2ban.filter [19276]: INFO encoding: UTF-8  
2025-12-11 11:22:42,445 fail2ban.filter [19276]: INFO Added logfile: '/var/log/httpd/error_log' (pos = 0, hash = 9c69734eeeeaac  
574c9009e15dc38ec56836f57c)  
2025-12-11 11:22:42,445 fail2ban.filter [19276]: INFO Added logfile: '/var/log/httpd/ssl_error_log' (pos = 0, hash = 507f607fd  
88be8943a69e8416d7dde0d928b2c7)  
2025-12-11 11:22:42,445 fail2ban.jail [19276]: INFO Creating new jail 'sshd-ddos'  
2025-12-11 11:22:42,445 fail2ban.jail [19276]: INFO Jail 'sshd-ddos' uses pyinotify {}  
2025-12-11 11:22:42,446 fail2ban.jail [19276]: INFO Initiated 'pyinotify' backend  
2025-12-11 11:22:42,446 fail2ban.filter [19276]: INFO maxLines: 1  
2025-12-11 11:22:42,446 fail2ban.filter [19276]: INFO maxRetry: 5  
2025-12-11 11:22:42,446 fail2ban.filter [19276]: INFO findtime: 600  
2025-12-11 11:22:42,446 fail2ban.actions [19276]: INFO banTime: 3600  
2025-12-11 11:22:42,446 fail2ban.filter [19276]: INFO encoding: UTF-8  
2025-12-11 11:22:42,447 fail2ban.filtersystemd [19276]: INFO [sshd] Jail is in operation now (process new journal entries)  
2025-12-11 11:22:42,447 fail2ban.jail [19276]: INFO Jail 'sshd' started  
2025-12-11 11:22:42,447 fail2ban.jail [19276]: INFO Jail 'selinux-ssh' started  
2025-12-11 11:22:42,448 fail2ban.jail [19276]: INFO Jail 'apache-auth' started  
2025-12-11 11:22:42,450 fail2ban.jail [19276]: INFO Jail 'apache-badbots' started  
2025-12-11 11:22:42,450 fail2ban.jail [19276]: INFO Jail 'apache-noscript' started  
2025-12-11 11:22:42,450 fail2ban.jail [19276]: INFO Jail 'apache-overflows' started  
2025-12-11 11:22:42,451 fail2ban.jail [19276]: INFO Jail 'apache-nohome' started  
2025-12-11 11:22:42,451 fail2ban.jail [19276]: INFO Jail 'apache-botsearch' started  
2025-12-11 11:22:42,452 fail2ban.jail [19276]: INFO Jail 'apache-fakegooglebot' started  
2025-12-11 11:22:42,453 fail2ban.jail [19276]: INFO Jail 'apache-modsecurity' started  
2025-12-11 11:22:42,453 fail2ban.jail [19276]: INFO Jail 'apache-shellshock' started  
2025-12-11 11:22:42,454 fail2ban.jail [19276]: INFO Jail 'sshd-ddos' started
```

:contentReferenceoaicite:6

Защита почтовых служб

Включение почтовых jail-ов

```
t 41
t 42 [postfix]
t 43 enabled=true
t 44
t 45 [postfix-rbl]
t 46 enabled=true
t 47
t 48 [dovecot]
t 49 enabled=true
t 50
t 51 [postfix-sasl]
t 52 enabled=true
```

Запуск почтовых jail-ов

```
SYSTEMD_UNIT=postfix@-.service
2025-12-11 11:24:36,669 fail2ban.filter           [19613]: INFO    maxRetry: 5
2025-12-11 11:24:36,669 fail2ban.filter           [19613]: INFO    findtime: 600
2025-12-11 11:24:36,669 fail2ban.actions        [19613]: INFO    banTime: 3600
2025-12-11 11:24:36,669 fail2ban.filter           [19613]: INFO    encoding: UTF-8
2025-12-11 11:24:36,669 fail2ban.jail           [19613]: INFO    Creating new jail 'sshd-ddos'
2025-12-11 11:24:36,669 fail2ban.jail           [19613]: INFO    Jail 'sshd-ddos' uses pyinotify {}
2025-12-11 11:24:36,670 fail2ban.jail           [19613]: INFO    Initiated 'pyinotify' backend
2025-12-11 11:24:36,670 fail2ban.filter           [19613]: INFO    maxLines: 1
2025-12-11 11:24:36,670 fail2ban.filter           [19613]: INFO    maxRetry: 5
2025-12-11 11:24:36,670 fail2ban.filter           [19613]: INFO    findtime: 600
2025-12-11 11:24:36,670 fail2ban.actions        [19613]: INFO    banTime: 3600
2025-12-11 11:24:36,670 fail2ban.filter           [19613]: INFO    encoding: UTF-8
2025-12-11 11:24:36,671 fail2ban.filtersystemd [19613]: INFO    [sshd] Jail is in operation now (process new journal entries)
2025-12-11 11:24:36,671 fail2ban.jail           [19613]: INFO    Jail 'sshd' started
2025-12-11 11:24:36,671 fail2ban.jail           [19613]: INFO    Jail 'selinux-ssh' started
2025-12-11 11:24:36,672 fail2ban.jail           [19613]: INFO    Jail 'apache-auth' started
2025-12-11 11:24:36,672 fail2ban.jail           [19613]: INFO    Jail 'apache-badbots' started
2025-12-11 11:24:36,672 fail2ban.jail           [19613]: INFO    Jail 'apache-noscript' started
2025-12-11 11:24:36,673 fail2ban.jail           [19613]: INFO    Jail 'apache-overflows' started
2025-12-11 11:24:36,673 fail2ban.jail           [19613]: INFO    Jail 'apache-nohome' started
2025-12-11 11:24:36,673 fail2ban.jail           [19613]: INFO    Jail 'apache-botsearch' started
2025-12-11 11:24:36,674 fail2ban.jail           [19613]: INFO    Jail 'apache-fakegooglebot' started
2025-12-11 11:24:36,674 fail2ban.jail           [19613]: INFO    Jail 'apache-modsecurity' started
2025-12-11 11:24:36,674 fail2ban.jail           [19613]: INFO    Jail 'apache-shellshock' started
2025-12-11 11:24:36,674 fail2ban.jail           [19613]: INFO    Jail 'postfix' started
2025-12-11 11:24:36,675 fail2ban.filtersystemd [19613]: INFO    [postfix-rbl] Jail is in operation now (process new journal entries)
2025-12-11 11:24:36,675 fail2ban.filtersystemd [19613]: INFO    [postfix] Jail is in operation now (process new journal entries)
2025-12-11 11:24:36,675 fail2ban.jail           [19613]: INFO    Jail 'postfix-rbl' started
2025-12-11 11:24:36,676 fail2ban.jail           [19613]: INFO    Jail 'dovecot' started
2025-12-11 11:24:36,676 fail2ban.filtersystemd [19613]: INFO    [dovecot] Jail is in operation now (process new journal entries)
2025-12-11 11:24:36,676 fail2ban.jail           [19613]: INFO    Jail 'postfix-sasl' started
2025-12-11 11:24:36,676 fail2ban.filtersystemd [19613]: INFO    [postfix-sasl] Jail is in operation now (process new journal entries)
2025-12-11 11:24:36,676 fail2ban.jail           [19613]: INFO    Jail 'sshd-ddos' started
```

:contentReferenceoaicite:8

Проверка защиты SSH

Общий статус Fail2ban

```
[root@server.dgavdadaev.net server]#  
[root@server.dgavdadaev.net server]# fail2ban-client status  
Status  
|- Number of jail:      16  
`- Jail list: apache-auth, apache-badbots, apache-botsearch, apache-fakegooglebot, apache-modsecurity, apache-nohome, apache-noscript,  
apache-overflows, apache-shellshock, dovecot, postfix, postfix-rbl, postfix-sasl, selinux-ssh, sshd, sshd-ddos  
[root@server.dgavdadaev.net server]# fail2ban-client status sshd  
Status for the jail: sshd  
|- Filter  
| |- Currently failed: 0  
| |- Total failed:     0  
| ` Journal matches: _SYSTEMD_UNIT:sshd.service + _COMM:sshd + _COMM:sshd-session  
`- Actions  
  |- Currently banned: 0  
  |- Total banned:     0  
  `- Banned IP list:  
[root@server.dgavdadaev.net server]# fail2ban-client set sshd maxretry 2  
2  
[root@server.dgavdadaev.net server]#
```

:contentReferenceoaicite:9

Блокировка при ошибке входа

```
[root@server.dgavdadaev.net server]# fail2ban-client status sshd
Status for the jail: sshd
|- Filter
| |- Currently failed: 1
| |- Total failed: 3
| `- Journal matches: _SYSTEMD_UNIT=sshd.service + _COMM=sshd + _COMM=sshd-session
`- Actions
  |- Currently banned: 1
  |- Total banned: 1
  `- Banned IP list: 192.168.1.30
[root@server.dgavdadaev.net server]# fail2ban-client set sshd unbanip 192.168.1.30
1
[root@server.dgavdadaev.net server]# fail2ban-client status sshd
Status for the jail: sshd
|- Filter
| |- Currently failed: 1
| |- Total failed: 3
| `- Journal matches: _SYSTEMD_UNIT=sshd.service + _COMM=sshd + _COMM=sshd-session
`- Actions
  |- Currently banned: 0
  |- Total banned: 1
  `- Banned IP list:
[root@server.dgavdadaev.net server]#
```


:contentReferenceoaicite:10

Разблокировка IP

```
[root@server.dgavdadaev.net server]# fail2ban-client status sshd
Status for the jail: sshd
|- Filter
| |- Currently failed: 1
| |- Total failed: 3
| `- Journal matches: _SYSTEMD_UNIT=sshd.service + _COMM=sshd + _COMM=sshd-session
`- Actions
  |- Currently banned: 1
  |- Total banned: 1
  `- Banned IP list: 192.168.1.30
[root@server.dgavdadaev.net server]# fail2ban-client set sshd unbanip 192.168.1.30
1
[root@server.dgavdadaev.net server]# fail2ban-client status sshd
Status for the jail: sshd
|- Filter
| |- Currently failed: 1
| |- Total failed: 3
| `- Journal matches: _SYSTEMD_UNIT=sshd.service + _COMM=sshd + _COMM=sshd-session
`- Actions
  |- Currently banned: 0
  |- Total banned: 1
  `- Banned IP list:
[root@server.dgavdadaev.net server]#
```

:contentReferenceoaicite:11

Добавление IP в ignoreip



The screenshot shows a file editor window with the following details:

- File title: **customisation.local**
- File path: **/etc/fail2ban/jail.d**
- Buttons: Open, ▾, +

The content of the file is as follows:

```
1 [DEFAULT]
2 bantime = 3600
3
4 ignoreip = 127.0.0.1/8 192.168.1.30
5
6 [sshd]
7 port = ssh,2022
8 enabled = true
9
10 [sshd-ddos]
11 filter = sshd
12 enabled = true
13
14 [selinux-ssh]
15 enabled = true
16
```

:contentReferenceoaicite:12

Проверка игнорирования IP

```
2025-12-11 11:28:16,340 fail2ban.filtersystemd [20215]: INFO [dovecot] Jail is in operation now (process new journal entries)
2025-12-11 11:28:16,340 fail2ban.filtersystemd [20215]: INFO [postfix-sasl] Jail is in operation now (process new journal entries)
2025-12-11 11:28:16,340 fail2ban.jail [20215]: INFO Jail 'postfix-sasl' started
2025-12-11 11:28:16,341 fail2ban.jail [20215]: INFO Jail 'sshd-ddos' started

2025-12-11 11:28:27,806 fail2ban.filter [20215]: INFO [sshd] Ignore 192.168.1.30 by ip
2025-12-11 11:28:32,509 fail2ban.filter [20215]: INFO [sshd] Ignore 192.168.1.30 by ip
2025-12-11 11:28:36,800 fail2ban.filter [20215]: INFO [sshd] Ignore 192.168.1.30 by ip
```

:contentReferenceoaicite:13

Вывод

Основные результаты

- Настроена защита SSH, HTTP и почтовых служб
- Проверена блокировка и разблокировка IP
- Настроен механизм ignoreip
- Подготовлен provisioning Fail2ban
- Fail2ban успешно защищает сервер от brute-force атак