

Results

Independent Samples T-Test

Independent Samples T-Test

	Test	Statistic	df	p	Effect Size	SE Effect Size
Fatigue_pre_7	Student	−0.636	82	0.526	−0.139	0.219
	Mann-Whitney	790.500		0.417	−0.103	0.126
Fatigue_post_7	Student	−0.838	82	0.405	−0.183	0.219
	Mann-Whitney	751.000		0.244	−0.148	0.126

Note. For the Student t-test, effect size is given by Cohen's d. For the Mann-Whitney test, effect size is given by the rank biserial correlation.


Descriptives

Group Descriptives


	Group	N	Mean	SD	SE	Coefficient of variation	Mean Rank	Sum Rank
Fatigue_pre_7	0	41	53.537	25.550	3.990	0.477	40.280	1651.500
	1	43	57.465	30.657	4.675	0.533	44.616	1918.500
Fatigue_post_7	0	41	54.049	25.466	3.977	0.471	39.317	1612.000
	1	43	59.349	31.975	4.876	0.539	45.535	1958.000

Descriptives Plots

Fatigue_pre_7



Fatigue_post_7



Independent Samples T-Test

Independent Samples T-Test

	Test	Statistic	df	p	Effect Size	SE Effect Size
NASA_effort_easy_4	Student	-0.823	82	0.413	-0.180	0.219
	Mann-Whitney	841.000		0.715	-0.046	0.126
NASA_effort_hard_4	Student	1.273	82	0.207	0.278	0.220
	Mann-Whitney	1015.500		0.231	0.152	0.126

Note. For the Student t-test, effect size is given by Cohen's d. For the Mann-Whitney test, effect size is given by the rank biserial correlation.


Descriptives

Group Descriptives


	Group	N	Mean	SD	SE	Coefficient of variation	Mean Rank	Sum Rank
NASA_effort_easy_4	0	41	14.415	18.349	2.866	1.273	41.512	1702.000
	1	43	17.907	20.418	3.114	1.140	43.442	1868.000
NASA_effort_hard_4	0	41	39.561	31.527	4.924	0.797	45.768	1876.500
	1	43	31.349	27.558	4.203	0.879	39.384	1693.500

Descriptives Plots

NASA_effort_easy_4



NASA_effort_hard_4



Independent Samples T-Test

	Test	Statistic	df	p	Location Parameter	SE Difference	Effect Size	SE Effect Size
NASA_diff	Student	2.333	82	0.022	11.704	5.016	0.509	0.225
	Mann-Whitney	1106.500		0.043	8.000		0.255	0.126

Note. For the Student t-test, effect size is given by Cohen's d. For the Mann-Whitney test, effect size is given by the rank biserial correlation.

Note. For the Student t-test, location parameter is given by mean difference. For the Mann-Whitney test, location parameter is given by the Hodges-Lehmann estimate.


Descriptives

Group Descriptives

	Group	N	Mean	SD	SE	Coefficient of variation	Mean Rank	Sum Rank
NASA_diff	0	41	25.146	26.180	4.089	1.041	47.988	1967.500
	1	43	13.442	19.451	2.966	1.447	37.267	1602.500

Descriptives Plots

NASA_diff



Independent Samples T-Test

	Test	Statistic	df	p	Effect Size	SE Effect Size
Fatigue_diff	Student	-0.378	82	0.707	-0.082	0.218
	Mann-Whitney	960.500		0.481	0.090	0.126

Note. For the Student t-test, effect size is given by Cohen's d. For the Mann-Whitney test, effect size is given by the rank biserial correlation.

Descriptives

Group Descriptives

	Group	N	Mean	SD	SE	Coefficient of variation	Mean Rank	Sum Rank
Fatigue_diff	0	41	0.512	15.111	2.360	29.503	44.427	1821.500
	1	43	1.884	17.967	2.740	9.538	40.663	1748.500

Descriptives Plots

Fatigue_diff

