

Results

Parabolico Antiguo

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	ω^2
Parabolico Antiguo	None	15.90	1.000	15.90	403.7	< .001	0.706
Parabolico Antiguo * grupo	None	0.060	1.000	0.060	1.519	.221	0.003
Residuals	None	3.230	82.00	0.039			

Note. Sphericity corrections not available for factors with 2 levels.

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω^2
grupo	0.076	1	0.076	1.895	.172	0.005
Residuals	3.293	82	0.040			


Note. Type III Sum of Squares

Descriptives

Descriptives

Parabolico Antiguo	grupo	N	Mean	SD	SE	Coefficient of variation
Self	0	41	0.153	0.354	0.055	2.311
	1	43	0.073	0.172	0.026	2.364
Other	0	41	0.731	0.061	0.010	0.084
	1	43	0.726	0.050	0.008	0.069

Descriptives plots



Parabolico Nuevo

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	ω^2
Parabolico Nuevo	None	0.166	1.000	0.166	28.98	< .001	0.123
Parabolico Nuevo * grupo	None	0.003	1.000	0.003	0.553	.459	0.000
Residuals	None	0.468	82.00	0.006			

Note. Sphericity corrections not available for factors with 2 levels.

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω^2
grupo	0.017	1	0.017	2.101	.151	0.007
Residuals	0.655	82	0.008			


Note. Type III Sum of Squares

Descriptives

Descriptives

Parabolico Nuevo	grupo	N	Mean	SD	SE	Coefficient of variation
Self	0	41	0.031	0.047	0.007	1.524
	1	43	0.019	0.033	0.005	1.696
Other	0	41	0.102	0.125	0.019	1.220
	1	43	0.074	0.094	0.014	1.273

Descriptives plots



Hiperbolico Antiguo

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	ω^2
Hiperbolico Antiguo	None	10.52	1.000	10.52	97.36	< .001	0.354
Hiperbolico Antiguo * grupo	None	0.098	1.000	0.098	0.909	.343	0.000
Residuals	None	8.861	82.00	0.108			

Note. Sphericity corrections not available for factors with 2 levels.

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω^2
grupo	0.075	1	0.075	0.624	.432	0.000
Residuals	9.898	82	0.121			


Note. Type III Sum of Squares

Descriptives

Descriptives

Hiperbolico Antiguo	grupo	N	Mean	SD	SE	Coefficient of variation
Self	0	41	0.311	0.474	0.074	1.526
	1	43	0.220	0.448	0.068	2.038
Other	0	41	0.763	0.116	0.018	0.152
	1	43	0.769	0.138	0.021	0.180

Descriptives plots



Hiperbolico Nuevo

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	ω^2
Hiperbolico Nuevo	None	2.617	1.000	2.617	36.94	< .001	0.152
Hiperbolico Nuevo * grupo	None	0.003	1.000	0.003	0.037	.847	0.000
Residuals	None	5.811	82.00	0.071			

Note. Sphericity corrections not available for factors with 2 levels.

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω^2
grupo	0.117	1	0.117	1.168	.283	0.001
Residuals	8.183	82	0.100			

Note. Type III Sum of Squares

Descriptives

Descriptives

Hiperbolico Nuevo	grupo	N	Mean	SD	SE	Coefficient of variation
Self	0	41	0.145	0.168	0.026	1.155
	1	43	0.101	0.120	0.018	1.196
Other	0	41	0.403	0.378	0.059	0.938
	1	43	0.342	0.395	0.060	1.153

Descriptives plots

