
DRAWING NUMBER:	REV:
86-127	3
ECN NUMBER: 00-025	

	P/N	DESCRIPTION	QTY.
	85-215	WIRE - LINKAGE - PIVOT ARM - ST	1
	86-105	LOCK PLATE ASSEMBLY - LOW - LE - ST	1
	86-132	PIVOT & ROLLER ARM ASSEMBLY - LOW - LE - ST	1
	86-141	SOLENOID ASSEMBLY	1
(3)	86-147	LOCKING BAR ASSEMBLY - ST	1
(1)	SRHM#10-24X1	SCREW - MACHINE - PAN - #10 UNC x 1	2
	NH#10-24	NUT - MACHINE SCREW - #10 UNC	2
	WL#10 SPLIT	WASHER - HELICAL SPRING - REGULAR - #10	2
	85-178	WASHER - THRUST - 3/8 x 3/4 x 1/16	2
	85-177	WASHER - THRUST - 5/8 x 1 x 1/16	2
	PC3/32X1/2	PIN - COTTER - 3/32 x 1/2	1
	PC3/32/1	PIN - COTTER - 3/32 x 1	1



MATERIAL: **********

FINISH: ****

REVISIONS

REV.	DESCRIPTION	BY	DATE
1	UPDATE HARDWARE PART NUMBER DESIGNATIONS	GVB	02/19/99
2	RE-DRAWN AND ELIMINATED ISOMETRIC VIEWS. 86-141 WAS 86-137.	GLS	07/14/99
3	Revised 86-147 Assembly	GVB	03/14/00

THESE DRAWINGS & SPECIFICATIONS ARE THE PROPERTY OF AND PROPRIETARY TO PHILIPS INDUSTRIES, INC. AND ARE NOT TO BE DISCLOSED, REPRODUCED, COPIED OR USED AS THE BASIS OF MANUFACTURE OR SALE OF APPARATUS AND/OR DEVICES, OR OTHERWISE WITHOUT PHILIPS' PRIOR WRITTEN CONSENT.

ALL DIMENSIONS ARE IN INCHES UNLESS SPECIFIED

TOLERANCE UNLESS SPECIFIED

0.0	±	0.060
0.00	±	0.030
0.000	±	0.015
0.0000	±	0.005
ANGULAR	±	0.5°

DRAWN BY/DATE: GLS 07/14/99

CHECKED BY/DATE: GVB 07/14/99

Phillips CSS Inc
7041 Orchard
Dearborn, MI 48126

DRAWING TITLE: LOCKING MECHANISM ASSEMBLY - LOW - FAIL-LOCK

SIZE:	MODEL:	DRAWING NUMBER:	REV:
A	ST	86-127	3

SCALE: # : #


ASSEMBLY **-***

SHEET: 1 OF 1

	P/N	DESCRIPTION	QTY.
④	85-213	SPRING - COMPRESSION- RETURN - SOLENOID	1
	85-215	WIRE - LINKAGE - PIVOT ARM - ST	1
	86-113	LOCK PLATE ASSEMBLY - HIGH - LE - ST	1
	86-133	PIVOT & ROLLER ARM ASSEMBLY - HIGH - LE - ST	1
①	86-141	SOLENOID ASSEMBLY	1
③	86-147	LOCKING BAR ASSEMBLY - ST	1
	SRHM#10-24X1	SCREW - MACHINE - PAN - #10 UNC x 1	2
	NH#10-24	NUT - MACHINE SCREW - #10 UNC	2
	WL#10 SPLIT	WASHER - HELICAL SPRING - REGULAR - #10	2
	85-178	WASHER - THRUST - 3/8 x 3/4 x 1/16	2
	85-177	WASHER - THRUST - 5/8 x 1 x 1/16	2
	PC3/32X1/2	PIN - COTTER - 3/32 x 1/2	1
	PC3/32X1	PIN - COTTER - 3/32 x 1	1

DRAWING NUMBER: 86-128 REV: 4

ECN NUMBER: 00-089



MATERIAL: **********

FINISH: ****

REVISIONS

REV.	DESCRIPTION	BY	DATE
1	UPDATE HARDWARE PART NUMBER DESIGNATIONS	GVB	02/19/99
2	RE-DRAWN AND ELIMINATED ISOMETRIC VIEWS. 86-141 WAS 86-137.	GLS	07/14/99
3	Revised 86-147 Assembly	GVB	03/13/00
4	ADDED 85-213 IDENTIFICATION	CLG	05/22/00

THESE DRAWINGS & SPECIFICATIONS ARE THE PROPERTY OF AND PROPRIETARY TO PHILIPS INDUSTRIES, INC. AND ARE NOT TO BE DISCLOSED, REPRODUCED, COPIED OR USED AS THE BASIS OF MANUFACTURE OR SALE OF APPARATUS AND/OR DEVICES, OR OTHERWISE WITHOUT PHILIPS' PRIOR WRITTEN CONSENT.

ALL DIMENSIONS ARE IN INCHES UNLESS SPECIFIED

TOLERANCE UNLESS SPECIFIED		
0.0	±	0.060
0.00	±	0.030
0.000	±	0.015
0.0000	±	0.005
ANGULAR	±	0.5°

DRAWN BY/DATE: GLS 07/14/99

CHECKED BY/DATE: GVB 07/14/99

Philips CSS Inc
7041 Orchard
Dearborn, MI 48126


DRAWING TITLE: LOCKING MECHANISM ASSEMBLY - HIGH - FAIL-LOCK

SIZE:	MODEL:	DRAWING NUMBER:	REV:
A	ST	86-128	4

SCALE: # : # | ASSEMBLY **-*** | SHEET: 1 OF 1

DRAWING NUMBER:	86-129	REV: 2
ECN NUMBER:	00-025	

	P/N	DESCRIPTION	QTY.
	85-215	WIRE - LINKAGE - PIVOT ARM - ST	1
	86-116	LOCK PLATE ASSEMBLY - LOW - UE - ST	1
	86-134	PIVOT & ROLLER ARM ASSEMBLY - LOW - UE - ST	1
	86-141	SOLENOID ASSEMBLY - UE - ST	1
②	86-147	LOCKING BAR ASSEMBLY - ST	1
	SRHM#10-24X1	SCREW - MACHINE - PAN - #10 UNC x 1	2
	NH#10-24	NUT - MACHINE SCREW - #10 UNC	2
	WL#10 SPLIT	WASHER - HELICAL SPRING - REGULAR - #10	2
	85-178	WASHER - THRUST - 3/8 x 3/4 x 1/16	2
	85-177	WASHER - THRUST - 5/8 x 1 x 1/16	2
	PC3/32X1/2	PIN - COTTER - 3/32 x 1/2	1
	PC3/32X1	PIN - COTTER - 3/32 x 1	1



NOTE:
① 86-134 & 86-147 MUST PIVOT FREELY.

MATERIAL: See Chart

FINISH: None

REVISIONS

REV.	DESCRIPTION	BY	DATE
1	Update Hardware Part Number Designations	GVB	02/19/99
2	Eliminate Isometric Views, Revised 86-147 Assembly	GVB	03/15/00

THESE DRAWINGS & SPECIFICATIONS ARE THE PROPERTY OF AND PROPRIETARY TO PHILIPS INDUSTRIES, INC. AND ARE NOT TO BE DISCLOSED, REPRODUCED, COPIED OR USED AS THE BASIS OF MANUFACTURE OR SALE OF APPARATUS AND/OR DEVICES, OR OTHERWISE WITHOUT PHILIPS' PRIOR WRITTEN CONSENT.

ALL DIMENSIONS ARE IN INCHES UNLESS SPECIFIED

TOLERANCE UNLESS SPECIFIED

0.0	± 0.060
0.00	± 0.030
0.000	± 0.015
0.0000	± 0.005
ANGULAR	± 0.5°

DRAWN BY/DATE: DMK 08/08/94

CHECKED BY/DATE: JAK 08/08/94

Philips CSS Inc
7041 Orchard
Dearborn, MI 48126


DRAWING TITLE: LOCKING MECHANISM ASSEMBLY
LOW - UE - ST

SIZE:	MODEL:	DRAWING NUMBER:	REV:
A	ST	86-129	2

SCALE: 1 : 2 ASSEMBLY ##-#### SHEET: 1 OF 1

DRAWING NUMBER:	86-130	REV: 2
ECN NUMBER:	00-025	

	P/N	DESCRIPTION	QTY.
	85-215	WIRE - LINKAGE - PIVOT ARM - ST	1
	86-117	LOCK PLATE ASSEMBLY - HIGH - UE - ST	1
	86-135	PIVOT & ROLLER ARM ASSEMBLY - HIGH - UE - ST	1
	86-141	SOLENOID ASSEMBLY - UE - ST	1
②	86-147	LOCKING BAR ASSEMBLY - ST	1
	SRHM#10-24X1	SCREW - MACHINE - PAN - #10 UNC x 1	2
	NH#10-24	NUT - MACHINE SCREW - #10 UNC	2
	WL#10 SPLIT	WASHER - HELICAL SPRING - REGULAR - #10	2
	85-176	WASHER - THRUST - 3/8 x 3/4 x 1/16	2
	85-177	WASHER - THRUST - 5/8 x 1 x 1/16	2
	PC3/32X1/2	PIN - COTTER - 3/32 x 1/2	1
	PC3/32X1	PIN - COTTER - 3/32 x 1	1



NOTE:
1) 86-135 & 86-147 MUST PIVOT FREELY.

MATERIAL: See Chart

FINISH: None

REVISIONS

REV.	DESCRIPTION	BY	DATE
1	Update Hardware Part Number Designations	GVB	02/19/99
2	Eliminate Isometric Views, Revised 86-147 Assembly	GVB	03/15/00

THESE DRAWINGS & SPECIFICATIONS ARE THE PROPERTY OF AND PROPRIETARY TO PHILIPS INDUSTRIES, INC. AND ARE NOT TO BE DISCLOSED, REPRODUCED, COPIED OR USED AS THE BASIS OF MANUFACTURE OR SALE OF APPARATUS AND/OR DEVICES, OR OTHERWISE WITHOUT PHILIPS' PRIOR WRITTEN CONSENT.

ALL DIMENSIONS ARE IN INCHES UNLESS SPECIFIED

TOLERANCE UNLESS SPECIFIED

0.0	±	0.060
0.00	±	0.030
0.000	±	0.015
0.0000	±	0.005
ANGULAR	±	0.5°

DRAWN BY/DATE: DMK 08/08/94

CHECKED BY/DATE: JAK 08/08/94


Philips CSS Inc
7041 Orchard
Dearborn, MI 48126

DRAWING TITLE: LOCKING MECHANISM ASSEMBLY
HIGH - UE - ST

SIZE:	MODEL:	DRAWING NUMBER:	REV:
A	ST	86-130	2

SCALE:	ASSEMBLY	SHEET:
1 : 2	** - ***	1 OF 1

Lock Plate Mounting Configurations



- Locking Bar Post
- Fail Safe Post & Solenoid
- Fail Lock Post & Solenoid
- Plate Mounting Holes
- Accessory Mounting Holes

Lock Plate Configurations

	86-127 Low Fail Lock CCW	86-128 High Fail Lock CW	86-129 Low Fail Safe CCW	86-130 High Fail Safe CW
Complete Lock Plate Assy	86-105	86-113	86-116	86-117
Locking Bar Assy	86-147	86-147	86-147	86-147
Locking Bar Post	85-266	85-266	85-266	85-266
Pivot & Roller Arm Assy	86-132	86-133	86-134	86-135
Pivot Arm Post	85-267	85-267	85-267	85-267