

## CoagCare Rest API

methode	url	donnée
POST	<a href="http://127.0.0.1:8000/Createuser">http://127.0.0.1:8000/Createuser</a>	{ "username","email"," user_type","password"} RQ: user_type: ['doctor','hospital','patient'] Si user_type de type 'doctor'=>{"username","email", 'matricule ', " user_type","password"}
POST	<a href="http://127.0.0.1:8000/api/login_check">http://127.0.0.1:8000/api/login_check</a>	{"username", "password "}
GET	<a href="http://127.0.0.1:8000/api/profile">http://127.0.0.1:8000/api/profile</a>	
PATCH	<a href="http://127.0.0.1:8000/api/profile">http://127.0.0.1:8000/api/profile</a>	
PATCH	<a href="http://127.0.0.1:8000/api/UpdatePassword">http://127.0.0.1:8000/api/UpdatePassword</a>	{"current_password","new_password"}
POST	<a href="http://127.0.0.1:8000/api/profile/picture">http://127.0.0.1:8000/api/profile/picture</a>	{"picture"}
POST	<a href="http://127.0.0.1:8000/ResetPassword">http://127.0.0.1:8000/ResetPassword</a>	{"email"}
PATCH	<a href="http://127.0.0.1:8000/RestConfirmation">http://127.0.0.1:8000/RestConfirmation</a>	{"token","password", "confirmPassword" }
POST	<a href="http://127.0.0.1:8000/sendInvitation">http://127.0.0.1:8000/sendInvitation</a>	{"email","username" }
POST	<a href="http://127.0.0.1:8000/Acceptation">http://127.0.0.1:8000/Acceptation</a>	{"token","id" }
GET	<a href="http://127.0.0.1:8000/api/asset">http://127.0.0.1:8000/api/asset</a>	
GET	<a href="http://127.0.0.1:8000/api/asset/{id}">http://127.0.0.1:8000/api/asset/{id}</a>	
POST	<a href="http://127.0.0.1:8000/api/asset">http://127.0.0.1:8000/api/asset</a>	{"file" }
GET	<a href="http://127.0.0.1:8000/api/asset/{id}">http://127.0.0.1:8000/api/asset/{id}</a>	
POST	<a href="http://127.0.0.1:8000/api/asset/{id}">http://127.0.0.1:8000/api/asset/{id}</a>	{"file" }
GET	<a href="http://127.0.0.1:8000/api/country">http://127.0.0.1:8000/api/country</a>	
GET	<a href="http://127.0.0.1:8000/api/country/{id}">http://127.0.0.1:8000/api/country/{id}</a>	
POST	<a href="http://127.0.0.1:8000/api/country">http://127.0.0.1:8000/api/country</a>	{"name","code","long_code","prefix","picture", }
PATCH	<a href="http://127.0.0.1:8000/api/country/{id}">http://127.0.0.1:8000/api/country/{id}</a>	{"name","code","long_code","prefix","picture", }
DELETE	<a href="http://127.0.0.1:8000/api/country/{id}">http://127.0.0.1:8000/api/country/{id}</a>	

<b>POST</b>	<a href="http://127.0.0.1:8000/api/country/picture/{id}">http://127.0.0.1:8000/api/country/picture/{id}</a>	{“picture” }
<b>GET</b>	<a href="http://127.0.0.1:8000/api/device">http://127.0.0.1:8000/api/device</a>	
<b>GET</b>	<a href="http://127.0.0.1:8000/api/device/{id}">http://127.0.0.1:8000/api/device/{id}</a>	
<b>POST</b>	<a href="http://127.0.0.1:8000/api/device">http://127.0.0.1:8000/api/device</a>	{“token”,“os”,“version”,“modele”,“uuid”,“position”}
<b>PATCH</b>	<a href="http://127.0.0.1:8000/api/device/{id}">http://127.0.0.1:8000/api/device/{id}</a>	{“token”,“os”,“version”,“modele”,“uuid”,“position”}
<b>DELETE</b>	<a href="http://127.0.0.1:8000/api/device/{id}">http://127.0.0.1:8000/api/device/{id}</a>	
<b>GET</b>	<a href="http://127.0.0.1:8000/api/doctor">http://127.0.0.1:8000/api/doctor</a>	
<b>GET</b>	<a href="http://127.0.0.1:8000/api/doctor/NotAffiliate">http://127.0.0.1:8000/api/doctor/NotAffiliate</a>	
<b>PATCH</b>	<a href="http://127.0.0.1:8000/api/doctor/NotAffiliate/{id}">http://127.0.0.1:8000/api/doctor/NotAffiliate/{id}</a>	
<b>GET</b>	<a href="http://127.0.0.1:8000/api/doctor/{id}">http://127.0.0.1:8000/api/doctor/{id}</a>	
<b>GET</b>	<a href="http://127.0.0.1:8000/api/assignedDoctor">http://127.0.0.1:8000/api/assignedDoctor</a>	
<b>GET</b>	<a href="http://127.0.0.1:8000/api/assignedDoctor/{id}">http://127.0.0.1:8000/api/assignedDoctor/{id}</a>	
<b>PATCH</b>	<a href="http://127.0.0.1:8000/api/AddAffiliate">http://127.0.0.1:8000/api/AddAffiliate</a>	{“matricule”}
<b>GET</b>	<a href="http://127.0.0.1:8000/api/habits">http://127.0.0.1:8000/api/habits</a>	
<b>GET</b>	<a href="http://127.0.0.1:8000/api/habits/{id}">http://127.0.0.1:8000/api/habits/{id}</a>	
<b>POST</b>	<a href="http://127.0.0.1:8000/api/habits">http://127.0.0.1:8000/api/habits</a>	{“description”}
<b>GET</b>	<a href="http://127.0.0.1:8000/api/habits/{id}">http://127.0.0.1:8000/api/habits/{id}</a>	
<b>DELETE</b>	<a href="http://127.0.0.1:8000/api/habits/{id}">http://127.0.0.1:8000/api/habits/{id}</a>	
<b>GET</b>	<a href="http://127.0.0.1:8000/api/hospital">http://127.0.0.1:8000/api/hospital</a>	
<b>GET</b>	<a href="http://127.0.0.1:8000/api/hospital/{id}">http://127.0.0.1:8000/api/hospital/{id}</a>	
<b>GET</b>	<a href="http://127.0.0.1:8000/api/MedicalReport">http://127.0.0.1:8000/api/MedicalReport</a>	
<b>GET</b>	<a href="http://127.0.0.1:8000/api/MedicalReport/{id}">http://127.0.0.1:8000/api/MedicalReport/{id}</a>	
<b>POST</b>	<a href="http://127.0.0.1:8000/api/MedicalReport">http://127.0.0.1:8000/api/MedicalReport</a>	{“comment”,“patient_id”}
<b>PATCH</b>	<a href="http://127.0.0.1:8000/api/MedicalReport/{id}">http://127.0.0.1:8000/api/MedicalReport/{id}</a>	{“comment”,“patient_id”}
<b>DELETE</b>	<a href="http://127.0.0.1:8000/api/MedicalReport/{id}">http://127.0.0.1:8000/api/MedicalReport/{id}</a>	

GET	<a href="http://127.0.0.1:8000/api/diagnostic">http://127.0.0.1:8000/api/diagnostic</a>	
GET	<a href="http://127.0.0.1:8000/api/diagnostic/{id}">http://127.0.0.1:8000/api/diagnostic/{id}</a>	
POST	<a href="http://127.0.0.1:8000/api/diagnostic">http://127.0.0.1:8000/api/diagnostic</a>	{“value”, “indication”, }
GET	<a href="http://127.0.0.1:8000/api/TotalMesure">http://127.0.0.1:8000/api/TotalMesure</a>	
GET	<a href="http://127.0.0.1:8000/api/NormalMesure">http://127.0.0.1:8000/api/NormalMesure</a>	
GET	<a href="http://127.0.0.1:8000/api/AnormalMesure">http://127.0.0.1:8000/api/AnormalMesure</a>	
GET	<a href="http://127.0.0.1:8000/api/PatientMesureCount">http://127.0.0.1:8000/api/PatientMesureCount</a>	
GET	<a href="http://127.0.0.1:8000/api/PatientDiagnostic/{id}">http://127.0.0.1:8000/api/PatientDiagnostic/{id}</a>	
GET	<a href="http://127.0.0.1:8000/api/UserDiagnostic/{id}">http://127.0.0.1:8000/api/UserDiagnostic/{id}</a>	
GET	<a href="http://127.0.0.1:8000/api/PatientMesureIndication/{id}">http://127.0.0.1:8000/api/PatientMesureIndication/{id}</a>	
GET	<a href="http://127.0.0.1:8000/api/latestResult/{id}">http://127.0.0.1:8000/api/latestResult/{id}</a>	
GET	<a href="http://127.0.0.1:8000/api/latestPatientsResult">http://127.0.0.1:8000/api/latestPatientsResult</a>	
GET	<a href="http://127.0.0.1:8000/api/patient/normalMesure">http://127.0.0.1:8000/api/patient/normalMesure</a>	
GET	<a href="http://127.0.0.1:8000/api/patient/AnormalMesure">http://127.0.0.1:8000/api/patient/AnormalMesure</a>	
GET	<a href="http://127.0.0.1:8000/api/countDoctor">http://127.0.0.1:8000/api/countDoctor</a>	
GET	<a href="http://127.0.0.1:8000/api/countPatient">http://127.0.0.1:8000/api/countPatient</a>	
GET	<a href="http://127.0.0.1:8000/api/patient/TotalMesure">http://127.0.0.1:8000/api/patient/TotalMesure</a>	
GET	<a href="http://127.0.0.1:8000/api/MesurebyGender">http://127.0.0.1:8000/api/MesurebyGender</a>	
GET	<a href="http://127.0.0.1:8000/api/CountMesure/{id}">http://127.0.0.1:8000/api/CountMesure/{id}</a>	
GET	<a href="http://127.0.0.1:8000/api/notification">http://127.0.0.1:8000/api/notification</a>	
GET	<a href="http://127.0.0.1:8000/api/notification/{id}">http://127.0.0.1:8000/api/notification/{id}</a>	
POST	<a href="http://127.0.0.1:8000/api/notification">http://127.0.0.1:8000/api/notification</a>	{“device_id”, “title”, “body”, “data”, “type”}
PATCH	<a href="http://127.0.0.1:8000/api/notification/{id}">http://127.0.0.1:8000/api/notification/{id}</a>	{“readed”, “enabled”}
GET	<a href="http://127.0.0.1:8000/api/ReadedNotification">http://127.0.0.1:8000/api/ReadedNotification</a>	
GET	<a href="http://127.0.0.1:8000/api/patient">http://127.0.0.1:8000/api/patient</a>	

GET	<a href="http://127.0.0.1:8000/api/patient/{id}">http://127.0.0.1:8000/api/patient/{id}</a>	
GET	<a href="http://127.0.0.1:8000/api/assigned">http://127.0.0.1:8000/api/assigned</a>	
GET	<a href="http://127.0.0.1:8000/api/assigned/{id}">http://127.0.0.1:8000/api/assigned/{id}</a>	
GET	<a href="http://127.0.0.1:8000/api/patientAssignedNumber">http://127.0.0.1:8000/api/patientAssignedNumber</a>	
GET	<a href="http://127.0.0.1:8000/api/patientbyuser/{id}">http://127.0.0.1:8000/api/patientbyuser/{id}</a>	
GET	<a href="http://127.0.0.1:8000/api/latestMesure">http://127.0.0.1:8000/api/latestMesure</a>	
GET	<a href="http://127.0.0.1:8000/api/session">http://127.0.0.1:8000/api/session</a>	
GET	<a href="http://127.0.0.1:8000/api/session/{id}">http://127.0.0.1:8000/api/session/{id}</a>	
POST	<a href="http://127.0.0.1:8000/api/session">http://127.0.0.1:8000/api/session</a>	{"user_agent","ip_address"}
GET	<a href="http://127.0.0.1:8000/api/treatment">http://127.0.0.1:8000/api/treatment</a>	
GET	<a href="http://127.0.0.1:8000/api/treatment/{id}">http://127.0.0.1:8000/api/treatment/{id}</a>	
POST	<a href="http://127.0.0.1:8000/api/treatment">http://127.0.0.1:8000/api/treatment</a>	{"name","type","dosage","periode","periodeof","patient_id"}
PATCH	<a href="http://127.0.0.1:8000/api/treatment/{id}">http://127.0.0.1:8000/api/treatment/{id}</a>	
DELETE	<a href="http://127.0.0.1:8000/api/treatment/{id}">http://127.0.0.1:8000/api/treatment/{id}</a>	
POST	<a href="http://127.0.0.1:8000/api/treatment/picture/{id}">http://127.0.0.1:8000/api/treatment/picture/{id}</a>	{"picture"}
GET	<a href="http://127.0.0.1:8000/api/MesureGender">http://127.0.0.1:8000/api/MesureGender</a>	
GET	<a href="http://127.0.0.1:8000/api/count/mesureIndiction">http://127.0.0.1:8000/api/count/mesureIndiction</a>	