

THESIS TITLE
SECOND LINE IF NECESSARY

by

DILRAJ GHUMAN

A thesis submitted to the
Department of Physics, Engineering Physics and Astronomy
in conformity with the requirements for
the degree of Master of Science

Queen's University
Kingston, Ontario, Canada

May 2021

Copyright © Dilraj Ghuman, 2021

Abstract

This is my abstract.

Acknowledgments

Blah blah blah.

Statement of Originality

Contents

Abstract	i
Acknowledgments	ii
Statement of Originality	iii
Contents	iv
List of Tables	vi
List of Figures	vii
Chapter 1: Introduction	1
1.1 Neutrinos	1
1.1.1 Interactions	2
1.1.2 Oscillations	2
1.1.3 Production & Sources	2
1.2 Neutrino Telescopes	2
Chapter 2: The Pacific Ocean Neutrino Explorer	3
2.1 Detectors	3
2.1.1 Geometry	3
2.2 Ocean Networks Canada	3
Chapter 3: Simulation	4
3.1 IceCube Framework	4
3.2 Simulating Neutrinos	4
3.3 Simulating Muons	4
3.4 Detector Response	4
Chapter 4: Reconstruction	5
4.1 Linefit	5

4.2	Likelihood	5
Chapter 5:	Results	6
5.1	Likelihood	6
Chapter 6:	Summary and Conclusions	7
6.1	Summary	7
6.2	Future Work	7
6.3	Conclusion	7
Bibliography		8

List of Tables

List of Figures

1.1	The Feynmann diagrams for the vertices that would be included in neutrino interactions using the charged W^\pm boson on the left and the neutral Z^0 boson on the right.	2
-----	--	---

Chapter 1

Introduction

The cosmic sky has entranced humans for as far as recorded history can trace. As technology evolved, so too did the observation of the universe around us; from the naked eye to primitive telescopes, and eventually to present day space telescopes, like the Hubble Space Telescope and the upcoming James Web Space Telescope (**NEED TO CITE THESE**). These growing technological leaps have also resulted in the exploration of the incredibly small and eventually resulted in the discovery of the neutrino [4]. It was perhaps inevitable that these two seemingly separate areas of physics would eventually meet.

1.1 Neutrinos

The neutrino is a fundamental particle first proposed by Wolfgang Pauli [1], and then later discovered in 1956 using the byproducts of β^- decay [4]. As research continued into the elusive neutrino, another flavour of neutrino was discovered in 1962 called the muon neutrino (ν_μ) [2] and eventually the final flavour of the tau neutrino (ν_τ) [3].

1.2. NEUTRINO TELESCOPES




Figure 1.1: The Feynmann diagrams for the vertices that would be included in neutrino interactions using the charged W^\pm boson on the left and the neutral Z^0 boson on the right.

1.1.1 Interactions

Neutrinos are neutral and interact only through the Weak interaction. The Weak interaction is a force that is mediated by the W^\pm and Z^0 massive bosons, and is the force responsible for decays. The main vertices involved in neutrino interactions are shown in Figure [?], where we see the lepton

1.1.2 Oscillations

1.1.3 Production & Sources

1.2 Neutrino Telescopes

Chapter 2

The Pacific Ocean Neutrino Explorer

2.1 Detectors

2.1.1 Geometry

2.2 Ocean Networks Canada

Chapter 3

Simulation

- 3.1 IceCube Framework
- 3.2 Simulating Neutrinos
- 3.3 Simulating Muons
- 3.4 Detector Response

Chapter 4

Reconstruction

4.1 Linefit

4.2 Likelihood

Chapter 5

Results

5.1 Likelihood

Chapter 6

Summary and Conclusions

6.1 Summary

6.2 Future Work

6.3 Conclusion

BIBLIOGRAPHY

Bibliography

- [1] Laurie M. Brown. The idea of the neutrino. *Physics Today*, 31(9):23–28, September 1978.
- [2] G. Danby, J. Gaillard, K. Goulianos, L. Lederman, N. Mistry, M. Schwartz, and J. Steinberger. Observation of high-energy neutrino reactions and the existence of two kinds of neutrinos. *Physical Review Letters*, 9:36–44, 1962.
- [3] K. Kodama, N. Ushida, C. Andreopoulos, N. Saoulidou, G. Tzanakos, P. Yager, B. Baller, D. Boehnlein, W. Freeman, B. Lundberg, and et al. Observation of tau neutrino interactions. *Physics Letters B*, 504(3):218–224, Apr 2001.
- [4] F. Reines, C. L. Cowan, F. B. Harrison, A. D. McGuire, and H. W. Kruse. Detection of the free antineutrino. *Phys. Rev.*, 117:159–173, Jan 1960.