

emalyarovich_smas - Strategy Walkthrough


Strategy name emalyarovich_smas Files reviewed - src/strategies/emalyarovich_smas/strategy.p
src/strategies/emalyarovich_smas/backtest_emalyarovich_smas_v2.py Step-by-step execution flo
Backtest fetches OHLCV and exits if data is empty. 2) compute_smas adds sma_fast and sma_slow
BacktesterV2 is initialized with fees, slippage, direction, stop settings, pyramiding, and si
Loop starts after max(sma_fast, sma_slow, slopeBars) + 1. 5) bt.on_bar runs first each bar.
check_signal evaluates a pullback-to-fast-SMA long setup plus slope condition. 7) Signal is e
bt.on_signal at current close. 8) Backtest produces stats, equity curve image, optional repor
export. Parameters and defaults - Strategy-specific: sma_fast=20, sma_slow=200, slopeBars=3
Execution and cost: initial_balance=1000.0, commission_pct=0.001, slippage_pct=0.001. - Posit
controls: position_mode="all_in", trade_size=100.0, position_pct=None, pyramiding=1. - Direct
risk: allow_short=False, stop_loss_pct=0.02, take_profit_pct=0.03. Indicators/calculations -
rolling mean(close, sma_fast). - sma_slow = rolling mean(close, sma_slow). - Positive-slope h
that sma_fast increases for slopeBars consecutive steps. Entry conditions - LONG when all a
the latest bar: - close > sma_slow - low <= sma_fast (price touches/undercuts fast SMA in
close > sma_fast - sma_fast slope is positive across slopeBars. Exit conditions - EXIT lo
current_side is LONG and close < sma_fast. Risk and position management
(SL/TP/ATR/trailing/pyramiding/position sizing) - Uses percent stop_loss_pct and take_profit_
BacktesterV2. - No ATR or trailing-stop logic in this strategy runner. - Pyramiding available
BacktesterV2 (default 1). - Position sizing by BacktesterV2 mode and optional position_pct.
(trades, stats, plots, reports) - clean_stats from bt.stats(). - Equity curve PNG under
static/backtests/emalyarovich_smas/<run_id>/. - Trades CSV with metadata including slopeBars
QuantStats report when enabled. Known ambiguities or inconsistencies in the code - Signal fu
emit LONG repeatedly while setup persists; add/ignore behavior depends on BacktesterV2 pyrami
- CSV metadata stores SMA periods in ema_fast/ema_slow fields, which is a naming mismatch.

emalyarovich_smas - Trade summary


Trades: 6 Total Net PnL: -42.31 Average Net PnL per trade: -7.05 Win rate: 0.00% First trigger touch + close above Last trigger: Close below SMA20 Source CSV: docs/strategy_walkthroughs/csv_baselines/emalyarovich_smas.csv

emalyarovich_smas - Trade analytics


Cumulative Net PnL by trade




Net PnL distribution



Duration vs Net PnL



Top entry triggers



SMA20 touch + close above