

rsi_reversion - Strategy Walkthrough


Strategy name `rsi_reversion` Files reviewed - `src/strategies/rsi_reversion/strategy.py` - `src/strategies/rsi_reversion/backtest_rsi_reversion_v2.py` Step-by-step execution flow 1) Backtester fetches OHLCV and computes RSI on close. 2) BacktesterV2 is initialized with execution, fees, stop settings, pyramiding, and sizing. 3) Loop starts at `rsi_period + 1` bars. 4) `bt.on_bar` is called first each bar. 5) Current RSI value is taken from `slice_df` up to previous bar index `i`. 6) `check_signal` returns LONG on oversold condition and EXIT long on RSI recovery above exit threshold. 7) Signal is executed via `bt.on_signal` at current close. 8) Backtest exports stats, equity curve, optional report, and CSV. Parameters and defaults - Strategy-specific: `rsi_period` (required), `rsi_entry` (required), `rsi_exit` (required). - Execution and cost: `initial_balance=1000.0`, `commission_pct=0.001`, `slippage_pct=0.001`. Position controls: `position_mode="all_in"`, `trade_size=100.0`, `position_pct=None`, `pyramiding=1`. and risk: `allow_short=False`, `stop_loss_pct=0.02`, `take_profit_pct=None`. Indicators/calculations - `RSI(close, rsi_period)` from `src.core.ta.compute_rsi`. Entry conditions - LONG when `rsi_value < rsi_entry`. Exit conditions - EXIT long when current_side is LONG and `rsi_value > rsi_exit`. Risk and position management (SL/TP/ATR/trailing/pyramiding/position sizing) - Uses fixed percent `stop_loss_pct` and optional `take_profit_pct` in BacktesterV2. - No ATR-based stop logic in this runner. - No trailing stop logic in strategy code. - Pyramiding supported by BacktesterV2 (default 1). - Position sizing by BacktesterV2 mode and optional `position_pct`. Outputs (trades, stats, plots, reports) - Trades from `bt.stats()`. - Equity curve PNG under `static/backtests/rsi_reversion/<run_id>/.` - Trades CSV with parameter metadata. - QuantStats report when enabled. Known ambiguities or inconsistencies in code - No explicit empty-data guard before assigning RSI and entering loop. - signal logic uses `slice_df.iloc[:i]`, then takes `slice_df.iloc[-1]["rsi"]`, which means signals are based on previous bar's RSI. orders execute on current bar close.

rsi_reversion - Trade summary


Trades: 6 Total Net PnL: 57.06 Average Net PnL per trade: 9.51 Win rate: 100.00% First trigger below 30 Last trigger: RSI 51.58 above 50 Source CSV: docs/strategy_walkthroughs/csv_baselines/rsi_reversion.csv

rsi_reversion - Trade analytics


Cumulative Net PnL by trade



Net PnL distribution



Duration vs Net PnL



Top entry triggers

