


	Model	Region	Terminal_SSB	Terminal_F	Catch_Advice	B_Ref_Pt	F_Ref_Pt	B_over_B_Ref	F_over_F_Ref
1	25_1_SPoRC_Cont	1	189.0804	0.04037044	49.68588	121.0229	0.08593	1.56235	0.46979
2	25_2_Fix_Legacy_Code	1	203.2045	0.03882372	51.65097	128.6548	0.08583	1.57945	0.45235
3	25_3_Fix_SigR	1	188.3272	0.04053991	49.38646	120.9461	0.08577	1.55712	0.47264


	Model	jnLL	M Prior	Recruitment Penalty	Catch nLL	Fishing Mortality Penalty	Survey Index nLL	Fishery Index nLL	Initial Age Penalty	Survey Age nLL	Fishery Age nLL	Survey Length nLL	Fishery Length nLL
1	25_1_SPoRC_Cont	768.8210	0.7838709	23.11463	3.688151	6.088752	64.49362	37.72432	0.1631310	197.0703	46.62799	169.0396	220.0267
2	25_2_Fix_Legacy_Code	771.1194	0.7662659	22.94943	3.384739	6.091542	64.77658	37.44798	0.1714670	196.7168	47.31267	170.3107	221.1912
3	25_3_Fix_SigR	768.8556	0.7502505	22.94854	3.718270	6.090218	64.50946	37.74435	0.1572363	197.0988	46.62127	169.1287	220.0885



Data











10


Spawning Weight at Age















Fishery Selectivity






























Model = 25_1_SPoRC_Cont = 25_2_Fix_Legacy_Code = 25_3_Fix_SigR



Model = 25_1_SPoRC_Cont = 25_2_Fix_Legacy_Code = 25_3_Fix_SigR



Model 25_1_SPoRC_Cont 25_2_Fix_Legacy_Code 25_3_Fix_SigR

