


	Model	Region	Terminal_SSB	Terminal_SSB0	Terminal_F	Catch_Advice	B_Ref_Pt	F_Ref_Pt	B_over_B_Ref	B_over_DynB_Ref	F_over_F_Ref
1	26.1_1Reg	1	216.4521	369.6689	0.04642913	40.85173	139.0172	0.07903	1.55702	0.58553	0.58749
2	26.2_FAA	1	193.1500	358.1881	0.05874255	31.69570	122.4267	0.08054	1.57768	0.53924	0.72940
3	26.2a_FAA_Fsh+Srvy	1	196.3059	353.5244	0.05864900	33.14317	120.4123	0.08484	1.63028	0.55528	0.69129

	Model	jnLL	M Prior	Recruitment Penalty	Selectivity Penalty	Catch nLL	Fishing Mortality Penalty	Survey Index nLL	Initial Age Penalty	Survey Age nLL	Fishery Age nLL	Survey Length nLL	Fishery Length nLL
1	26.1_1Reg	322.0468	-2.357098	73.03155	35.17729	-138.3187	137.5085	-61.235174	0.1694297	152.0666	52.19858	23.45521	50.35063
2	26.2_FAA	580.6668	-2.670334	74.96237	59.02229	-138.0571	139.9046	-11.919275	0.2302766	367.3382	31.91844	21.13983	38.79745
3	26.2a_FAA_Fsh+Srvy	733.3548	-1.952513	77.99626	64.06804	-276.6190	310.8033	-7.498361	0.7055100	378.2776	126.61975	21.50183	39.45234


Negative Log-Likelihood

Type

- Age
- Catch
- Index
- jnLL
- Length
- Prior
- Penalty




Data




Natural Mortality

Model 26.1_1Reg 26.2_FAA 26.2a_FAA_Fsh+Srvy




Weight-at-Age

Model 26.1_1Reg 26.2_FAA 26.2a_FAA_Fsh+Srvy



Maturity

Model 26.1_1Reg 26.2_FAA 26.2a_FAA_Fsh+Srvy




Index Fits


Model — 26.1_1Reg — 26.2_FAA — 26.2a_FAA_Fsh+Srvy

Index


JPN Fishery CPUE




LL Survey RPNs




GOA Trawl Survey (kt)




JPN LL Survey RPNs



Survey4, Q1




Survey5, Q1





Year

Catch (kt)


Model 26.1_1Reg 26.2_FAA 26.2a_FAA_Fsh+Srvy



Fishery Selectivity




Survey Selectivity




Time Series Plots

Model — 26.1_1Reg — 26.2_FAA — 26.2a_FAA_Fsh+Srvy




Fishing Mortality

Model — 26.1_1Reg — 26.2_FAA — 26.2a_FAA_Fsh+Srvy



Recruitment (mill. fish)

Model — 26.1_1Reg — 26.2_FAA — 26.2a_FAA_Fsh+Srvy



Spawning Stock Biomass (kt)

Model — 26.1_1Reg — 26.2_FAA — 26.2a_FAA_Fsh+Srvy




Biomass (kt)

Model — 26.1_1Reg — 26.2_FAA — 26.2a_FAA_Fsh+Srvy




Time Series Plots

Model 26.1_1Reg 26.2_FAA 26.2a_FAA_Fsh+Srvy



Fishing Mortality

Model — 26.1_1Reg — 26.2_FAA — 26.2a_FAA_Fsh+Srvy




Recruitment (mill. fish)

Model

26.1_1Reg

26.2_FAA

26.2a_FAA_Fsh+Srvy




Spawning Stock Biomass (kt)

Model

26.1_1Reg

26.2_FAA

26.2a_FAA_Fsh+Srvy



Biomass (kt)

Model

26.1_1Reg

26.2_FAA

26.2a_FAA_Fsh+Srvy

Total Biom

