









Model 26.1_1Reg 26.2_FAA 26.2a_FAA_Fsh+Srvy





Model 26.1_1Reg 26.2_FAA 26.2a_FAA_Fsh+Srvy








Model 26.1_1Reg 26.2_FAA 26.2a_FAA_Fsh+Srvy
















Type — Dynamic SSB0 -- SSB Model — 26.1_1Reg — 26.2_FAA — 26.2a_FAA_Fsh+Srvy


Region 1

Spawning Stock Biomass


Year







Type Age Index Length Prior
 Catch jnLL Penalty



	Model	jnLL	M Prior	Recruitment Penalty	Selectivity Penalty	Catch nLL	Fishing Mortality Penalty	Survey Index nLL	Initial Age Penalty	Survey Age nLL	Fishery Age nLL	Survey Length nLL	Fishery Length nLL
1	26.1_1Reg	322.0468	-2.357098	73.03155	35.17729	-138.3187	137.5085	-61.235174	0.1694297	152.0666	52.19858	23.45521	50.35063
2	26.2_FAA	580.6668	-2.670334	74.96237	59.02229	-138.0571	139.9046	-11.919275	0.2302766	367.3382	31.91844	21.13983	38.79745
3	26.2a_FAA_Fsh+Srvy	733.3548	-1.952513	77.99626	64.06804	-276.6190	310.8033	-7.498361	0.7055100	378.2776	126.61975	21.50183	39.45234