












Model 25.12_1Reg_Cont 25.12_1Reg_LLS_Carry_no_wAI




Model 25.12_1Reg_Cont 25.12_1Reg_LLS_Carry_no_wAI









Model 25.12_1Reg_Cont 25.12_1Reg_LLS_Carry_no_wAI

Region 1

Recruitment

Recruitment

0

20

40

60

Year


400


300

200

100

0







Model 25.12_1Reg_Cont 25.12_1Reg_LLS_Carry_no_wAI


Region 1

Total Biomass

Total Biom







Year

66

Model

— 25.12_1Reg_Cont

- - - 25.12_1Reg_LLS_Carry_no_wAI



Fishery selectivity


Region 1
Fleet 1


Region 1
Fleet 2

Sex 1

Sex 2







	Model	jnLL	M Prior	Recruitment Penalty	Selectivity Penalty	Catch nLL	Fishing Mortality Penalty	Survey Index nLL	Fishery Index nLL	Initial Age Penalty	Survey Age nLL	Fishery Age nLL	Survey Length nLL	Fishery Length nLL
1	25.12_1Reg_LLS_Carry_no_wAI	459.7745	−0.7997904	75.69760	62.59432	−138.3219	149.2683	−40.17178	−10.69345	0.2622332	189.2432	48.21940	56.08357	68.39280
2	25.12_1Reg_Cont	456.8247	−1.0189779	75.86092	62.56423	−138.3008	149.3833	−45.39642	−11.21223	0.2741517	194.6365	46.66608	55.19863	68.16928