


	Model	Region	Terminal_SSB	Terminal_SSB0	Terminal_F	Catch_Advice	B_Ref_Pt	F_Ref_Pt	B_over_B_Ref	B_over_DynB_Ref	F_over_F_Ref
1	26.1i_1Reg_Cont_Upd_No_wAI_LLS	1	203.6004	357.3176	0.04932641	37.93084	133.9521	0.07808	1.51995	0.5698	0.63177
2	26.2a_FAA_3Flt_LLS_Idx_Only	1	122.7626	283.3211	0.08200140	21.86816	114.9498	0.07507	1.06797	0.4333	1.09231

Model		jnLL	M Prior	Recruitment Penalty	Selectivity Penalty	Catch nLL	Fishing Mortality Penalty	Survey Index nLL	Initial Age Penalty	Survey Age nLL	Fishery Age nLL	Survey Length nLL	Fishery Length nLL
1	26.1i_1Reg_Cont_Upd_No_wAI_LLS	340.1992	-2.406027	72.37126	34.93611	-138.3564	137.4845	-47.68876	0.1682512	162.8081	48.83554	23.32842	48.71815
2	26.2a_FAA_3Flt_LLS_Idx_Only	463.1282	-2.712232	70.08406	34.44640	-138.4305	138.2320	92.20128	0.1989210	154.9635	42.49156	24.22652	47.42670


Negative Log-Likelihood

Type

- Age
- Catch
- Index
- jnLL
- Length
- Penalty
- Prior




Data




Natural Mortality

Model 26.1i_1Reg_Cont_Upd_No_wAI_LLS 26.2a_FAA_3Flt_LLS_Idx_Only




Weight-at-Age

Model — 26.1i_1Reg_Cont_Upd_No_wAI_LLS — 26.2a_FAA_3Flt_LLS_Idx_Only



Maturity

Model 26.1i_1Reg_Cont_Upd_No_wAI_LLS 26.2a_FAA_3Flt_LLS_Idx_Only




Index Fits


Model — 26.1i_1Reg_Cont_Upd_No_wAI_LLS — 26.2a_FAA_3Flt_LLS_idx_Only

Index


JPN Fishery CPUE




BS LL Survey RPNs




AI LL Survey RPNs




GOA LL Survey RPNs



GOA Trawl Survey (kt)








JPN LL Survey RPNs



Year


Index Fits

Model — 26.2a_FAA_3Fit_LLS_idx_Only



Catch

Model 26.1i_1Reg_Cont_Upd_No_wAI_LLS 26.2a_FAA_3Flt_LLS_Idx_Only



Catch

Model 26.2a_FAA_3Flt_LLS_Idx_Only


Region 1

Fleet 1



Catch

Fleet 2

Year



Fishery Selectivity




Fishery Selectivity



Model — 26.2a_FAA_3Flt_LLS_Idx_Only

Year

20 40 60




Survey Selectivity




Survey Selectivity

Model — 26.2a_FAA_3Flt_LLS_Idx_Only Year 




Time Series Plots

Model — 26.1i_1Reg_Cont_Upd_No_wAI_LLS — 26.2a_FAA_3Flt_LLS_Idx_Only




Fishing Mortality

Model — 26.1i_1Reg_Cont_Upd_No_wAI_LLS — 26.2a_FAA_3Flt_LLS_Idx_Only




Recruitment

Model — 26.1i_1Reg_Cont_Upd_No_wAI_LLS — 26.2a_FAA_3Flt_LLS_Idx_Only




SSB

Model — 26.1i_1Reg_Cont_Upd_No_wAI_LLS — 26.2a_FAA_3Flt_LLS_Idx_Only




Biomass

Model — 26.1i_1Reg_Cont_Upd_No_wAI_LLS — 26.2a_FAA_3Flt_LLS_Idx_Only




Time Series Plots

Model — 26.1i_1Reg_Cont_Upd_No_wAI_LLS — 26.2a_FAA_3FIt_LLS_Idx_Only




Fishing Mortality


Model — 26.1i_1Reg_Cont_Upd_No_wAI_LLS — 26.2a_FAA_3Flt_LLS_Idx_Only



Recruitment



SSB



Biomass

