


	Model	Region	Terminal_SSB	Terminal_SSB0	Terminal_F	Catch_Advice	B_Ref_Pt	F_Ref_Pt	B_over_B_Ref	B_over_DynB_Ref	F_over_F_Ref
1	26.1i_1Reg_Cont_Upd_No_wAI_LLS	1	203.6004	357.3176	0.04932641	37.93084	133.9521	0.07808	1.51995	0.56980	0.63177
2	26.2b_FAA_3Flt_LLS_Only	1	193.1500	358.1881	0.05874255	31.69570	122.4267	0.08054	1.57768	0.53924	0.72940
3	26.2b_FAA_3Flt_LLS_Only_pre_bias_corr	1	192.6658	357.5388	0.05878813	31.77084	122.3957	0.08070	1.57412	0.53887	0.72846

	Model	jnLL	M Prior	Recruitment Penalty	Selectivity Penalty	Catch nLL	Fishing Mortality Penalty	Survey Index nLL	Initial Age Penalty	Survey Age nLL	Fishery Age nLL	Survey Length nLL	Fishery Length nLL
1	26.1i_1Reg_Cont_Upd_No_wAI_LLS	340.1992	-2.406027	72.37126	34.93611	-138.3564	137.4845	-47.68876	0.1682512	162.8081	48.83554	23.32842	48.71815
2	26.2b_FAA_3Fit_LLS_Only	580.6668	-2.670334	74.96237	59.02229	-138.0571	139.9046	-11.91928	0.2302766	367.3382	31.91844	21.13983	38.79745
3	26.2b_FAA_3Fit_LLS_Only_pre_bias_corr	583.0538	-2.670473	75.68274	59.04970	-138.0593	139.7573	-11.63060	0.2126111	368.5508	31.96897	21.33958	38.85241


Negative Log-Likelihood

Type

Age	Index	Length	Prior
Catch	jnLL	Penalty	




Data




Natural Mortality

Model 26.1i_1Reg_Cont_Upd_No_wAI_LLS 26.2b_FAA_3Flt_LLS_Only 26.2b_FAA_3Flt_LLS_Only_pre_bias_corr




Weight-at-Age

Model — 26.1i_1Reg_Cont_Upd_No_wAI_LLS — 26.2b_FAA_3Flt_LLS_Only — 26.2b_FAA_3Flt_LLS_Only_pre_bias_corr



Maturity

Model 26.1i_1Reg_Cont_Upd_No_wAI_LLS 26.2b_FAA_3Fit_LLS_Only 26.2b_FAA_3Fit_LLS_Only_pre_bias_corr




Index Fits


Model — 26.1i_1Reg_Cont_Upd_No_wAI_LLS — 26.2b_FAA_3Flt_LLS_Only — 26.2b_FAA_3Flt_LLS_Only_pre_bias_corr

Index


JPN Fishery CPUE




BS LL Survey RPNs




AI LL Survey RPNs




GOA LL Survey RPNs



GOA Trawl Survey (kt)








JPN LL Survey RPNs



Year


Index Fits

Model — 26.2b_FAA_3Flt_LLS_Only — 26.2b_FAA_3Flt_LLS_Only_pre_bias_corr



Catch

Model 26.1i_1Reg_Cont_Upd_No_wAI_LLS 26.2b_FAA_3Flt_LLS_Only 26.2b_FAA_3Flt_LLS_Only_pre_bias_corr



Catch

Model 26.2b_FAA_3Flt_LLS_Only 26.2b_FAA_3Flt_LLS_Only_pre_bias_corr


Region 1

Fleet 1



Catch

Fleet 2

Year




Fishery Selectivity




Fishery Selectivity

Model — 26.2b_FAA_3Flt_LLS_Only - - 26.2b_FAA_3Flt_LLS_Only_pre_bias_corr Year 20 40 60




Survey Selectivity




Survey Selectivity

Model — 26.2b_FAA_3Flt_LLS_Only - - 26.2b_FAA_3Flt_LLS_Only_pre_bias_corr




Time Series Plots

Model — 26.1i_1Reg_Cont_Upd_No_wAI_LLS — 26.2b_FAA_3Flt_LLS_Only — 26.2b_FAA_3Flt_LLS_Only_pre_bias_corr




Fishing Mortality

Model — 26.1i_1Reg_Cont_Upd_No_wAI_LLS — 26.2b_FAA_3Flt_LLS_Only — 26.2b_FAA_3Flt_LLS_Only_pre_bias_corr




Recruitment

Model — 26.1i_1Reg_Cont_Upd_No_wAI_LLS — 26.2b_FAA_3Flt_LLS_Only — 26.2b_FAA_3Flt_LLS_Only_pre_bias_corr



SSB

Model — 26.1i_1Reg_Cont_Upd_No_wAI_LLS — 26.2b_FAA_3Flt_LLS_Only — 26.2b_FAA_3Flt_LLS_Only_pre_bias_corr




Biomass

Model — 26.1i_1Reg_Cont_Upd_No_wAI_LLS — 26.2b_FAA_3Flt_LLS_Only — 26.2b_FAA_3Flt_LLS_Only_pre_bias_corr




Time Series Plots

Model — 26.1i_1Reg_Cont_Upd_No_wAI_LLS — 26.2b_FAA_3Flt_LLS_Only — 26.2b_FAA_3Flt_LLS_Only_pre_bias_corr




Fishing Mortality

Model — 26.1i_1Reg_Cont_Upd_No_wAI_LLS — 26.2b_FAA_3Flt_LLS_Only — 26.2b_FAA_3Flt_LLS_Only_pre_bias_corr




Recruitment

Model 26.1i_1Reg_Cont_Upd_No_wAI_LLS 26.2b_FAA_3Flt_LLS_Only 26.2b_FAA_3Flt_LLS_Only_pre_bias_corr



SSB

Model 26.1i_1Reg_Cont_Upd_No_wAI_LLS 26.2b_FAA_3Flt_LLS_Only 26.2b_FAA_3Flt_LLS_Only_pre_bias_corr



Biomass

Model 26.1i_1Reg_Cont_Upd_No_wAI_LLS 26.2b_FAA_3Flt_LLS_Only 26.2b_FAA_3Flt_LLS_Only_pre_bias_corr

