


	Model	Region	Terminal_SSB	Terminal_SSB0	Terminal_F	Catch_Advice	B_Ref_Pt	F_Ref_Pt	B_over_B_Ref	B_over_DynB_Ref	F_over_F_Ref
1	26.1_1Reg	1	216.4521	369.6689	0.04642913	40.85173	139.0172	0.07903	1.55702	0.58553	0.58749
2	26.2_FAA	1	193.1500	358.1881	0.05874255	31.69570	122.4267	0.08054	1.57768	0.53924	0.72940

	Model	jnLL	M Prior	Recruitment Penalty	Selectivity Penalty	Catch nLL	Fishing Mortality Penalty	Survey Index nLL	Initial Age Penalty	Survey Age nLL	Fishery Age nLL	Survey Length nLL	Fishery Length nLL
1	26.1_1Reg	322.0468	-2.357098	73.03155	35.17729	-138.3187	137.5085	-61.23517	0.1694297	152.0666	52.19858	23.45521	50.35063
2	26.2_FAA	580.6668	-2.670334	74.96237	59.02229	-138.0571	139.9046	-11.91928	0.2302766	367.3382	31.91844	21.13983	38.79745


Negative Log-Likelihood

Type

- Age
- Catch
- Index
- jnLL
- Length
- Penalty
- Prior




Data




Natural Mortality

Model 26.1_1Reg 26.2_FAA




Weight-at-Age




Maturity

Model 26.1_1Reg 26.2_FAA



Index Fits

Model — 26.1_1Reg — 26.2_FAA



Catch (kt)

Model 26.1_1Reg 26.2_FAA


Region 1

Fleet 1

Catch

Fleet 2

Year



Fishery Selectivity


Model — 26.1_1Reg - - - 26.2_FAA

Year

20

40



60



Survey Selectivity


Model — 26.1_1Reg - - 26.2_FAA

Year




Time Series Plots

Model — 26.1_1Reg — 26.2_FAA




Fishing Mortality

Model — 26.1_1Reg — 26.2_FAA




Recruitment (mill. fish)

Model 26.1_1Reg 26.2_FAA



Spawning Stock Biomass (kt)

Model 26.1_1Reg 26.2_FAA




Biomass (kt)

Model 26.1_1Reg 26.2_FAA




Time Series Plots

Model 26.1_1Reg 26.2_FAA




Fishing Mortality

Model — 26.1_1Reg — 26.2_FAA




Recruitment (mill. fish)

Model 26.1_1Reg 26.2_FAA



Spawning Stock Biomass (kt)

Model 26.1_1Reg 26.2_FAA



Biomass (kt)

Model 26.1_1Reg 26.2_FAA

