UK Data Archive Data Dictionary

File-level information:

File Name = rentcont

Number of variables = 9

Number of cases = 70

Variable-level information:

Pos. = 1 **Variable =** SERNUM **Variable label =** sernum

This variable is *numeric*, the SPSS measurement level is *SCALE*

SPSS user missing values = -9.0 thru -1.0

Value label information for SERNUM

Pos. = 2 **Variable =** RENTSEQ **Variable label =** Rent Contribution Sequence

This variable is *numeric*, the SPSS measurement level is *NOMINAL*

SPSS user missing values = -9.0 thru -1.0

Value label information for RENTSEQ

Pos. = 3 **Variable =** GVTREGNO **Variable label =** Region in UK (Original codes)

This variable is *numeric*, the SPSS measurement level is *NOMINAL*

SPSS user missing values = -9.0 thru -1.0

Value label information for GVTREGNO

Value = 1.0 Label = North East

Value = 2.0 Label = North West

Value = 4.0 Label = Yorks and the Humber

Value = 5.0 Label = East Midlands

Value = 6.0 Label = West Midlands

Value = 7.0 Label = East of England

Value = 8.0 Label = London

Value = 9.0 Label = South East

Value = 10.0 Label = South West

Value = 11.0 Label = Wales

Value = 12.0 Label = Scotland

Value = 13.0 Label = Northern Ireland

Pos. = 4 Variable = ACCAMT **Variable label =** Amount of contribution to rent

This variable is *numeric*, the SPSS measurement level is *SCALE*

SPSS user missing values = -9.0 thru -1.0

Value label information for ACCAMT

Pos. = 5 Variable = ACCCHK **Variable label =** Whether RENT before/after ACCAMT

This variable is *numeric*, the SPSS measurement level is *SCALE*

SPSS user missing values = -9.0 thru -1.0

Value label information for ACCCHK

Value = 1.0 Label = Before

Value = 2.0 Label = After

Pos. = 6 Variable = ACCPAY **Variable label =** Who makes contribution to rent

This variable is *numeric*, the SPSS measurement level is *NOMINAL*

SPSS user missing values = -9.0 thru -1.0

Value label information for ACCPAY

Value = 1.0 Label = DWP

Value = 2.0 Label = Employer

Value = 3.0 Label = Other organisation

Value = 4.0 Label = Friend or relative

Value = 5.0 Label = Other

Pos. = 7 Variable = ACCPD **Variable label =** Pcode: amount of contribution to rent

This variable is *numeric*, the SPSS measurement level is *SCALE*

SPSS user missing values = -9.0 thru -1.0

Value label information for ACCPD

Value = 1.0 Label = 1 week

Value = 2.0 Label = 2 weeks

Value = 3.0 Label = 3 weeks

Value = 4.0 Label = 4 weeks

Value = 5.0 Label = Calendar month

Value = 7.0 Label = Two Calendar months

Value = 8.0 Label = Eight times a year

Value = 9.0 Label = Nine times a year

Value = 10.0 Label = Ten times a year

Value = 13.0 Label = Three months (13 weeks)

Value = 52.0 Label = One Year/12 Months/52 Weeks

Value = 97.0 Label = Other

Value = 26.0 Label = Six months/26 Weeks

Value = 90.0 Label = Less than 1 week

Value = 95.0 Label = One off/lump sum

Pos. = 8 Variable = ISSUE Variable label = Whether Mainstage or Reissue

This variable is *numeric*, the SPSS measurement level is *NOMINAL*

SPSS user missing values = -9.0 thru -1.0

Value label information for ISSUE

Value = 1.0 Label = Mainstage

Value = 2.0 Label = Reissue

Pos. = 9 Variable = MONTH__ Variable label = Month code (Source)

This variable is *numeric*, the SPSS measurement level is *NOMINAL*

SPSS user missing values = -9.0 thru -1.0

Value label information for MONTH__