UK Data Archive Data Dictionary

File-level information:

File Name = oddjob

Number of variables = 11

Number of cases = 243

Variable-level information:

Pos. = 1 **Variable =** SERNUM **Variable label =** Sernum

This variable is *numeric*, the SPSS measurement level is *SCALE*

SPSS user missing values = -9.0 thru -1.0

Value label information for SERNUM

Pos. = 2 **Variable =** BENUNIT **Variable label =** Benefit Unit

This variable is *numeric*, the SPSS measurement level is *NOMINAL*

SPSS user missing values = -9.0 thru -1.0

Value label information for BENUNIT

Pos. = 3 **Variable =** PERSON **Variable label =** Person

This variable is *numeric*, the SPSS measurement level is *NOMINAL*

SPSS user missing values = -9.0 thru -1.0

Value label information for PERSON

Pos. = 4 **Variable =** ODDTYPE **Variable label =** Type of oddjob

This variable is *numeric*, the SPSS measurement level is *NOMINAL*

SPSS user missing values = -9.0 thru -1.0

Value label information for ODDTYPE

Value = 1.0 Label = Babysitter

Value = 2.0 Label = Mail order agent

Value = 3.0 Label = Odd job, occasional work, professional advice

Pos. = 5 **Variable =** ODDSEQ **Variable label =** Oddseq

This variable is *numeric*, the SPSS measurement level is *NOMINAL*

SPSS user missing values = -9.0 thru -1.0

Value label information for ODDSEQ

Pos. = 6 **Variable =** GVTREGNO **Variable label =** Region in UK (Original codes)

This variable is *numeric*, the SPSS measurement level is *NOMINAL*

SPSS user missing values = -9.0 thru -1.0

Value label information for GVTREGNO

Value = 1.0 Label = North East

Value = 2.0 Label = North West

Value = 4.0 Label = Yorks and the Humber

Value = 5.0 Label = East Midlands

Value = 6.0 Label = West Midlands

Value = 7.0 Label = East of England

Value = 8.0 Label = London

Value = 9.0 Label = South East

Value = 10.0 Label = South West

Value = 11.0 Label = Wales

Value = 12.0 Label = Scotland

Value = 13.0 Label = Northern Ireland

Pos. = 7 Variable = ISSUE **Variable label =** Whether Mainstage or Reissue

This variable is *numeric*, the SPSS measurement level is *NOMINAL*

SPSS user missing values = -9.0 thru -1.0

Value label information for ISSUE

Value = 1.0 Label = Mainstage

Value = 2.0 Label = Reissue

Pos. = 8 Variable = OJAMT **Variable label =** Amount received from odd job

This variable is *numeric*, the SPSS measurement level is *SCALE*

SPSS user missing values = -9.0 thru -1.0

Value label information for OJAMT

Pos. = 9 Variable = OJNOW **Variable label =** Whether currently doing odd job

This variable is *numeric*, the SPSS measurement level is *NOMINAL*

SPSS user missing values = -9.0 thru -1.0

Value label information for OJNOW

Value = 1.0 Label = Yes

Value = 2.0 Label = No

Pos. = 10 **Variable =** OJREG **Variable label =** Whether odd job done on regular basis

This variable is *numeric*, the SPSS measurement level is *SCALE*

SPSS user missing values = -9.0 thru -1.0

Value label information for OJREG

Value = 1.0 Label = Yes

Value = 2.0 Label = No

Pos. = 11 **Variable =** MONTH__ **Variable label =** Month code (Source)

This variable is *numeric*, the SPSS measurement level is *NOMINAL*

SPSS user missing values = -9.0 thru -1.0

Value label information for MONTH__