

A quote for your consideration.

Based on your business needs, we put the following quote together to help with your purchase decision. Below is a detailed summary of the quote we've created to help you with your purchase decision.

To proceed with this quote, you may respond to this email, order online through your **Premier page**, or, if you do not have Premier, use this **Quote to Order**.

Quote No. 3000033566405.2 Sales Rep Aaron Westra Total \$14,572.81 Phone (800) 456-3355, 80000 Customer # 115113803 Email Aaron_Westra@Dell.com Quoted On Oct. 08, 2019 Billing To **ACCOUNTS PAYABLE** Nov. 07. 2019 Expires by UNC @GREENSBORO 10671873 **ACCTS PAYABLE** Solution ID Deal ID 17310972 PO BOX 26170 **GREENSBORO, NC 27402-6170**

Message from your Sales Rep

Please contact your Dell sales representative if you have any questions or when you're ready to place an order. Thank you for shopping with Dell!

Regards, Aaron Westra

Shipping Group

(336) 334-3078

Shipping To
ITS JAMES EAGLE
UNC @GREENSBORO
106 FORNEY BLDG, CODE 314
401 COLLEGE AVE
GREENSBORO, NC 27412-5003

Shipping Method

Standard Delivery

Product	Unit Price	Qty	Subtotal
PowerEdge R640 - 1U - 10gb Fiber	\$3,844.51	3	\$11,533.53
PowerEdge R640 - 1U - Copper	\$3,039.28	1	\$3,039.28

Subtotal: \$14,572.81 **Shipping:** \$0.00 **Non-Taxable Amount:** \$14,572.81 **Taxable Amount:** \$0.00 **Estimated Tax:** \$0.00 Total:

\$14,572.81

Special lease pricing may be available for qualified customers and offers. Please contact your DFS Sales Representative for details.

Shipping Group Details

Shipping To

Shipping Method

ITS JAMES EAGLE UNC @GREENSBORO 106 FORNEY BLDG, CODE 314 401 COLLEGE AVE GREENSBORO, NC 27412-5003 (336) 334-3078 Standard Delivery

PowerEdge R640 - 1U - 10gb Fiber Estimated delivery if purchased today: Oct. 22, 2019		\$3,844.51	Qty 3	Subtotal \$11,533.53
Contract # 11AHM Customer Agreement # IFB-400277- 204X				
Description	SKU	Unit Price	Qty	Subtotal
PowerEdge R640 Server	210-AKWU	-	3	-
PowerEdge R640 Motherboard	329-BEBU	-	3	-
No Trusted Platform Module	461-AADZ	-	3	-
3.5 Chassis with up to 4 Hard Drives and 3PCle slots	321-BCQF	-	3	-
PowerEdge R640 Shipping	340-BKNE	-	3	-
PowerEdge R640 x4 and x10 Drive Shipping Material	340-BLUC	-	3	-
Intel Xeon Silver 4112 2.6G, 4C/8T, 9.6GT/s , 8.25M Cache, Turbo, HT (85W) DDR4-2400	338-BLUR	-	3	-
No Additional Processor	374-BBBX	-	3	-
Blank for 1CPU Configuration	370-ADNM	-	3	-
Standard 1U Heatsink	412-AAIQ	-	3	-
2666MT/s RDIMMs	370-ADNU	-	3	-
Performance Optimized	370-AAIP	-	3	-
No RAID	780-BCDI	-	3	-
HBA330 12Gbps SAS HBA Controller (NON-RAID), Minicard	405-AAJU	-	3	-
BOSS controller card + with 2 M.2 Sticks 240G (No RAID),LP	403-BBPY	-	3	-
No Operating System	619-ABVR	-	3	-
No Media Required	421-5736	-	3	-
iDRAC9, Express	385-BBKS	-	3	-
iDRAC Group Manager, Disabled	379-BCQY	-	3	-
iDRAC,Legacy Password	379-BCSG	-	3	-
Riser Config 4, 2x16 LP	330-BBGY	-	3	-
Broadcom 5720 Quad Port 1GbE BASE-T, rNDC	540-BBBW	-	3	-
No Internal Optical Drive for x4 and x8 HDD Chassis	429-ABBF	-	3	-
5 Standard Fans for R640	384-BBPR	-	3	-
Dual, Hot-plug, Redundant Power Supply (1+1), 750W	450-ADWS	-	3	-
No Bezel	350-BBBW	-	3	-

Dell EMC Luggage Tag	350-BBJS	-	3	-
No Quick Sync	350-BBKB	-	3	-
Performance BIOS Settings	384-BBBL	-	3	-
UEFI BIOS Boot Mode with GPT Partition	800-BBDM	-	3	-
ReadyRails Sliding Rails With Cable Management Arm	770-BBBL	-	3	-
No Systems Documentation, No OpenManage DVD Kit	631-AACK	-	3	-
US Order	332-1286	-	3	-
Basic Hardware Services: Business Hours (5x10) Next Business Day On-Site Hardware Warranty Repair, 3 Years	813-9254	-	3	-
Dell Hardware Limited Warranty Plus On-Site Service	813-9255	-	3	-
On-Site Installation Declined	900-9997	-	3	-
8GB RDIMM, 2666MT/s, Single Rank	370-ADNI	-	6	-
300GB 15K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive, 3.5in HYB CARR	400-ASGR	-	3	-
QLogic FastLinQ 41112 Dual Port 10GbE SFP+ Adapter, PCle Low Profile	540-BBZI	-	3	-
C13 to C14, PDU Style, 12 AMP, 6.5 Feet (2m) Power Cord, North America	492-BBDI	-	6	-
Dell Networking, Transceiver, SFP+, 10GbE, LR, 1310nm Wavele ngth, 10km Reach	407-BBEE	-	6	- Subtotal
PowerEdge R640 - 1U - Copper Estimated delivery if purchased today: Oct. 22, 2019 Contract # 11AHM Customer Agreement # IFB-400277- 204X		\$3,039.28	Qty 1	\$3,039.28
Description	SKU	Unit Price	Qtv	Subtotal
	SKU 210-AKWU	Unit Price	Qty 1	Subtotal -
Description		Unit Price - -		Subtotal - -
Description PowerEdge R640 Server	210-AKWU	Unit Price	1	Subtotal - - -
Description PowerEdge R640 Server PowerEdge R640 Motherboard	210-AKWU 329-BDKC	Unit Price	1 1	Subtotal - - -
Description PowerEdge R640 Server PowerEdge R640 Motherboard No Trusted Platform Module	210-AKWU 329-BDKC 461-AADZ	Unit Price	1 1 1	Subtotal
Description PowerEdge R640 Server PowerEdge R640 Motherboard No Trusted Platform Module 3.5 Chassis with up to 4 Hard Drives and 3PCle slots	210-AKWU 329-BDKC 461-AADZ 321-BCQF	Unit Price	1 1 1	Subtotal
Description PowerEdge R640 Server PowerEdge R640 Motherboard No Trusted Platform Module 3.5 Chassis with up to 4 Hard Drives and 3PCle slots PowerEdge R640 Shipping	210-AKWU 329-BDKC 461-AADZ 321-BCQF 340-BKNE	Unit Price	1 1 1 1	Subtotal
Description PowerEdge R640 Server PowerEdge R640 Motherboard No Trusted Platform Module 3.5 Chassis with up to 4 Hard Drives and 3PCle slots PowerEdge R640 Shipping PowerEdge R640 x4 and x10 Drive Shipping Material Intel Xeon Silver 4112 2.6G, 4C/8T, 9.6GT/s, 8.25M Cache,	210-AKWU 329-BDKC 461-AADZ 321-BCQF 340-BKNE 340-BLUC	Unit Price	1 1 1 1 1	Subtotal
PowerEdge R640 Server PowerEdge R640 Motherboard No Trusted Platform Module 3.5 Chassis with up to 4 Hard Drives and 3PCle slots PowerEdge R640 Shipping PowerEdge R640 x4 and x10 Drive Shipping Material Intel Xeon Silver 4112 2.6G, 4C/8T, 9.6GT/s, 8.25M Cache, Turbo, HT (85W) DDR4-2400	210-AKWU 329-BDKC 461-AADZ 321-BCQF 340-BKNE 340-BLUC 338-BLUR	Unit Price	1 1 1 1 1 1	Subtotal
PowerEdge R640 Server PowerEdge R640 Motherboard No Trusted Platform Module 3.5 Chassis with up to 4 Hard Drives and 3PCle slots PowerEdge R640 Shipping PowerEdge R640 x4 and x10 Drive Shipping Material Intel Xeon Silver 4112 2.6G, 4C/8T, 9.6GT/s, 8.25M Cache, Turbo, HT (85W) DDR4-2400 No Additional Processor	210-AKWU 329-BDKC 461-AADZ 321-BCQF 340-BKNE 340-BLUC 338-BLUR 374-BBBX	Unit Price	1 1 1 1 1 1 1	Subtotal
PowerEdge R640 Server PowerEdge R640 Motherboard No Trusted Platform Module 3.5 Chassis with up to 4 Hard Drives and 3PCle slots PowerEdge R640 Shipping PowerEdge R640 x4 and x10 Drive Shipping Material Intel Xeon Silver 4112 2.6G, 4C/8T, 9.6GT/s, 8.25M Cache, Turbo, HT (85W) DDR4-2400 No Additional Processor Blank for 1CPU Configuration	210-AKWU 329-BDKC 461-AADZ 321-BCQF 340-BKNE 340-BLUC 338-BLUR 374-BBBX 370-ADNM	Unit Price	1 1 1 1 1 1 1	Subtotal
PowerEdge R640 Server PowerEdge R640 Motherboard No Trusted Platform Module 3.5 Chassis with up to 4 Hard Drives and 3PCle slots PowerEdge R640 Shipping PowerEdge R640 x4 and x10 Drive Shipping Material Intel Xeon Silver 4112 2.6G, 4C/8T, 9.6GT/s, 8.25M Cache, Turbo, HT (85W) DDR4-2400 No Additional Processor Blank for 1CPU Configuration Standard 1U Heatsink	210-AKWU 329-BDKC 461-AADZ 321-BCQF 340-BKNE 340-BLUC 338-BLUR 374-BBBX 370-ADNM 412-AAIQ	Unit Price	1 1 1 1 1 1 1 1	Subtotal
PowerEdge R640 Server PowerEdge R640 Motherboard No Trusted Platform Module 3.5 Chassis with up to 4 Hard Drives and 3PCle slots PowerEdge R640 Shipping PowerEdge R640 x4 and x10 Drive Shipping Material Intel Xeon Silver 4112 2.6G, 4C/8T, 9.6GT/s, 8.25M Cache, Turbo, HT (85W) DDR4-2400 No Additional Processor Blank for 1CPU Configuration Standard 1U Heatsink 2666MT/s RDIMMs	210-AKWU 329-BDKC 461-AADZ 321-BCQF 340-BKNE 340-BLUC 338-BLUR 374-BBBX 370-ADNM 412-AAIQ 370-ADNU	Unit Price	1 1 1 1 1 1 1 1 1	Subtotal
PowerEdge R640 Server PowerEdge R640 Motherboard No Trusted Platform Module 3.5 Chassis with up to 4 Hard Drives and 3PCle slots PowerEdge R640 Shipping PowerEdge R640 x4 and x10 Drive Shipping Material Intel Xeon Silver 4112 2.6G, 4C/8T, 9.6GT/s, 8.25M Cache, Turbo, HT (85W) DDR4-2400 No Additional Processor Blank for 1CPU Configuration Standard 1U Heatsink 2666MT/s RDIMMs Performance Optimized	210-AKWU 329-BDKC 461-AADZ 321-BCQF 340-BKNE 340-BLUC 338-BLUR 374-BBBX 370-ADNM 412-AAIQ 370-ADNU 370-AAIP	Unit Price	1 1 1 1 1 1 1 1 1 1	Subtotal
PowerEdge R640 Server PowerEdge R640 Motherboard No Trusted Platform Module 3.5 Chassis with up to 4 Hard Drives and 3PCle slots PowerEdge R640 Shipping PowerEdge R640 x4 and x10 Drive Shipping Material Intel Xeon Silver 4112 2.6G, 4C/8T, 9.6GT/s, 8.25M Cache, Turbo, HT (85W) DDR4-2400 No Additional Processor Blank for 1CPU Configuration Standard 1U Heatsink 2666MT/s RDIMMs Performance Optimized No RAID	210-AKWU 329-BDKC 461-AADZ 321-BCQF 340-BKNE 340-BLUC 338-BLUR 374-BBBX 370-ADNM 412-AAIQ 370-ADNU 370-AAIP 780-BCDI	Unit Price	1 1 1 1 1 1 1 1 1 1	Subtotal
PowerEdge R640 Server PowerEdge R640 Motherboard No Trusted Platform Module 3.5 Chassis with up to 4 Hard Drives and 3PCle slots PowerEdge R640 Shipping PowerEdge R640 x4 and x10 Drive Shipping Material Intel Xeon Silver 4112 2.6G, 4C/8T, 9.6GT/s, 8.25M Cache, Turbo, HT (85W) DDR4-2400 No Additional Processor Blank for 1CPU Configuration Standard 1U Heatsink 2666MT/s RDIMMs Performance Optimized No RAID HBA330 12Gbps SAS HBA Controller (NON-RAID), Minicard	210-AKWU 329-BDKC 461-AADZ 321-BCQF 340-BKNE 340-BLUC 338-BLUR 374-BBBX 370-ADNM 412-AAIQ 370-ADNU 370-AAIP 780-BCDI 405-AAJU	Unit Price	1 1 1 1 1 1 1 1 1 1 1	Subtotal
PowerEdge R640 Server PowerEdge R640 Motherboard No Trusted Platform Module 3.5 Chassis with up to 4 Hard Drives and 3PCle slots PowerEdge R640 Shipping PowerEdge R640 x4 and x10 Drive Shipping Material Intel Xeon Silver 4112 2.6G, 4C/8T, 9.6GT/s, 8.25M Cache, Turbo, HT (85W) DDR4-2400 No Additional Processor Blank for 1CPU Configuration Standard 1U Heatsink 2666MT/s RDIMMs Performance Optimized No RAID HBA330 12Gbps SAS HBA Controller (NON-RAID), Minicard BOSS controller card + with 2 M.2 Sticks 240G (No RAID),LP	210-AKWU 329-BDKC 461-AADZ 321-BCQF 340-BKNE 340-BLUC 338-BLUR 374-BBBX 370-ADNM 412-AAIQ 370-ADNU 370-AAIP 780-BCDI 405-AAJU 403-BBPY	Unit Price	1 1 1 1 1 1 1 1 1 1 1	Subtotal
PowerEdge R640 Server PowerEdge R640 Motherboard No Trusted Platform Module 3.5 Chassis with up to 4 Hard Drives and 3PCle slots PowerEdge R640 Shipping PowerEdge R640 x4 and x10 Drive Shipping Material Intel Xeon Silver 4112 2.6G, 4C/8T, 9.6GT/s, 8.25M Cache, Turbo, HT (85W) DDR4-2400 No Additional Processor Blank for 1CPU Configuration Standard 1U Heatsink 2666MT/s RDIMMs Performance Optimized No RAID HBA330 12Gbps SAS HBA Controller (NON-RAID), Minicard BOSS controller card + with 2 M.2 Sticks 240G (No RAID),LP No Operating System	210-AKWU 329-BDKC 461-AADZ 321-BCQF 340-BKNE 340-BLUC 338-BLUR 374-BBBX 370-ADNM 412-AAIQ 370-ADNU 370-AAIP 780-BCDI 403-BBPY 619-ABVR	Unit Price	1 1 1 1 1 1 1 1 1 1 1 1	Subtotal

iDRAC,Legacy Password	379-BCSG	-	1	-
Riser Config 4, 2x16 LP	330-BBGY	-	1	-
QLogic FastLinQ 41164 Quad Port 10GbE BASE-T, rNDC	555-BDYB	-	1	-
No Internal Optical Drive for x4 and x8 HDD Chassis	429-ABBF	-	1	-
5 Standard Fans for R640	384-BBPR	-	1	-
Dual, Hot-plug, Redundant Power Supply (1+1), 750W	450-ADWS	-	1	-
No Bezel	350-BBBW	-	1	-
Dell EMC Luggage Tag	350-BBJS	-	1	-
No Quick Sync	350-BBKB	-	1	-
Performance BIOS Settings	384-BBBL	-	1	-
UEFI BIOS Boot Mode with GPT Partition	800-BBDM	-	1	-
ReadyRails Sliding Rails With Cable Management Arm	770-BBBL	-	1	-
No Systems Documentation, No OpenManage DVD Kit	631-AACK	-	1	-
US Order	332-1286	-	1	-
Basic Hardware Services: Business Hours (5x10) Next Business Day On-Site Hardware Warranty Repair, 3 Years	813-9254	-	1	-
Dell Hardware Limited Warranty Plus On-Site Service	813-9255	-	1	-
On-Site Installation Declined	900-9997	-	1	-
8GB RDIMM, 2666MT/s, Single Rank	370-ADNI	-	2	-
300GB 15K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive, 3.5in HYB CARR	400-ASGR	-	1	-
C13 to C14, PDU Style, 12 AMP, 6.5 Feet (2m) Power Cord, North America	492-BBDI	-	2	-

Subtotal: \$14,572.81 Shipping: \$0.00 Estimated Tax: \$0.00

Total: \$14,572.81

Important Notes

Terms of Sale

Unless you have a separate written agreement that specifically applies to this order, your order will be subject to and governed by the following agreements, each of which are incorporated herein by reference and available in hardcopy from Dell at your request: Dell's Terms of Sale, which include a binding consumer arbitration provision and incorporate Dell's U.S. Return Policy and Warranty (for Consumer warranties; for Commercial warranties).

If this purchase includes software: in addition to the foregoing applicable terms, your use of the software is subject to the license terms accompanying the software, and in the absence of such terms, then use of the Dell-branded application software is subject to the Dell End User License Agreement - Type A and use of the Dell-branded system software is subject to the Dell End User License Agreement - Type S.

If your purchase is for Mozy, in addition to the foregoing applicable terms, your use of the Mozy service is subject to the terms and conditions located at https://mozy.com/about/legal/terms.

If your purchase is for Boomi services or support, your use of the Boomi Services (and related professional service) is subject to the terms and conditions located at https://boomi.com/msa.

If your purchase is for Secureworks services or support, your use of the Secureworks services (and related professional service) is subject to the terms and conditions located at https://www.secureworks.com/eula/eula-us.

If this purchase is for (a) a storage product identified in the DELL EMC Satisfaction Guarantee Terms and Conditions located at ("Satisfaction Guarantee") and (ii) three (3) years of a ProSupport Service for such storage product, in addition to the foregoing applicable terms, such storage product is subject to the Satisfaction Guarantee.

You acknowledge having read and agree to be bound by the foregoing applicable terms in their entirety. Any terms and conditions set forth in your purchase order or any other correspondence that are in addition to, inconsistent or in conflict with, the foregoing applicable online terms will be of no force or effect unless specifically agreed to in a writing signed by Dell that expressly references such terms.

Pricing, Taxes, and Additional Information

All product, pricing, and other information is valid for U.S. customers and U.S. addresses only, and is based on the latest information available and may be subject to change. Dell reserves the right to cancel quotes and orders arising from pricing or other errors. Please indicate any tax-exempt status on your PO, and fax your exemption certificate, including your Customer Number, to the Dell Tax Department at 800-433-9023. Please ensure that your tax-exemption certificate reflects the correct Dell entity name: **Dell Marketing L.P.**

Note: All tax quoted above is an estimate; final taxes will be listed on the invoice.

If you have any questions regarding tax please send an e-mail to Tax_Department@dell.com.

For certain products shipped to end-users in California, a State Environmental Fee will be applied to your invoice. Dell encourages customers to dispose of electronic equipment properly.