```
local SGdiscord=Instance.new("ScreenGui")
SGdiscord.Name="DiscordGate"
SGdiscord.ResetOnSpawn=false
SGdiscord.Parent=game.Players.LocalPlayer:WaitForChild("PlayerGui")
local UIS=game:GetService("UserInputService")
local RS=game:GetService("RunService")
local Players=game:GetService("Players")
local LP=Players.LocalPlayer
local panelDiscord=Instance.new("Frame")
panelDiscord.Size=UDim2.new(0,520,0,220)
panelDiscord.Position=UDim2.new(0.5,-260,0.5,-110)
panelDiscord.BackgroundColor3=Color3.fromRGB(20,10,40)
panelDiscord.BackgroundTransparency=0.15
panelDiscord.BorderSizePixel=0
panelDiscord.Active=true
panelDiscord.Parent=SGdiscord
Instance.new("UICorner",panelDiscord).CornerRadius=UDim.new(0,16)
local dragStart,dragPos,isDrag=nil,nil,false
panelDiscord.InputBegan:Connect(function(input)
if input.UserInputType==Enum.UserInputType.Touch or
input.UserInputType==Enum.UserInputType.MouseButton1 then
isDrag=true
dragStart=input.Position
dragPos=panelDiscord.Position
end
end)
UIS.InputChanged:Connect(function(input)
if isDrag and (input.UserInputType==Enum.UserInputType.Touch or
input.UserInputType==Enum.UserInputType.MouseMovement) then
local delta=input.Position-dragStart
panelDiscord.Position=UDim2.new(dragPos.X.Scale,dragPos.X.Offset+delta.X,dragPos.Y.Sc
ale,dragPos.Y.Offset+delta.Y)
end
end)
UIS.InputEnded:Connect(function(input)
if input.UserInputType==Enum.UserInputType.Touch or
input.UserInputType==Enum.UserInputType.MouseButton1 then
isDrag=false
end
end)
local strokePanel=Instance.new("UIStroke")
strokePanel.Color=Color3.fromRGB(255,255,255)
strokePanel.Thickness=3
strokePanel.Parent=panelDiscord
local gradPanel=Instance.new("UIGradient")
gradPanel.Color=ColorSequence.new({
ColorSequenceKeypoint.new(0,Color3.fromRGB(255,255,255)),
ColorSequenceKeypoint.new(0.35,Color3.fromRGB(255,255,255)),
```

```
ColorSequenceKeypoint.new(0.5,Color3.fromRGB(200,100,255)),
ColorSequenceKeypoint.new(0.65,Color3.fromRGB(255,255,255)),
ColorSequenceKeypoint.new(1,Color3.fromRGB(255,255,255))
})
gradPanel.Parent=strokePanel
local rot=0
RS.Heartbeat:Connect(function(dt)
rot=rot+dt*90
if rot>360 then rot=rot-360 end
pcall(function() gradPanel.Rotation=rot end)
end)
local btnCerrar=Instance.new("TextButton")
btnCerrar.Size=UDim2.new(0,32,0,32)
btnCerrar.Position=UDim2.new(1,-40,0,8)
btnCerrar.BackgroundColor3=Color3.fromRGB(200,50,50)
btnCerrar.BackgroundTransparency=0.2
btnCerrar.Text="X"
btnCerrar.TextColor3=Color3.fromRGB(255,255,255)
btnCerrar.TextSize=16
btnCerrar.Font=Enum.Font.GothamBold
btnCerrar.ZIndex=10
btnCerrar.Parent=panelDiscord
Instance.new("UICorner",btnCerrar).CornerRadius=UDim.new(0,16)
btnCerrar.MouseButton1Click:Connect(function()
SGdiscord:Destroy()
end)
local colIzq=Instance.new("Frame")
colIzq.Size=UDim2.new(0,240,1,-20)
colIzq.Position=UDim2.new(0,10,0,10)
colIzq.BackgroundTransparency=1
colIzq.Parent=panelDiscord
local tituloD=Instance.new("TextLabel")
tituloD.Size=UDim2.new(1,-40,0,40)
tituloD.BackgroundTransparency=1
tituloD.Text="Ranchewalded"
tituloD.TextColor3=Color3.fromRGB(255,255,255)
tituloD.TextSize=26
tituloD.Font=Enum.Font.GothamBold
tituloD.Parent=colIzq
local subtitulo=Instance.new("TextLabel")
subtitulo.Size=UDim2.new(1,0,0,65)
subtitulo.Position=UDim2.new(0,0,0,42)
subtitulo.BackgroundTransparency=1
subtitulo.Text="Puede presentar bugs. Unete al server de Discord para estar atento de todos
los FIXEDS"
subtitulo.TextColor3=Color3.fromRGB(200,180,220)
subtitulo.TextSize=12
subtitulo.Font=Enum.Font.Gotham
```

```
subtitulo.TextWrapped=true
subtitulo.TextXAlignment=Enum.TextXAlignment.Left
subtitulo.TextYAlignment=Enum.TextYAlignment.Top
subtitulo.Parent=colIzq
local versionTxt=Instance.new("TextLabel")
versionTxt.Size=UDim2.new(1,0,0,20)
versionTxt.Position=UDim2.new(0,0,0,115)
versionTxt.BackgroundTransparency=1
versionTxt.Text="v1.0 • 2026"
versionTxt.TextColor3=Color3.fromRGB(150,100,200)
versionTxt.TextSize=12
versionTxt.Font=Enum.Font.Gotham
versionTxt.TextXAlignment=Enum.TextXAlignment.Left
versionTxt.Parent=colIzq
local colDer=Instance.new("Frame")
colDer.Size=UDim2.new(0,260,1,-20)
colDer.Position=UDim2.new(0,250,0,10)
colDer.BackgroundTransparency=1
colDer.Parent=panelDiscord
local discordIcon=Instance.new("Frame")
discordIcon.Size=UDim2.new(0,70,0,70)
discordIcon.Position=UDim2.new(0,0,0,10)
discordIcon.BackgroundColor3=Color3.fromRGB(88,101,242)
discordIcon.BorderSizePixel=0
discordIcon.Parent=colDer
Instance.new("UICorner",discordIcon).CornerRadius=UDim.new(0,35)
local discordLetra=Instance.new("TextLabel")
discordLetra.Size=UDim2.new(1,0,1,0)
discordLetra.BackgroundTransparency=1
discordLetra.Text="D"
discordLetra.TextColor3=Color3.fromRGB(255,255,255)
discordLetra.TextSize=40
discordLetra.Font=Enum.Font.GothamBlack
discordLetra.Parent=discordIcon
local discordTxt=Instance.new("TextLabel")
discordTxt.Size=UDim2.new(1,-80,0,30)
discordTxt.Position=UDim2.new(0,80,0,15)
discordTxt.BackgroundTransparency=1
discordTxt.Text="discord.gg/E5C2EkEBa"
discordTxt.TextColor3=Color3.fromRGB(180,180,180)
discordTxt.TextSize=13
discordTxt.Font=Enum.Font.Gotham
discordTxt.TextXAlignment=Enum.TextXAlignment.Left
discordTxt.Parent=colDer
local discordTxt2=Instance.new("TextLabel")
discordTxt2.Size=UDim2.new(1,-80,0,20)
discordTxt2.Position=UDim2.new(0,80,0,45)
discordTxt2.BackgroundTransparency=1
```

```
discordTxt2.Text="Toca el boton de abajo"
discordTxt2.TextColor3=Color3.fromRGB(130,130,130)
discordTxt2.TextSize=11
discordTxt2.Font=Enum.Font.Gotham
discordTxt2.TextXAlignment=Enum.TextXAlignment.Left
discordTxt2.Parent=colDer
local btnDiscord=Instance.new("TextButton")
btnDiscord.Size=UDim2.new(1,0,0,42)
btnDiscord.Position=UDim2.new(0,0,0,90)
btnDiscord.BackgroundColor3=Color3.fromRGB(88,101,242)
btnDiscord.BackgroundTransparency=0.15
btnDiscord.Text="DISCORD"
btnDiscord.TextColor3=Color3.fromRGB(255,255,255)
btnDiscord.TextSize=15
btnDiscord.Font=Enum.Font.GothamBold
btnDiscord.Parent=colDer
Instance.new("UICorner",btnDiscord).CornerRadius=UDim.new(0,10)
local strokeBtn=Instance.new("UIStroke")
strokeBtn.Color=Color3.fromRGB(255,255,255)
strokeBtn.Thickness=1.5
strokeBtn.Parent=btnDiscord
local btnAbrir=Instance.new("TextButton")
btnAbrir.Size=UDim2.new(1,0,0,42)
btnAbrir.Position=UDim2.new(0,0,0,140)
btnAbrir.BackgroundColor3=Color3.fromRGB(80,80,80)
btnAbrir.BackgroundTransparency=0.4
btnAbrir.Text="BLOQUEADO"
btnAbrir.TextColor3=Color3.fromRGB(150,150,150)
btnAbrir.TextSize=14
btnAbrir.Font=Enum.Font.GothamBold
btnAbrir.Parent=colDer
Instance.new("UICorner",btnAbrir).CornerRadius=UDim.new(0,10)
local verificacionHecha=false
local linkDiscord="https://discord.gg/E5C2EkEBa"
btnDiscord.MouseButton1Click:Connect(function()
pcall(function()
if setclipboard then setclipboard(linkDiscord)
elseif toclipboard then toclipboard(linkDiscord) end
end)
verificacionHecha=true
btnAbrir.BackgroundColor3=Color3.fromRGB(50,200,50)
btnAbrir.BackgroundTransparency=0.15
btnAbrir.Text="ABRIR MENU"
btnAbrir.TextColor3=Color3.fromRGB(255,255,255)
end)
btnAbrir.MouseButton1Click:Connect(function()
if not verificacionHecha then
btnAbrir.BackgroundColor3=Color3.fromRGB(200,50,50)
```

```
task.wait(0.2)
btnAbrir.BackgroundColor3=Color3.fromRGB(80,80,80)
return
end
SGdiscord:Destroy()
loadstring(game:HttpGet("https://gist.githubusercontent.com/dh1468506-sketch/c7f926f8589
ca146c8dd647ea748088c/raw/f7f9f602bc468002ff47116d5fdd67fc59a2501c/completo.lua"))(
)
loadstring(game:HttpGet("https://gist.githubusercontent.com/dh1468506-sketch/7457c7a1af
52e1c84892dd8e34be27bd/raw/66b78969b738b7963172816398ab62a98a6c3f1c/extras.lua
"))()
loadstring(game:HttpGet("https://gist.githubusercontent.com/dh1468506-sketch/855cae8366
b4737731709a3c98a9a3c5/raw/d5555de12d6855896d93796eba97517a6a9cb8cb/extras2.lu
a"))()
task.wait(1.5)
local panelPrincipal=nil
for _,obj in ipairs(SG:GetDescendants()) do
if obj:IsA("TextLabel") and obj.Text=="Ranchewalded" then
if obj.Parent and obj.Parent:IsA("Frame") then
panelPrincipal=obj.Parent
break
end
end
end
if panelPrincipal then
panelPrincipal.BackgroundTransparency=0.75
panelPrincipal.BackgroundColor3=Color3.fromRGB(20,10,40)
end
if panelPrincipal then
local imgFondo=Instance.new("ImageLabel")
imgFondo.Name="ImagenFondo"
imgFondo.Size=UDim2.new(1,0,1,0)
imgFondo.BackgroundTransparency=1
imgFondo.Image="rbxassetid://11009365968"
imgFondo.ImageTransparency=0.15
imgFondo.ScaleType=Enum.ScaleType.Crop
imgFondo.ZIndex=0
imgFondo.Parent=panelPrincipal
Instance.new("UICorner",imgFondo).CornerRadius=UDim.new(0,16)
for _,child in ipairs(panelPrincipal:GetChildren()) do
if child~=imgFondo and child:IsA("GuiObject") then
child.ZIndex=math.max(child.ZIndex,2)
end
end
end
if panelPrincipal then
for _,obj in ipairs(panelPrincipal:GetDescendants()) do
if obj:IsA("TextButton") and (obj.Text=="ON" or obj.Text=="OFF") then
```

```
obj.BackgroundTransparency=0.85
obj.BackgroundColor3=Color3.fromRGB(40,20,60)
local stroke=Instance.new("UIStroke")
stroke.Color=Color3.fromRGB(180,100,255)
stroke.Thickness=1.5
stroke.Transparency=0.2
stroke.Parent=obj
end
if obj:IsA("TextButton") and obj.Text~="ON" and obj.Text~="OFF" and obj.Text~="X" and
obj.Text~="" and #obj.Text>2 then
obj.BackgroundTransparency=0.8
obj.BackgroundColor3=Color3.fromRGB(40,20,60)
local stroke=Instance.new("UIStroke")
stroke.Color=Color3.fromRGB(180,100,255)
stroke.Thickness=1.5
stroke.Transparency=0.2
stroke.Parent=obj
end
if obj:IsA("Frame") and obj.BackgroundColor3==Color3.fromRGB(50,50,70) then
obj.BackgroundTransparency=0.8
obj.BackgroundColor3=Color3.fromRGB(40,20,60)
local stroke=Instance.new("UIStroke")
stroke.Color=Color3.fromRGB(180,100,255)
stroke.Thickness=1
stroke.Transparency=0.3
stroke.Parent=obj
end
end
end
local titulo=nil
for _,obj in ipairs(SG:GetDescendants()) do
if obj:IsA("TextLabel") and obj.Text=="Ranchewalded" then
titulo=obj
break
end
end
if titulo then
titulo.TextSize=20
local gradTexto=Instance.new("UIGradient")
gradTexto.Color=ColorSequence.new({
ColorSequenceKeypoint.new(0,Color3.fromRGB(255,255,255)),
ColorSequenceKeypoint.new(0.30,Color3.fromRGB(255,255,255)),
ColorSequenceKeypoint.new(0.45,Color3.fromRGB(200,100,255)),
ColorSequenceKeypoint.new(0.55,Color3.fromRGB(255,150,255)),
ColorSequenceKeypoint.new(0.70,Color3.fromRGB(255,255,255)),
ColorSequenceKeypoint.new(1,Color3.fromRGB(255,255,255))
})
gradTexto.Parent=titulo
```

```
local offset=0
RS.Heartbeat:Connect(function(dt)
offset=offset+dt*0.6
if offset>1 then offset=offset-1 end
pcall(function() gradTexto.Offset=Vector2.new(offset,0) end)
end)
end
for _,obj in ipairs(SG:GetDescendants()) do
if obj:IsA("TextButton") and obj:FindFirstChild("IconLines") then
obj.BackgroundTransparency=1
obj.BackgroundColor3=Color3.fromRGB(0,0,0)
local strokeNuevo=Instance.new("UIStroke")
strokeNuevo.Color=Color3.fromRGB(255,255,255)
strokeNuevo.Thickness=3
strokeNuevo.ApplyStrokeMode=Enum.ApplyStrokeMode.Border
strokeNuevo.Parent=obj
local gradBtn=Instance.new("UIGradient")
gradBtn.Color=ColorSequence.new({
ColorSequenceKeypoint.new(0,Color3.fromRGB(255,255,255)),
ColorSequenceKeypoint.new(0.35,Color3.fromRGB(255,255,255)),
ColorSequenceKeypoint.new(0.5,Color3.fromRGB(200,100,255)),
ColorSequenceKeypoint.new(0.65,Color3.fromRGB(255,255,255)),
ColorSequenceKeypoint.new(1,Color3.fromRGB(255,255,255))
})
gradBtn.Parent=strokeNuevo
local rotB=0
RS.Heartbeat:Connect(function(dt)
rotB=rotB+dt*90
if rotB>360 then rotB=rotB-360 end
pcall(function() gradBtn.Rotation=rotB end)
end)
break
end
end
end)
print("=== SCRIPT COMPLETO CARGADO OK ===")
```