# **Estimating Varying Parameters for Stock Return and of CAPM**

A Data Analyst and Econometrician's View

DongHwan Kim
AMS 520
Data Science Program, Applied Math and Stats
October 18, 2023

## The Objective I

A close look at model specification, data structure, and estimation

- **Estimating**  $\beta$ s in Fama-French (1992, pp. 430 431)
- Estimating μs in Chitsiripanich et al. (2022, Table 1)

They don't have explicit model specifications. Some lecture notes have different model specification, which can cause confusion and misleading. In conclusion, for estimating Fama-French (1992)'s  $\beta$ s,

- (1) Brunnermeier (2015, Princeton Univ.)'s lecture note is a correct one
- (2) Different notations and conventions among Panel data econometric modeling, Statistical factor analysis, and Seemingly unrelated regression.

What estimation method was used? That is, what are the model assumptions used, especially for  $\varepsilon$ , the disturbance term? Do they make sense? It is important to know.

## The Objective II

### Modeling and estimating varying intercepts and/or slopes

- ▶ In cross-sectional time-series or multi-level setting
  - **Mixed model** allows random components
  - Andrew Gelman (Columbia University)'s work is famous
  - E.g. Kim and Montgomery (2012)'s work
- ▶ In the setting of either time-series only or cross-section only
  - Usually not estimable but possible with imposing more structure.
  - Bayesian: Hierarchical structure with hyper-parameters
  - State-space model: Hidden state

#### Literature Review

### Estimating factor models is still an open question

- Connor, Hagmann, and Linton (2021): Semiparametric estimation of the Fama-French model
- Fama and French (2015): A five-factor asset pricing model
- Fama and French (2004): The capital asset pricing model: Theory and evidence
- ▶ Bai (2003): Inferential theory of factor models of large dimensions

#### Distinguish two different types of factors

- Observable factors
- Unobservable factors
  - **Statistical factor analysis** is to estimate unobservable factors.

## Notations: A Review

## For Stock Return (r)

- **Time-series data**:  $r_t$ ,  $t = 1, 2, \dots, T$  (e.g. monthly).
- **Cross-sectional**:  $r_j$ ,  $j = 1, \dots, J$ . (e.g. portfolio)
- Panel data:  $r_{j,t}$ ,  $j=1,\cdots,J$  and  $t=1,2,\cdots,T$ .
- Multi-level
  - r<sub>i,i</sub> Stock-level, Portfolio-level, and so on.
  - r<sub>k,t</sub> Daily, Monthly, and so on.
- Multi-level cross-sectional time-series: e.g.  $r_{j,i,t}$

# Estimating $\beta_i$ in Fama-French (1992, pp. 430 - 431)

For each  $\beta$ ,

▶ **Data**: A sample of 330 time series  $(t = 1, 2, \dots, 330)$ .

► Model:  $r_t = \alpha + \beta r_t^m + \varepsilon_t$ ,  $\varepsilon_t \sim N(0, \sigma^2)$ .

$$\begin{bmatrix} r_1 \\ r_2 \\ \vdots \\ r_T \end{bmatrix} = \begin{bmatrix} 1 & r_1^m \\ 1 & r_2^m \\ \vdots & \vdots \\ 1 & r_T^m \end{bmatrix} \begin{bmatrix} \alpha \\ \beta \end{bmatrix} + \begin{bmatrix} \varepsilon_1 \\ \varepsilon_2 \\ \vdots \\ \varepsilon_T \end{bmatrix}$$

where  $r_t$  is excess return at time t.

**Estimation**: OLS

Repeat it for all the portfolios  $j=1,2,\cdots,J$ . (And then use  $\hat{\beta}_{j,OLS}$  as that of each of the stocks in the portfolio j for the next estimation procedure).

## (1) Lecture note 1

Estimate the CAPM time-series regression:

$$R_{it}^{e} = \alpha_{i} + \beta_{iM} R_{Mt}^{e} + \varepsilon_{it}$$

## (2) Lecture note 2

Stage 1: Use *time series* data to obtain estimates for each individual stock's  $\beta^{j}$ 

$$R_t^j - R^f = \alpha + \beta^j (R_t^m - R_t^f) + \epsilon_t^j$$

## Comparisons of Model Specifications and Data Structures

Data: Cross-sectional time-series data  $t=1,2,\cdots,T,\ j=1,2,\cdots,J$  Model Specifications:

► Model I: Same intercept and same slope

$$r_{j,t} = \alpha + \beta r_t^m + \varepsilon_{j,t}$$

► Model II: Different intercept and different slope

$$r_{j,t} = \alpha_j + \beta_j r_t^m + \varepsilon_{j,t}$$

## Model I: Same intercept and slope model

Model:  $r_{j,t} = \alpha + \beta r_t^m + \varepsilon_{j,t}$ ,  $t = 1, 2, \dots, T$ ,  $j = 1, 2, \dots, J$ .

$$\begin{bmatrix} r_{1,1} \\ r_{1,2} \\ \vdots \\ r_{1,T} \\ r_{2,1} \\ r_{2,2} \\ \vdots \\ r_{2,T} \\ \vdots \\ r_{J,T} \end{bmatrix} = \begin{bmatrix} 1 & r_1^m \\ 1 & r_2^m \\ \vdots & \vdots \\ 1 & r_T^m \\ 1 & r_2^m \\ \vdots & \vdots \\ 1 & r_T^m \\ \vdots & \vdots \\ 1 & r_T^m \\ \vdots & \vdots \\ r_{J,1} & 1 & r_1^m \\ r_{J,2} & \vdots & \vdots \\ r_{J,T} \end{bmatrix} = \begin{bmatrix} \alpha \\ \beta \end{bmatrix} + \begin{bmatrix} \alpha \\ \varepsilon_{1,1} \\ \varepsilon_{1,2} \\ \vdots \\ \varepsilon_{1,T} \\ \varepsilon_{2,1} \\ \varepsilon_{2,1} \\ \varepsilon_{2,2} \\ \vdots \\ \varepsilon_{2,T} \\ \vdots \\ \varepsilon_{J,T} \\ \vdots \\ \varepsilon_{J,1} \\ \varepsilon_{J,2} \\ \vdots \\ \varepsilon_{J,T} \end{bmatrix}$$

## Model II: A varying intercepts and slopes model

**Model**:  $r_{j,t} = \alpha_j + \beta_j r_t^m + \varepsilon_{j,t}$ 

In matrix form, for a given j

$$\mathbf{r}_j = \alpha_j \imath_T + \beta_j \mathbf{r}^m + \varepsilon_j$$

where  $\mathbf{r}_j = [r_{j,1}, r_{j,2}, \cdots, r_{j,T}]'$ ,  $\iota_T = [1, 1, \cdots, 1]'$ ,  $\mathbf{r}^m = [r_1^m, r_2^m, \cdots, r_T^m]'$ . For all the data,

$$\mathbf{r} = (I_J \otimes \iota_T)\alpha + (I_J \otimes r^m)\beta + \varepsilon$$

where  $\alpha = [\alpha_1, \alpha_2, \cdots, \alpha_J]'$  and  $\beta = [\beta_1, \beta_2, \cdots, \beta_J]'$ . That is,

$$\begin{bmatrix} \mathbf{r}_1 \\ \mathbf{r}_2 \\ \vdots \\ \mathbf{r}_J \end{bmatrix} = \begin{bmatrix} \iota_T & 0 & \cdots & 0 & r^m & 0 & \cdots & 0 \\ 0 & \iota_T & \cdots & 0 & 0 & r^m & \cdots & 0 \\ \vdots & \vdots & \ddots & \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \cdots & \iota_T & 0 & 0 & \cdots & r^m \end{bmatrix} \begin{bmatrix} \alpha \\ \beta \end{bmatrix} + \begin{bmatrix} \varepsilon_1 \\ \varepsilon_2 \\ \vdots \\ \varepsilon_J \end{bmatrix}$$

# Estimating $\mu$ s in Chitsiripanich et al. (2022, Table 1, p.14)

For each sample mean  $\mu$  (e.g. Excessive Return, alpha,  $\cdots$ ),

- ▶ **Data**:  $\{y_t\}$  from Jan. 1973 to Dec. 2020.
- ▶ Model:  $y_t = \mu + \varepsilon_t$ ,  $\varepsilon_t \sim N(0, \sigma^2)$ .
- **Estimation**: OLS (Ordinary Least Square)

Repeat it for each of the portfolios j = low, 2, 3, 4, high, high - low.

To estimate portfolio-specific  $\mu$ , my recommendation is to use the mixed model,  $y_{j,t} = \mu + u_j + \eta_{j,t}$ ,  $u_j \sim N(0, \sigma_u^2)$ ,  $\eta_{j,t} \sim N(0, \sigma_\eta^2)$ .

- Utilize the full sample, not losing the degree of freedom.
- Take into account correlation among cross-sectional units.
- Flexible modeling: For example, it can quantify the differences among portfolios with a set of dummy variables
- Estimation: GLS, Bayesian (Shrinkage happens).
- $\mathbf{y} = (\imath_T \otimes \imath_J)\mu + (\imath_T \otimes I_J)\mathbf{u} + \eta$

## References

Bai, Jushan, *Inferential Theory for Factor Models of Large Dimensions*, Econometrica, 70(1), 2003,

https://users.ssc.wisc.edu/~bhansen/718/Bai2003.pdf

Brunnermeier, Markus k., *Lecture 12: Factor Pricing*, Lecture Note, Department of Economics, Princeton University, 2015.

https://www.princeton.edu/~markus/teaching/Fin501/12Lecture.pdf

Chitsiripanich, Soros, Paolella, Marc S., Polak, Pawel, Walker, Patrick S., *Momentum Without Crashes*, Swiss Finance Institute Research Paper Series N°22-87, 2022.

Connor G., Hagmann, M., and Linton, O., Efficient Semiparametric Estimation of the Fama-French Model and Extenions, Econometrica, 80 (2), 2012.

Fama, Eugene. F. and Frence, Kenneth R. *The Capital Asset Pricing Model: Theory and Evidence*, Journal of Economic Perspectives, 18(3), 2004

### References

Farago, Adam, *Lecture 4 - Size, Value, and Momentum*, Department of Economics, University of Gothenburg. 2019.

Kim, Donghwan and Montgomery, Mark R., Spatially Explicit Models of City Population Growth, Population Association of America Annual Meeting, San Francisco, May 3-5, 2012. https://paa2012.princeton.edu/abstracts/122246.

Susmel, Rauli, *Lecture 8: CAPM*, Lecture Note, University of Huston. https://www.bauer.uh.edu/rsusmel/phd/lecture%208.pdf