

IT DATA SECURITY LAB FILE

Name- Dhairya Jain Sap ID- 500105432 Batch- CSF-B4

Experiment - 3

Aim- Scanning with ZenMap: Detailed Process in Kali Linux

Install zenmap.


```
aps update

Get: https://dl.google.com/linux/chrome/deb stable InRelease [1,825 8]


Get: https://dl.google.com/linux/chrome/deb stable/main amd64 Packages [1,888 8]

Hit: 3 https://dl.google.com/lin
```


Launch ZenMap.




- Select the Target In the "Target" field, enter the IP address or domain name you want to scan.
- Intense Scan: Comprehensive scan that includes service detection, OS detection, and more.




• Quick Scan: A fast scan that quickly identifies open ports.




Ping Scan: Only pings the target to see if it is online.




- Performing an Advanced Scan
- Use Custom Nmap Command
- perform a TCP SYN scan with OS detection:




• Save Scan Profiles You can create and save custom scan profiles in ZenMap for future use:



- Saving and Comparing Results
- Save Scan Results After a scan, you can save the results in different formats (XML, Nmap output, etc.):




Compare Results ZenMap allows you to compare the results of different scans to detect changes
in the network. This is useful for tracking new hosts or services that appear over time.




Aim- Database Scanning with Scuba


Database Scanning with Scuba




Install Scuba - Extract the downloaded zip file.



Launch Scuba



Running a Scan with Scuba



• Reviewing the Scan Results

