

References

- Abott, E. E. (1909). On the analysis of the factor of recall in the learning process. *The Psychological Review: Monograph Supplements*, 11(1):159–177.
- Ahn, W.-Y., Haines, N., and Zhang, L. (2017). Revealing Neurocomputational Mechanisms of Reinforcement Learning and Decision-Making With the hBayesDM Package. *Computational Psychiatry*, 1:24–57.
- Ahn, W.-Y., Krawitz, A., Kim, W., Busemeyer, J. R., and Brown, J. W. (2011). A model-based fMRI analysis with hierarchical Bayesian parameter estimation. *Journal of Neuroscience, Psychology, and Economics*, 4(2):95–110.
- Allen, G. A., Mahler, W. A., and Estes, W. (1969). Effects of recall tests on long-term retention of paired associates. *Journal of Verbal Learning and Verbal Behavior*, 8(4):463–470.
- Alvarez, T. A. and Fiez, J. A. (2018). Current perspectives on the cerebellum and reading development. *Neuroscience & Biobehavioral Reviews*, 92:55–66.
- Anderson, T. W. (1957). Maximum Likelihood Estimates for a Multivariate Normal Distribution when Some Observations are Missing. *Journal of the American Statistical Association*, 52(278):200–203.
- Arbuckle, T. Y. and Cuddy, L. L. (1969). Discrimination of item strength at time of presentation. *Journal of Experimental Psychology*, 81(1):126–131.
- Atkinson, R. C. (1972). Optimizing the learning of a second-language vocabulary. *Journal of Experimental Psychology*, 96(1):124–129.
- Atkinson, R. C. and Crothers, E. J. (1964). A comparison of paired-associate learning models having different acquisition and retention axioms. *Journal of Mathematical Psychology*, 1(2):285–315.

- Avants, B. B., Tustison, N. J., Song, G., Cook, P. A., Klein, A., and Gee, J. C. (2011). A reproducible evaluation of ANTs similarity metric performance in brain image registration. *NeuroImage*, 54(3):2033–2044.
- Bainbridge, W. A. (2019). Memorability: How what we see influences what we remember. In *Psychology of Learning and Motivation*, volume 70, pages 1–27. Elsevier.
- Bainbridge, W. A., Dilks, D. D., and Oliva, A. (2017). Memorability: A stimulus-driven perceptual neural signature distinctive from memory. *NeuroImage*, 149:141–152.
- Bainbridge, W. A. and Rissman, J. (2018). Dissociating neural markers of stimulus memorability and subjective recognition during episodic retrieval. *Scientific Reports*, 8(1):8679.
- Baldwin, C. L. and Runkle, R. S. (1967). Biohazards Symbol: Development of a Biological Hazards Warning Signal. *Science*, 158(3798):264–265.
- Bates, D., Mächler, M., Bolker, B., and Walker, S. (2015). Fitting Linear Mixed-Effects Models Using **lme4**. *Journal of Statistical Software*, 67(1).
- Baum, L. E. and Eagon, J. A. (1967). An inequality with applications to statistical estimation for probabilistic functions of Markov processes and to a model for ecology. *Bulletin of the American Mathematical Society*, 73(3):360–364.
- Baum, L. E., Petrie, T., Soules, G., and Weiss, N. (1970). A Maximization Technique Occurring in the Statistical Analysis of Probabilistic Functions of Markov Chains. *The Annals of Mathematical Statistics*, 41(1):164–171.
- Beckmann, C. F., Jenkinson, M., and Smith, S. M. (2003). General multilevel linear modeling for group analysis in fMRI. *NeuroImage*, 20(2):1052–1063.
- Behzadi, Y., Restom, K., Liau, J., and Liu, T. T. (2007). A component based noise correction method (CompCor) for BOLD and perfusion based fMRI. *NeuroImage*, 37(1):90–101.
- Benjamin, A. S. and Tullis, J. (2010). What makes distributed practice effective? *Cognitive Psychology*, 61(3):228–247.
- Benjamini, Y. and Hochberg, Y. (1995). Controlling the False Discovery Rate: A Practical and Powerful Approach to Multiple Testing. *Journal of the Royal Statistical Society: Series B (Methodological)*, 57(1):289–300.

- Benjamini, Y. and Yekutieli, D. (2001). THE CONTROL OF THE FALSE DISCOVERY RATE IN MULTIPLE TESTING UNDER DEPENDENCY. *The Annals of Statistics*, 29(4):1165–1188.
- Berens, S. C., Horst, J. S., and Bird, C. M. (2018). Cross-Situational Learning Is Supported by Propose-but-Verify Hypothesis Testing. *Current Biology*, 28(7):1132–1136.e5.
- Betancourt, M. (2018). A Conceptual Introduction to Hamiltonian Monte Carlo. *arXiv:1701.02434 [stat]*. arXiv: 1701.02434.
- Betancourt, M. and Girolami, M. (2015). Hamiltonian Monte Carlo for Hierarchical Models. In Upadhyay, S., Singh, U., Dey, D., and Loganathan, A., editors, *Current Trends in Bayesian Methodology with Applications*, pages 79–101. Chapman and Hall/CRC.
- Bobadilla-Suarez, S., Ahlheim, C., Mehrotra, A., Panos, A., and Love, B. C. (2019). Measures of Neural Similarity. *Computational Brain & Behavior*.
- Bower, G. H. (1961). Application of a model to paired-associate learning. *Psychometrika*, 26(3):255–280.
- Bower, G. H. (1962). An association model for response and training variables in paired-associate learning. *Psychological Review*, 69(1):34–53.
- Bower, G. H. (1994). A turning point in mathematical learning theory. *Psychological Review*, 101(2):290–300.
- Brent, R. P. (1972). *Algorithms for minimization without derivatives*. Prentice-Hall series in automatic computation. Prentice-Hall, Englewood Cliffs, N.J.
- Brown, M. W. and Aggleton, J. P. (2001). Recognition memory: What are the roles of the perirhinal cortex and hippocampus? *Nature Reviews Neuroscience*, 2(1):51–61.
- Bruett, H., Calloway, R. C., Tokowicz, N., and Coutanche, M. N. (2020). Neural pattern similarity across concept exemplars predicts memory after a long delay. *NeuroImage*, 219:117030.
- Bruffaerts, R., Dupont, P., Peeters, R., De Deyne, S., Storms, G., and Vandenberghe, R. (2013). Similarity of fMRI Activity Patterns in Left Perirhinal Cortex Reflects Semantic Similarity between Words. *Journal of Neuroscience*, 33(47):18597–18607.
- Brunec, I. K., Robin, J., Olsen, R. K., Moscovitch, M., and Barense, M. D. (2020). Integration and differentiation of hippocampal memory traces. *Neuroscience & Biobehavioral Reviews*, page S0149763420304838.

- Bush, R. R. and Mosteller, F. (1953). A Stochastic Model with Applications to Learning. *The Annals of Mathematical Statistics*, 24(4):559–585.
- Button, K. S., Ioannidis, J. P. A., Mokrysz, C., Nosek, B. A., Flint, J., Robinson, E. S. J., and Munafò, M. R. (2013). Power failure: why small sample size undermines the reliability of neuroscience. *Nature Reviews Neuroscience*, 14(5):365–376.
- Cabeza, R., Ciaramelli, E., Olson, I. R., and Moscovitch, M. (2008). The parietal cortex and episodic memory: an attentional account. *Nature Reviews Neuroscience*, 9(8):613–625.
- Calfee, R. C. and Atkinson, R. C. (1965). Paired-associate models and the effects of list length. *Journal of Mathematical Psychology*, 2(2):254–265.
- Carpenter, B., Gelman, A., Hoffman, M. D., Lee, D., Goodrich, B., Betancourt, M., Brubaker, M., Guo, J., Li, P., and Riddell, A. (2017). *Stan*: A Probabilistic Programming Language. *Journal of Statistical Software*, 76(1).
- Carrier, M. and Pashler, H. (1992). The influence of retrieval on retention. *Memory & Cognition*, 20(6):633–642.
- Cessie, S. L. and Houwelingen, J. C. V. (1992). Ridge Estimators in Logistic Regression. *Applied Statistics*, 41(1):191.
- Chadwick, M. J., Anjum, R. S., Kumaran, D., Schacter, D. L., Spiers, H. J., and Hassabis, D. (2016). Semantic representations in the temporal pole predict false memories. *Proceedings of the National Academy of Sciences*, 113(36):10180–10185.
- Charest, I., Kievit, R. A., Schmitz, T. W., Deca, D., and Kriegeskorte, N. (2014). Unique semantic space in the brain of each beholder predicts perceived similarity. *Proceedings of the National Academy of Sciences*, 111(40):14565–14570.
- Chen, G., Taylor, P. A., Haller, S. P., Kircanski, K., Stoddard, J., Pine, D. S., Leibenluft, E., Brotman, M. A., and Cox, R. W. (2018). Intraclass correlation: Improved modeling approaches and applications for neuroimaging. *Human Brain Mapping*, 39(3):1187–1206.
- Chen, J., Leong, Y. C., Honey, C. J., Yong, C. H., Norman, K. A., and Hasson, U. (2017). Shared memories reveal shared structure in neural activity across individuals. *Nature Neuroscience*, 20(1):115–125.

- Chen, L., Wassermann, D., Abrams, D. A., Kochalka, J., Gallardo-Diez, G., and Menon, V. (2019). The visual word form area (VWFA) is part of both language and attention circuitry. *Nature Communications*, 10(1):5601.
- Chikazoe, J., Lee, D. H., Kriegeskorte, N., and Anderson, A. K. (2014). Population coding of affect across stimuli, modalities and individuals. *Nature Neuroscience*, 17(8):1114–1122.
- Cohen, L., Lehericy, S., Chochon, F., Lemer, C., Rivaud, S., and Dehaene, S. (2002). Language-specific tuning of visual cortex? Functional properties of the Visual Word Form Area. *Brain*, 125(5):1054–1069.
- Corbett, A. T. and Anderson, J. R. (1995). Knowledge tracing: Modeling the acquisition of procedural knowledge. *User Modelling and User-Adapted Interaction*, 4(4):253–278.
- Cox, H. (1997). Software tools for analysis and visualization of fMRI data. *NMR IN BIOMEDICINE*, 10:8.
- Craik, F. I. M. and Tulving, E. (1975). Depth of processing and the retention of words in episodic memory. *Journal of Experimental Psychology: General*, 104(3):268–294.
- Cremers, H. R., Wager, T. D., and Yarkoni, T. (2017). The relation between statistical power and inference in fMRI. *PLOS ONE*, 12(11):e0184923.
- Crothers, E. (1962). Paired-associate learning with compound responses. *Journal of Verbal Learning and Verbal Behavior*, 1(1):66–70.
- Crump, M. J. C., McDonnell, J. V., and Gureckis, T. M. (2013). Evaluating Amazon’s Mechanical Turk as a Tool for Experimental Behavioral Research. *PLoS ONE*, 8(3):e57410.
- Dale, A. M., Fischl, B., and Sereno, M. I. (1999). Cortical Surface-Based Analysis. *NeuroImage*, 9(2):179–194.
- Daselaar, S. M. (2009). Posterior midline and ventral parietal activity is associated with retrieval success and encoding failure. *Frontiers in Human Neuroscience*, 3.
- Davachi, L. (2006). Item, context and relational episodic encoding in humans. *Current Opinion in Neurobiology*, 16(6):693–700.
- Davachi, L., Mitchell, J. P., and Wagner, A. D. (2003). Multiple routes to memory: Distinct medial temporal lobe processes build item and source memories. *Proceedings of the National Academy of Sciences*, 100(4):2157–2162.

- Davis, O. C., Geller, A. S., Rizzuto, D. S., and Kahana, M. J. (2008). Temporal associative processes revealed by intrusions in paired-associate recall. *Psychonomic Bulletin & Review*, 15(1):64–69.
- Davis, T., Xue, G., Love, B. C., Preston, A. R., and Poldrack, R. A. (2014). Global Neural Pattern Similarity as a Common Basis for Categorization and Recognition Memory. *Journal of Neuroscience*, 34(22):7472–7484.
- Daw, N., Gershman, S., Seymour, B., Dayan, P., and Dolan, R. (2011). Model-Based Influences on Humans’ Choices and Striatal Prediction Errors. *Neuron*, 69(6):1204–1215.
- Daw, N. D. (2011). Trial-by-trial data analysis using computational models: (Tutorial Review). In *Decision Making, Affect, and Learning*. Oxford University Press, Oxford.
- Daw, N. D., O’Doherty, J. P., Dayan, P., Seymour, B., and Dolan, R. J. (2006). Cortical substrates for exploratory decisions in humans. *Nature*, 441(7095):876–879.
- Dawes, R. M. (1979). The robust beauty of improper linear models in decision making. *American Psychologist*, 34(7):571–582.
- DeLosh, E. L. and McDaniel, M. A. (1996). The role of order information in free recall: Application to the word-frequency effect. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, 22(5):1136–1146.
- Dietterich, T. G. (1998). Approximate Statistical Tests for Comparing Supervised Classification Learning Algorithms. *Neural Computation*, 10(7):1895–1923.
- Doroudi, S. and Brunskill, E. (2017). The Misidentified Identifiability Problem of Bayesian Knowledge Tracing. *International Educational Data Mining Society*. Publisher: ERIC.
- Durnez, J., Blair, R., and Poldrack, R. A. (2017). Neurodesign: Optimal Experimental Designs for Task fMRI. preprint, Neuroscience.
- Ebbinghaus, H. (1913). *Memory: A contribution to experimental psychology*. Teachers College Press, New York.
- Edelman, S., Grill-Spector, K., Kushnir, T., and Malach, R. (1998). Toward direct visualization of the internal shape representation space by fMRI. *Psychobiology*, 26(4):309–321.

- Esteban, O., Markiewicz, C. J., Blair, R. W., Moodie, C. A., Isik, A. I., Erramuzpe, A., Kent, J. D., Goncalves, M., DuPre, E., Snyder, M., Oya, H., Ghosh, S. S., Wright, J., Durnez, J., Poldrack, R. A., and Gorgolewski, K. J. (2019). fMRIPrep: a robust pre-processing pipeline for functional MRI. *Nature Methods*, 16(1):111–116.
- Estes, W. K. (1950). Toward a statistical theory of learning. *Psychological Review*, 57(2):94–107.
- Estes, W. K. (1955). Statistical theory of distributional phenomena in learning. *Psychological Review*, 62(5):369–377.
- Estes, W. K. (1961). New developments in statistical behavior theory: Differential tests of axioms for associative learning. *Psychometrika*, 26(1):73–84.
- Estes, W. K. and Burke, C. J. (1953). A theory of stimulus variability in learning. *Psychological Review*, 60(4):276–286.
- Favila, S. E., Samide, R., Sweigart, S. C., and Kuhl, B. A. (2018). Parietal Representations of Stimulus Features Are Amplified during Memory Retrieval and Flexibly Aligned with Top-Down Goals. *The Journal of Neuroscience*, 38(36):7809–7821.
- Feinberg, D. A. and Yacoub, E. (2012). The rapid development of high speed, resolution and precision in fMRI. *NeuroImage*, 62(2):720–725.
- Feng, J. (2017). Essays on Learning Through Practice. page 140.
- Feng, K., Zhao, X., Liu, J., Cai, Y., Ye, Z., Chen, C., and Xue, G. (2019). Spaced Learning Enhances Episodic Memory by Increasing Neural Pattern Similarity Across Repetitions. *The Journal of Neuroscience*, 39(27):5351–5360.
- Fisher, R. A. (1915). Frequency Distribution of the Values of the Correlation Coefficient in Samples from an Indefinitely Large Population. *Biometrika*, 10(4):507.
- Fonov, V., Evans, A. C., Botteron, K., Almli, C. R., McKinstry, R. C., and Collins, D. L. (2011). Unbiased average age-appropriate atlases for pediatric studies. *NeuroImage*, 54(1):313–327.
- Friedman, J., Hastie, T., and Tibshirani, R. (2010). Regularization Paths for Generalized Linear Models via Coordinate Descent. *Journal of Statistical Software*, 33(1).
- Friston, K., Penny, W., Phillips, C., Kiebel, S., Hinton, G., and Ashburner, J. (2002). Classical and Bayesian Inference in Neuroimaging: Theory. *NeuroImage*, 16(2):465–483.

- Friston, K. J., Holmes, A. P., Worsley, K. J., Poline, J.-P., Frith, C. D., and Frackowiak, R. S. J. (1994). Statistical parametric maps in functional imaging: A general linear approach. *Human Brain Mapping*, 2(4):189–210.
- Fukuda, K. and Woodman, G. F. (2015). Predicting and Improving Recognition Memory Using Multiple Electrophysiological Signals in Real Time. *Psychological Science*, 26(7):1026–1037.
- Garren, S. T. (1998). Maximum likelihood estimation of the correlation coefficient in a bivariate normal model with missing data. *Statistics & Probability Letters*, 38(3):281–288.
- Gelman, A. (2006). Multilevel (Hierarchical) Modeling: What It Can and Cannot Do. *Technometrics*, 48(3):432–435.
- Gelman, A., Carlin, J. B., Stern, H. S., Dunson, D. B., Vehtari, A., and Rubin, D. B. (2013). *Bayesian Data Analysis*. Chapman and Hall/CRC, 0 edition.
- Gelman, A., Goegebeur, Y., Tuerlinckx, F., and Van Mechelen, I. (2000). Diagnostic checks for discrete data regression models using posterior predictive simulations. *Journal of the Royal Statistical Society: Series C (Applied Statistics)*, 49(2):247–268.
- Gelman, A., Meng, X.-L., and Stern, H. (1996). POSTERIOR PREDICTIVE ASSESSMENT OF MODEL FITNESS VIA REALIZED DISCREPANCIES. *Statistica Sinica*, 6(4):733–760. Publisher: Institute of Statistical Science, Academia Sinica.
- Gelman, A. and Rubin, D. B. (1992). Inference from Iterative Simulation Using Multiple Sequences. *Statistical Science*, 7(4):457–472.
- Gelman, A. and Tuerlinckx, F. (2000). Type S error rates for classical and Bayesian single and multiple comparison procedures. *Computational Statistics*, 15(3):373–390.
- Gillund, G. and Shiffrin, R. M. (1984). A retrieval model for both recognition and recall. *Psychological Review*, 91(1):1–67.
- Gilmore, A. W., Kalinowski, S. E., Milleville, S. C., Gotts, S. J., and Martin, A. (2019a). Identifying task-general effects of stimulus familiarity in the parietal memory network. *Neuropsychologia*, 124:31–43.
- Gilmore, A. W., Nelson, S. M., Laumann, T. O., Gordon, E. M., Berg, J. J., Greene, D. J., Gratton, C., Nguyen, A. L., Ortega, M., Hoyt, C. R., Coalson, R. S., Schlaggar, B. L., Petersen, S. E., Dosenbach, N. U., and McDermott, K. B. (2019b). High-fidelity mapping of repetition-related changes in the parietal memory network. *NeuroImage*, 199:427–439.

- Glaze, J. A. (1928). The Association Value of Non-Sense Syllables. *The Pedagogical Seminary and Journal of Genetic Psychology*, 35(2):255–269.
- Going, M. and Read, J. D. (1974). Effects of Uniqueness, Sex of Subject, and Sex of Photograph on Facial Recognition. *Perceptual and Motor Skills*, 39(1):109–110.
- Golland, P. and Fischl, B. (2003). Permutation Tests for Classification: Towards Statistical Significance in Image-Based Studies. In Goos, G., Hartmanis, J., van Leeuwen, J., Taylor, C., and Noble, J. A., editors, *Information Processing in Medical Imaging*, volume 2732, pages 330–341. Springer Berlin Heidelberg, Berlin, Heidelberg. Series Title: Lecture Notes in Computer Science.
- Gorgolewski, K., Burns, C. D., Madison, C., Clark, D., Halchenko, Y. O., Waskom, M. L., and Ghosh, S. S. (2011). Nipype: A Flexible, Lightweight and Extensible Neuroimaging Data Processing Framework in Python. *Frontiers in Neuroinformatics*, 5.
- Greeno, J. G. (1968). Identifiability and statistical properties of two-stage learning with no successes in the initial stage. *Psychometrika*, 33(2):173–215.
- Greve, D. N. and Fischl, B. (2009). Accurate and robust brain image alignment using boundary-based registration. *NeuroImage*, 48(1):63–72.
- Grill-Spector, K. and Malach, R. (2001). fMR-adaptation: a tool for studying the functional properties of human cortical neurons. *Acta Psychologica*, 107(1-3):293–321.
- Grimaldi, P. J., Pyc, M. A., and Rawson, K. A. (2010). Normative multitrial recall performance, metacognitive judgments, and retrieval latencies for Lithuanian—English paired associates. *Behavior Research Methods*, 42(3):634–642.
- Hara, K., Adams, A., Milland, K., Savage, S., Callison-Burch, C., and Bigham, J. P. (2018). A Data-Driven Analysis of Workers’ Earnings on Amazon Mechanical Turk. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems - CHI ’18*, pages 1–14, Montreal QC, Canada. ACM Press.
- Hasinski, A. E. and Sederberg, P. B. (2016). Trial-level information for individual faces in the fusiform face area depends on subsequent memory. *NeuroImage*, 124:526–535.
- Hasson, U., Furman, O., Clark, D., Dudai, Y., and Davachi, L. (2008). Enhanced Inter-subject Correlations during Movie Viewing Correlate with Successful Episodic Encoding. *Neuron*, 57(3):452–462.

Haxby, J., Guntupalli, J., Connolly, A., Halchenko, Y., Conroy, B., Gobbini, M., Hanke, M., and Ramadge, P. (2011). A Common, High-Dimensional Model of the Representational Space in Human Ventral Temporal Cortex. *Neuron*, 72(2):404–416.

Haxby, J. V. (2001). Distributed and Overlapping Representations of Faces and Objects in Ventral Temporal Cortex. *Science*, 293(5539):2425–2430.

Haxby, J. V., Guntupalli, J. S., Nastase, S. A., and Feilong, M. (2020). Hyperalignment: Modeling shared information encoded in idiosyncratic cortical topographies. *eLife*, 9:e56601.

Henson, R. (2003). Electrophysiological and Haemodynamic Correlates of Face Perception, Recognition and Priming. *Cerebral Cortex*, 13(7):793–805.

Hintzman, D. L. (1988). Judgments of frequency and recognition memory in a multiple-trace memory model. *Psychological Review*, 95(4):528–551.

Hocking, R. R. and Smith, W. B. (1972). Optimum Incomplete Multinormal Samples. *Technometrics*, 14(2):299–307.

Hoerl, A. E. and Kennard, R. W. (1970). Ridge Regression: Biased Estimation for Nonorthogonal Problems. *Technometrics*, 12(1):55–67.

Homan, P., Levy, I., Feltham, E., Gordon, C., Hu, J., Li, J., Pietrzak, R. H., Southwick, S., Krystal, J. H., Harpaz-Rotem, I., and Schiller, D. (2019). Neural computations of threat in the aftermath of combat trauma. *Nature Neuroscience*, 22(3):470–476.

Hunter, J. D. (2007). Matplotlib: A 2D Graphics Environment. *Computing in Science & Engineering*, 9(3):90–95.

Isola, P., Xiao, J., Torralba, A., and Oliva, A. (2011). What makes an image memorable? In *CVPR 2011*, pages 145–152, Colorado Springs, CO, USA. IEEE.

Izawa, C. (1966). Reinforcement-Test Sequences in Paired-Associate Learning. *Psychological Reports*, 18(3):879–919.

Jenkinson, M., Bannister, P., Brady, M., and Smith, S. (2002). Improved Optimization for the Robust and Accurate Linear Registration and Motion Correction of Brain Images. *NeuroImage*, 17(2):825–841.

Jenkinson, M. and Smith, S. (2001). A global optimisation method for robust affine registration of brain images. *Medical Image Analysis*, 5(2):143–156.

- Kahana, M. J., Aggarwal, E. V., and Phan, T. D. (2018). The variability puzzle in human memory. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, 44(12):1857–1863.
- Kanwisher, N., McDermott, J., and Chun, M. M. (1997). The Fusiform Face Area: A Module in Human Extrastriate Cortex Specialized for Face Perception. *The Journal of Neuroscience*, 17(11):4302–4311.
- Katahira, K. (2016). How hierarchical models improve point estimates of model parameters at the individual level. *Journal of Mathematical Psychology*, 73:37–58.
- Kent, G. H. and Rosanoff, A. J. (1910). Part II. Association in insane subjects. In *A study of association in insanity*, pages 16–72. American Journal of Insanity.
- Kim, H. (2011). Neural activity that predicts subsequent memory and forgetting: A meta-analysis of 74 fMRI studies. *NeuroImage*, 54(3):2446–2461.
- Kirchhoff, B. A., Wagner, A. D., Maril, A., and Stern, C. E. (2000). Prefrontal–Temporal Circuitry for Episodic Encoding and Subsequent Memory. *The Journal of Neuroscience*, 20(16):6173–6180.
- Klein, A., Ghosh, S. S., Bao, F. S., Giard, J., Häme, Y., Stavsky, E., Lee, N., Rossa, B., Reuter, M., Chaibub Neto, E., and Keshavan, A. (2017). Mindboggling morphometry of human brains. *PLOS Computational Biology*, 13(2):e1005350.
- Koch, G. E., Paulus, J. P., and Coutanche, M. N. (2020). Neural Patterns are More Similar across Individuals during Successful Memory Encoding than during Failed Memory Encoding. *Cerebral Cortex*, 30(7):3872–3883.
- Kragel, J. E., Morton, N. W., and Polyn, S. M. (2015). Neural Activity in the Medial Temporal Lobe Reveals the Fidelity of Mental Time Travel. *Journal of Neuroscience*, 35(7):2914–2926.
- Kragel, J. E. and Polyn, S. M. (2016). Decoding Episodic Retrieval Processes: Frontoparietal and Medial Temporal Lobe Contributions to Free Recall. *Journal of Cognitive Neuroscience*, 28(1):125–139.
- Krakauer, J. W., Ghazanfar, A. A., Gomez-Marin, A., MacIver, M. A., and Poeppel, D. (2017). Neuroscience Needs Behavior: Correcting a Reductionist Bias. *Neuron*, 93(3):480–490.

- Kriegeskorte, N. (2008). Representational similarity analysis – connecting the branches of systems neuroscience. *Frontiers in Systems Neuroscience*.
- Kuhl, B. A. and Chun, M. M. (2014). Successful Remembering Elicits Event-Specific Activity Patterns in Lateral Parietal Cortex. *Journal of Neuroscience*, 34(23):8051–8060.
- Kuhl, B. A., Rissman, J., and Wagner, A. D. (2012). Multi-voxel patterns of visual category representation during episodic encoding are predictive of subsequent memory. *Neuropsychologia*, 50(4):458–469.
- Kuhn, M. and Wickham, H. (2020). *Tidymodels: a collection of packages for modeling and machine learning using tidyverse principles*.
- Kumar, R., Carroll, C., Hartikainen, A., and Martin, O. (2019). ArviZ a unified library for exploratory analysis of Bayesian models in Python. *Journal of Open Source Software*, 4(33):1143.
- Kılıç, A., Criss, A. H., Malmberg, K. J., and Shiffrin, R. M. (2017). Models that allow us to perceive the world more accurately also allow us to remember past events more accurately via differentiation. *Cognitive Psychology*, 92:65–86.
- Lanczos, C. (1964). A Precision Approximation of the Gamma Function. *Journal of the Society for Industrial and Applied Mathematics Series B Numerical Analysis*, 1(1):86–96.
- LaRocque, K. F., Smith, M. E., Carr, V. A., Witthoft, N., Grill-Spector, K., and Wagner, A. D. (2013). Global Similarity and Pattern Separation in the Human Medial Temporal Lobe Predict Subsequent Memory. *Journal of Neuroscience*, 33(13):5466–5474.
- Lee, H., Samide, R., Richter, F. R., and Kuhl, B. A. (2019). Decomposing Parietal Memory Reactivation to Predict Consequences of Remembering. *Cerebral Cortex*, 29(8):3305–3318.
- Light, L. L., Kayra-Stuart, F., and Hollander, S. (1979). Recognition memory for typical and unusual faces. *Journal of Experimental Psychology: Human Learning and Memory*, 5(3):212–228.
- Linderman, S., Johnson, M. J., and Adams, R. P. (2015). Dependent multinomial models made easy: Stick-breaking with the polya-gamma augmentation. In *Advances in Neural Information Processing Systems*, pages 3456–3464.
- Lindquist, M. A., Meng Loh, J., Atlas, L. Y., and Wager, T. D. (2009). Modeling the hemodynamic response function in fMRI: Efficiency, bias and mis-modeling. *NeuroImage*, 45(1):S187–S198.

- Litman, L. and Davachi, L. (2008). Distributed learning enhances relational memory consolidation. *Learning & Memory*, 15(9):711–716.
- Little, R. J. A. and Rubin, D. B. (2019). *Statistical analysis with missing data*. Wiley series in probability and statistics. Wiley, Hoboken, NJ, third edition edition.
- Lombardo, M. V., Auyeung, B., Holt, R. J., Waldman, J., Ruigrok, A. N., Mooney, N., Bullmore, E. T., Baron-Cohen, S., and Kundu, P. (2016). Improving effect size estimation and statistical power with multi-echo fMRI and its impact on understanding the neural systems supporting mentalizing. *NeuroImage*, 142:55–66.
- Love, B. C. (2020). Model-based fMRI analysis of memory. *Current Opinion in Behavioral Sciences*, 32:88–93.
- Lovelace, E. A. (1984). Metamemory: Monitoring future recallability during study. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, 10(4):756–766.
- Lu, T., Lord, C. G., and Yoke, K. (2015). Behind the stage of deliberate self-persuasion: When changes in valence of associations to an attitude object predict attitude change. *British Journal of Social Psychology*, 54(4):767–786.
- Mack, M., Preston, A., and Love, B. (2013). Decoding the Brain’s Algorithm for Categorization from Its Neural Implementation. *Current Biology*, 23(20):2023–2027.
- Mack, M. L., Love, B. C., and Preston, A. R. (2016). Dynamic updating of hippocampal object representations reflects new conceptual knowledge. *Proceedings of the National Academy of Sciences*, 113(46):13203–13208.
- Maillet, D. and Rajah, M. N. (2014). Dissociable roles of default-mode regions during episodic encoding. *NeuroImage*, 89:244–255.
- Marr, D. (1971). Simple memory: a theory for archicortex. *Philosophical Transactions of the Royal Society of London. B, Biological Sciences*, 262(841):23–81.
- Martin, C. B., Douglas, D., Newsome, R. N., Man, L. L., and Barense, M. D. (2018). Integrative and distinctive coding of visual and conceptual object features in the ventral visual stream. *eLife*, 7:e31873.
- Martin, E. (1968). Stimulus meaningfulness and paired-associate transfer: An encoding variability hypothesis. *Psychological Review*, 75(5):421–441.

- McDermott, K. B., Petersen, S. E., Watson, J. M., and Ojemann, J. G. (2003). A procedure for identifying regions preferentially activated by attention to semantic and phonological relations using functional magnetic resonance imaging. *Neuropsychologia*, 41(3):293–303.
- McKinney, W. (2010). Data Structures for Statistical Computing in Python. pages 56–61, Austin, Texas.
- Mishkin, M. (1978). Memory in monkeys severely impaired by combined but not by separate removal of amygdala and hippocampus. *Nature*, 273(5660):297–298.
- Mumford, J. A. and Nichols, T. (2009). Simple group fMRI modeling and inference. *NeuroImage*, 47(4):1469–1475.
- Mumford, J. A., Turner, B. O., Ashby, F. G., and Poldrack, R. A. (2012). Deconvolving BOLD activation in event-related designs for multivoxel pattern classification analyses. *NeuroImage*, 59(3):2636–2643.
- Munafò, M. R., Cremers, H. R., Wager, T. D., and Yarkoni, T. (2019). Power and design considerations in imaging research. In *Casting Light on the Dark Side of Brain Imaging*, pages 73–78. Elsevier.
- Murdock, B. B. (1962). The serial position effect of free recall. *Journal of Experimental Psychology*, 64(5):482–488.
- Myung, I. J. (2003). Tutorial on maximum likelihood estimation. *Journal of Mathematical Psychology*, 47(1):90–100.
- Nelson, S. M., Savalia, N. K., Fishell, A. K., Gilmore, A. W., Zou, F., Balota, D. A., and McDermott, K. B. (2016). Default Mode Network Activity Predicts Early Memory Decline in Healthy Young Adults Aged 18–31. *Cerebral Cortex*, 26(8):3379–3389.
- Nelson, T. O. and Dunlosky, J. (1991). When People’s Judgments of Learning (JOLs) are Extremely Accurate at Predicting Subsequent Recall: The “Delayed-JOL Effect”. *Psychological Science*, 2(4):267–271.
- Norman, K. A. and O’Reilly, R. C. (2003). Modeling hippocampal and neocortical contributions to recognition memory: A complementary-learning-systems approach. *Psychological Review*, 110(4):611–646.
- Nosofsky, R. M. (1988). Exemplar-based accounts of relations between classification, recognition, and typicality. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, 14(4):700–708.

- Nosofsky, R. M., Little, D. R., and James, T. W. (2012). Activation in the neural network responsible for categorization and recognition reflects parameter changes. *Proceedings of the National Academy of Sciences*, 109(1):333–338.
- Nunez, M. D., Vandekerckhove, J., and Srinivasan, R. (2017). How attention influences perceptual decision making: Single-trial EEG correlates of drift-diffusion model parameters. *Journal of Mathematical Psychology*, 76:117–130.
- O’Doherty, J. P., Dayan, P., Friston, K., Critchley, H., and Dolan, R. J. (2003). Temporal Difference Models and Reward-Related Learning in the Human Brain. *Neuron*, 38(2):329–337.
- Olkin, I. and Pratt, J. W. (1958). Unbiased Estimation of Certain Correlation Coefficients. *The Annals of Mathematical Statistics*, 29(1):201–211.
- Otten, L. J. and Rugg, M. D. (2001). When more means less. *Current Biology*, 11(19):1528–1530.
- Paller, K. A., Kutas, M., and Mayes, A. R. (1987). Neural correlates of encoding in an incidental learning paradigm. *Electroencephalography and Clinical Neurophysiology*, 67(4):360–371.
- Paller, K. A. and Wagner, A. D. (2002). Observing the transformation of experience into memory. *Trends in Cognitive Sciences*, 6(2):93–102.
- Palmeri, T. J., Love, B. C., and Turner, B. M. (2017). Model-based cognitive neuroscience. *Journal of Mathematical Psychology*, 76:59–64.
- Park, H. and Rugg, M. D. (2008). Neural correlates of successful encoding of semantically and phonologically mediated inter-item associations. *NeuroImage*, 43(1):165–172.
- Pavlik, P. I. and Anderson, J. R. (2005). Practice and Forgetting Effects on Vocabulary Memory: An Activation-Based Model of the Spacing Effect. *Cognitive Science*, 29(4):559–586.
- Peirce, J. W. (2007). PsychoPy—Psychophysics software in Python. *Journal of Neuroscience Methods*, 162(1-2):8–13.
- Pereira, F. and Botvinick, M. (2011). Information mapping with pattern classifiers: A comparative study. *NeuroImage*, 56(2):476–496.
- Pitman, E. J. G. (1937). Significance Tests Which May be Applied to Samples From any Populations. *Supplement to the Journal of the Royal Statistical Society*, 4(1):119.

- Poldrack, R. A., Baker, C. I., Durnez, J., Gorgolewski, K. J., Matthews, P. M., Munafò, M. R., Nichols, T. E., Poline, J.-B., Vul, E., and Yarkoni, T. (2017). Scanning the horizon: towards transparent and reproducible neuroimaging research. *Nature Reviews Neuroscience*, 18(2):115–126.
- Polyn, S. M. (2005). Category-Specific Cortical Activity Precedes Retrieval During Memory Search. *Science*, 310(5756):1963–1966.
- Power, J. D., Mitra, A., Laumann, T. O., Snyder, A. Z., Schlaggar, B. L., and Petersen, S. E. (2014). Methods to detect, characterize, and remove motion artifact in resting state fMRI. *NeuroImage*, 84:320–341.
- Raaijmakers, J. G. (2003). Spacing and repetition effects in human memory: application of the SAM model. *Cognitive Science*, 27(3):431–452.
- Ranganath, C., Johnson, M. K., and D’Esposito, M. (2003). Prefrontal activity associated with working memory and episodic long-term memory. *Neuropsychologia*, 41(3):378–389.
- Restle, F. (1965). Significance of all-or-none learning. *Psychological Bulletin*, 64(5):313–325.
- Reuter, M., Rosas, H. D., and Fischl, B. (2010). Highly accurate inverse consistent registration: A robust approach. *NeuroImage*, 53(4):1181–1196.
- Rissman, J., Greely, H. T., and Wagner, A. D. (2010). Detecting individual memories through the neural decoding of memory states and past experience. *Proceedings of the National Academy of Sciences*, 107(21):9849–9854.
- Rissman, J. and Wagner, A. D. (2012). Distributed Representations in Memory: Insights from Functional Brain Imaging. *Annual Review of Psychology*, 63(1):101–128.
- Ritchey, M., Montchal, M. E., Yonelinas, A. P., and Ranganath, C. (2015). Delay-dependent contributions of medial temporal lobe regions to episodic memory retrieval. *eLife*, 4:e05025.
- Roediger, H. L. and Karpicke, J. D. (2006). Test-Enhanced Learning: Taking Memory Tests Improves Long-Term Retention. *Psychological Science*, 17(3):249–255.
- Rosenberg, M. D., Finn, E. S., Scheinost, D., Papademetris, X., Shen, X., Constable, R. T., and Chun, M. M. (2016). A neuromarker of sustained attention from whole-brain functional connectivity. *Nature Neuroscience*, 19(1):165–171.

- Rossum, G. v., Drake, F. L., and Van Rossum, G. (2010). *The Python language reference*. Number Guido van Rossum; Fred L. Drake [ed.] ; Pt. 2 in Python documentation manual. Python Software Foundation, Hampton, NH, release 3.0.1 [repr.] edition. OCLC: 837611997.
- Rouder, J. N. and Lu, J. (2005). An introduction to Bayesian hierarchical models with an application in the theory of signal detection. *Psychonomic Bulletin & Review*, 12(4):573–604.
- Rubin, D. C. (1985). Memorability as a measure of processing: A unit analysis of prose and list learning. *Journal of Experimental Psychology: General*, 114(2):213–238.
- Rubin, D. C. and Friendly, M. (1986). Predicting which words get recalled: Measures of free recall, availability, goodness, emotionality, and pronunciability for 925 nouns. *Memory & Cognition*, 14(1):79–94.
- Ruch, T. C. (1928). Factors influencing the relative economy of massed and distributed practice in learning. *Psychological Review*, 35(1):19–45.
- Sanquist, T. F., Rohrbaugh, J. W., Syndulko, K., and Lindsley, D. B. (1980). Electrocor-tical Signs of Levels of Processing: Perceptual Analysis and Recognition Memory. *Psychophysiology*, 17(6):568–576.
- Schaefer, A., Kong, R., Gordon, E. M., Laumann, T. O., Zuo, X.-N., Holmes, A. J., Eickhoff, S. B., and Yeo, B. T. T. (2018). Local-Global Parcellation of the Human Cerebral Cortex from Intrinsic Functional Connectivity MRI. *Cerebral Cortex*, 28(9):3095–3114.
- Schmidt, F. L. (1971). The Relative Efficiency of Regression and Simple Unit Predictor Weights in Applied Differential Psychology. *Educational and Psychological Measurement*, 31(3):699–714.
- SciPy 1.0 Contributors, Virtanen, P., Gommers, R., Oliphant, T. E., Haberland, M., Reddy, T., Cournapeau, D., Burovski, E., Peterson, P., Weckesser, W., Bright, J., van der Walt, S. J., Brett, M., Wilson, J., Millman, K. J., Mayorov, N., Nelson, A. R. J., Jones, E., Kern, R., Larson, E., Carey, C. J., Polat, ♦., Feng, Y., Moore, E. W., VanderPlas, J., Laxalde, D., Perktold, J., Cimrman, R., Henriksen, I., Quintero, E. A., Harris, C. R., Archibald, A. M., Ribeiro, A. H., Pedregosa, F., and van Mulbregt, P. (2020). SciPy 1.0: fundamental algorithms for scientific computing in Python. *Nature Methods*, 17(3):261–272.

- Scoville, W. B. and Milner, B. (1957). LOSS OF RECENT MEMORY AFTER BILATERAL HIPPOCAMPAL LESIONS. *Journal of Neurology, Neurosurgery & Psychiatry*, 20(1):11–21.
- Shrout, P. E. and Fleiss, J. L. (1979). Intraclass correlations: Uses in assessing rater reliability. *Psychological Bulletin*, 86(2):420–428.
- Sievers, C., Bird, C. M., and Renoult, L. (2019). Predicting memory formation over multiple study episodes. *Learning & Memory*, 26(12):465–472.
- Stelzer, J., Chen, Y., and Turner, R. (2013). Statistical inference and multiple testing correction in classification-based multi-voxel pattern analysis (MVPA): Random permutations and cluster size control. *NeuroImage*, 65:69–82.
- Stone, M. (1974). Cross-Validatory Choice and Assessment of Statistical Predictions. *Journal of the Royal Statistical Society: Series B (Methodological)*, 36(2):111–133.
- Suppes, P. and Ginsberg, R. (1963). A fundamental property of all-or-none models, binomial distribution of responses prior to conditioning, with application to concept formation in children. *Psychological Review*, 70(2):139–161.
- Theobald, C. M. (1974). Generalizations of Mean Square Error Applied to Ridge Regression. *Journal of the Royal Statistical Society: Series B (Methodological)*, 36(1):103–106.
- Thios, S. J. and D’Agostino, P. R. (1976). Effects of repetition as a function of study-phase retrieval. *Journal of Verbal Learning and Verbal Behavior*, 15(5):529–536.
- Treadway, M. T., Buckholtz, J. W., and Zald, D. H. (2013). Perceived stress predicts altered reward and loss feedback processing in medial prefrontal cortex. *Frontiers in Human Neuroscience*, 7.
- Tulving, E. (1967). The effects of presentation and recall of material in free-recall learning. *Journal of Verbal Learning and Verbal Behavior*, 6(2):175–184.
- Turner, B. M., Forstmann, B. U., and Steyvers, M. (2019). *Joint Models of Neural and Behavioral Data*. Computational Approaches to Cognition and Perception. Springer International Publishing, Cham.
- Turner, B. M., Forstmann, B. U., Wagenmakers, E.-J., Brown, S. D., Sederberg, P. B., and Steyvers, M. (2013). A Bayesian framework for simultaneously modeling neural and behavioral data. *NeuroImage*, 72:193–206.

- Turner, B. M., Rodriguez, C. A., Norcia, T. M., McClure, S. M., and Steyvers, M. (2016). Why more is better: Simultaneous modeling of EEG, fMRI, and behavioral data. *NeuroImage*, 128:96–115.
- Turner, B. O., Paul, E. J., Miller, M. B., and Barbey, A. K. (2018). Small sample sizes reduce the replicability of task-based fMRI studies. *Communications Biology*, 1(1):62.
- Tustison, N. J., Avants, B. B., Cook, P. A., Yuanjie Zheng, Egan, A., Yushkevich, P. A., and Gee, J. C. (2010). N4ITK: Improved N3 Bias Correction. *IEEE Transactions on Medical Imaging*, 29(6):1310–1320.
- van De Sande, B. (2013). Properties of the Bayesian Knowledge Tracing Model. *Journal of Educational Data Mining*, 5(2):1–10. Publisher: ERIC.
- van der Walt, S., Colbert, S. C., and Varoquaux, G. (2011). The NumPy Array: A Structure for Efficient Numerical Computation. *Computing in Science & Engineering*, 13(2):22–30.
- van Maanen, L., Brown, S. D., Eichele, T., Wagenmakers, E.-J., Ho, T., Serences, J., and Forstmann, B. U. (2011). Neural Correlates of Trial-to-Trial Fluctuations in Response Caution. *Journal of Neuroscience*, 31(48):17488–17495.
- Vehtari, A., Gelman, A., and Gabry, J. (2017). Practical Bayesian model evaluation using leave-one-out cross-validation and WAIC. *Statistics and Computing*, 27(5):1413–1432.
- Vehtari, A., Gelman, A., Simpson, D., Carpenter, B., and Bürkner, P.-C. (2020). Rank-Normalization, Folding, and Localization: An Improved $\widehat{R}$ for Assessing Convergence of MCMC. *Bayesian Analysis*.
- Visser, R. M., Scholte, H. S., Beemsterboer, T., and Kindt, M. (2013). Neural pattern similarity predicts long-term fear memory. *Nature Neuroscience*, 16(4):388–390.
- Wagner, A. D. (1998). Building Memories: Remembering and Forgetting of Verbal Experiences as Predicted by Brain Activity. *Science*, 281(5380):1188–1191.
- Walther, A., Nili, H., Ejaz, N., Alink, A., Kriegeskorte, N., and Diedrichsen, J. (2016). Reliability of dissimilarity measures for multi-voxel pattern analysis. *NeuroImage*, 137:188–200.
- Wang, Q., Cagna, B., Chaminade, T., and Takerkart, S. (2020). Inter-subject pattern analysis: A straightforward and powerful scheme for group-level MVPA. *NeuroImage*, 204:116205.

Ward, E. J., Chun, M. M., and Kuhl, B. A. (2013). Repetition Suppression and Multi-Voxel Pattern Similarity Differentially Track Implicit and Explicit Visual Memory. *Journal of Neuroscience*, 33(37):14749–14757.

Waskom, M., Botvinnik, O., Ostblom, J., Gelbart, M., Lukauskas, S., Hobson, P., Gempert, D. C., Augspurger, T., Halchenko, Y., Cole, J. B., Warmenhoven, J., Ruiter, J. D., Pye, C., Hoyer, S., Vanderplas, J., Villalba, S., Kunter, G., Quintero, E., Bachant, P., Martin, M., Meyer, K., Swain, C., Miles, A., Brunner, T., O’Kane, D., Yarkoni, T., Williams, M. L., Evans, C., Fitzgerald, C., and Brian (2020). `mwaskom/seaborn: v0.10.1` (April 2020).

Weidemann, C. T. and Kahana, M. J. (2019). Neural measures of subsequent memory reflect endogenous variability in cognitive function. preprint, Neuroscience.

Wickham, H., Averick, M., Bryan, J., Chang, W., McGowan, L., François, R., Grolemund, G., Hayes, A., Henry, L., Hester, J., Kuhn, M., Pedersen, T., Miller, E., Bache, S., Müller, K., Ooms, J., Robinson, D., Seidel, D., Spinu, V., Takahashi, K., Vaughan, D., Wilke, C., Woo, K., and Yutani, H. (2019). Welcome to the Tidyverse. *Journal of Open Source Software*, 4(43):1686.

Wiecki, T. V., Sofer, I., and Frank, M. J. (2013). HDDM: Hierarchical Bayesian estimation of the Drift-Diffusion Model in Python. *Frontiers in Neuroinformatics*, 7.

Wilson, R. C. and Niv, Y. (2015). Is Model Fitting Necessary for Model-Based fMRI? *PLOS Computational Biology*, 11(6):e1004237.

Wilson-Mendenhall, C. D., Barrett, L. F., and Barsalou, L. W. (2015). Variety in emotional life: within-category typicality of emotional experiences is associated with neural activity in large-scale brain networks. *Social Cognitive and Affective Neuroscience*, 10(1):62–71.

Woodworth, R. (1914). A contribution to the question of “quick learning, quick forgetting.”. *Psychological Bulletin*, 11:58–59.

Woolrich, M. W., Behrens, T. E., Beckmann, C. F., Jenkinson, M., and Smith, S. M. (2004). Multilevel linear modelling for FMRI group analysis using Bayesian inference. *NeuroImage*, 21(4):1732–1747.

Xiao, X., Dong, Q., Chen, C., and Xue, G. (2016). Neural pattern similarity underlies the mnemonic advantages for living words. *Cortex*, 79:99–111.

- Xiao, X., Dong, Q., Gao, J., Men, W., Poldrack, R. A., and Xue, G. (2017). Transformed Neural Pattern Reinstatement during Episodic Memory Retrieval. *The Journal of Neuroscience*, 37(11):2986–2998.
- Xie, W., Bainbridge, W. A., Inati, S. K., Baker, C. I., and Zaghoul, K. A. (2020). Memorability of words in arbitrary verbal associations modulates memory retrieval in the anterior temporal lobe. *Nature Human Behaviour*.
- Xue, G. (2018). The Neural Representations Underlying Human Episodic Memory. *Trends in Cognitive Sciences*, 22(6):544–561.
- Xue, G., Dong, Q., Chen, C., Lu, Z., Mumford, J. A., and Poldrack, R. A. (2010). Greater Neural Pattern Similarity Across Repetitions Is Associated with Better Memory. *Science*, 330(6000):97–101.
- Xue, G., Dong, Q., Chen, C., Lu, Z.-L., Mumford, J. A., and Poldrack, R. A. (2013). Complementary Role of Frontoparietal Activity and Cortical Pattern Similarity in Successful Episodic Memory Encoding. *Cerebral Cortex*, 23(7):1562–1571.
- Yarkoni, T. (2009). Big Correlations in Little Studies: Inflated fMRI Correlations Reflect Low Statistical Power—Commentary on Vul et al. (2009). *Perspectives on Psychological Science*, 4(3):294–298.
- Yarkoni, T. and Westfall, J. (2017). Choosing Prediction Over Explanation in Psychology: Lessons From Machine Learning. *Perspectives on Psychological Science*, 12(6):1100–1122.
- Zhang, Y., Brady, M., and Smith, S. (2001). Segmentation of brain MR images through a hidden Markov random field model and the expectation-maximization algorithm. *IEEE Transactions on Medical Imaging*, 20(1):45–57.