

```
kaveri@lucky:~$ gcc --version
gcc (Ubuntu 15.2.0-16ubuntu1) 15.2.0
Copyright (C) 2025 Free Software Foundation, Inc.
This is free software; see the source for copying conditions.  There is NO
warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

kaveri@lucky:~$ git --version
git version 2.53.0

kaveri@lucky:~$ cd
kaveri@lucky:~$ touch file.txt
kaveri@lucky:~$ cd ~/Documents
-bash: cd: /home/navya/Documents: No such file or directory
```

mkdir: FileManagement: File exists

kaveri@lucky:~\$

\$ cd FileManagement

kaveri@lucky:~\$

\$ touch file1.txt

kaveri@lucky:~\$

\$ ls file1.txt

file1.txt

kaveri@lucky:~\$

\$ touch a.txt b.txt c.txt

kaveri@lucky:~\$

\$ echo "Hello Ubuntu"> file1.txt

kaveri@lucky:~\$

\$ cat file1.txt

Hello Ubuntu

kaveri@lucky:~\$

\$ cat file.txt a.txt

cat: file.txt: No such file or directory

kaveri@lucky:~\$

\$ cat file1.txt a.txt

Hello Ubuntu

kaveri@lucky:~\$

\$ cp file1.txt copy.txt

kaveri@lucky:~\$

\$ ls a.txt b.txt c.txt copy.txt file1.txt

a.txt b.txt c.txt copy.txt file1.txt

kaveri@lucky:~\$

\$ mv copy.txt newcopy.txt

kaveri@lucky:~\$

\$ ls

a.tx a.txt b.txt c.txt file file1.txt newcopy.txt

kaveri@lucky:~\$

\$ rm a.txt c.txt

kaveri@lucky:~\$

\$ seq 20>numbers.txt

seq: missing operand

Try 'seq --help' for more information.

kaveri@lucky:~\$

\$ seq 20 > numbers.txt

```
kaveri@lucky:~$ $ head numbers.txt
```

```
1  
2  
3  
4  
5  
6  
7  
8  
9  
10
```

```
kaveri@lucky:~$ $ tail numbers.txt
```

```
11  
12  
13  
14  
15  
16  
17  
18  
19  
20
```

```
kaveri@lucky:~$ $ nano hello
```

```
kaveri@lucky:~$ $ ls
```

```
a.tx b.txt file file1.txt hello newcopy.txt numbers.txt
```

```
kaveri@lucky:~$ $ ./hello
```

```
-bash: ./hello: Permission denied
```

```
kaveri@lucky:~$ $ which gcc
```

```
/usr/bin/gcc
```

```
kaveri@lucky:~$ $ whereis gcc
```

```
gcc: /usr/bin/gcc /usr/lib/gcc /usr/libexec/gcc /usr/share/gcc /usr/share/man/man1/gcc.1.gz
```

```
kaveri@lucky:~$ $ man gcc
```

```
kaveri@lucky:~$ $ |
```