

2-bromo-2-nitropropane-1,3-diol (Bronopol)



What is it?

Bronopol is a preservative and it has anti-microbial properties. It is in cosmetics, industrial products, and sometimes topical medications. It is a formaldehyde releaser.

Formaldehyde releasers are chemicals that may release formaldehyde. For this reason, if you are allergic to bronopol, you may also need to avoid formaldehyde and formaldehyde releasers.

BRONOPOL can also be known as:

- 1,3 - Propanediol - 2 - Bromo - 2 - Nitro
- Bronidiol, Bronocot, Bronosol
- 2 - Bromo - 2 - nitro - 1,3 - propanediol
- 2 - Bronopol
- 2 - nitro - 2 - bromo - 1,3 - propanediol
- b - Bromo - binitrotrimethyleneglycol
- Lexgard bronopol
- Bromo - 2 - nitro - 1,3 - propanediol
- Myacide AS, Myacide BT
- Bromo - 2 - nitropropane - 1,3-diol
- Onyxide 500

Some possible uses of BRONOPOL / FORMALDEHYDE RELEASERS / Where it might be found:

- Make-up, make-up remover, toner
- Cleanser, cream, lotion, after shave
- Shampoo, conditioner, hair styling products
- Soap, body wash, bubble bath
- Mouthwash, root canal disinfectant
- Antiperspirant, hygiene spray
- Sunscreen, After-sun products
- Nail polish, cuticle remover, nail hardener
- Hand soap
- Laundry detergent, fabric softener

- Facial tissue, moist wipes, baby wipes
- Pet care items
- Paper (i.e. products, pulp, glazed)
- Newsprint, cardboard, magazines
- Grocery sacks, plastic bags
- Wet strength paper towels
- Money
- Photocopy toner, Photo developer
- Casts
- Foam insulator
- Bonded leather, fire resistant items
- Fertilizer
- Mildew resistant finish, preservative
- Embalming fluid, tissue fixative
- Waterproof glue, adhesive, rubber cement
- Latex emulsion, ink, etching material
- Paint (i.e. water based, primer, stripper)
- Wax, polish, wood cleaner, finish
- Plywood, masonite, particle board, MDF
- Asphalt shingles, flooring, filling agent
- Wood, coal, kerosene, charcoal smoke
- Smoke from cigars and cigarettes
- Natural gas combustion
- Tattoo ink
- Simulated silage, Cooling tower
- Milk sampling

Other sources of BRONOPOL / FORMALDEHYDE RELEASER exposure:

Some topical medicated products may contain bronopol and/or formaldehyde releasers. Some examples include:

- Acne pads and cleansers
- Antifungals
- Anti-itch cream/gel/lotion
- Antiseptic spray
- Atopiclair

DISCLAIMER: Every effort is made to ensure the accuracy of the information provided herein. However, The American Contact Dermatitis Society® makes no warranties or representations of any kind as to its accuracy or completeness. Such information is provided for informational purposes only and is not meant to be a substitute for professional medical advice, diagnosis, treatment, or care.

2-bromo-2-nitropropane-1,3-diol (Bronopol)



- Calcipotriene cream
- Corticosteroids (clobetasol emollient cream, fluticasone cream and lotion, halobetasol cream)
- Crotamiton cream and lotion
- Ketoconazole shampoo
- Permethrin cream

Other products that might cross react with BRONOPOL:

You may need to avoid formaldehyde and its releasers, including:

- Imidazolidinyl urea
- Diazolidinyl urea
- Dimethyl dimethyl (DMDM) hydantoin
- Quaternium-15
- Bronopol (2-bromo-2-nitropropane-1,3-diol)
- Hexahydro-1,3,5-tris(2-hydroxyethyl)-s-triazine
- Tris nitromethane (i.e. Tris Nitrol)
- Sodium hydroxymethylglycinate
- Dimethyl imidazolidinone
- Dimethylol dihydroxyethyleneurea
- Melamine, Methenamine
- 1-(cis-3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride
- Dowicil 75, Dowicil 100, Dowicil 200, Germall 116, Glydant, Grotan BK, Grotan B
- Triadine 10, Onyxdine 200, Onyxdine 500, Vancide TH, Myacide BT, Myacide AS

Quaternium compounds other than quaternium-15 (i.e. quaternium-18) do NOT release formaldehyde.

What should I do to avoid BRONOPOL?

Check the ingredients of all items you use. Look for the names above. Products change often, so be sure to read all labels. For products already at home, go to the store and inspect the original package, or look at the manufacturer's or store's website.

Tell your health care providers, pharmacist, and others that take care of you about your allergy. Ask them to avoid items with formaldehyde releasers and formaldehyde.

To find a workplace exposure, check the ingredients list. Consult Material Safety Data Sheets (MSDS) too or contact the manufacturer.

Use of protection (i.e. clothing) or avoidance (i.e. a change in jobs) may be necessary.

If you are very sensitive, you may have difficulty. Do not wear permanent press, wrinkle or crease resistant, or wash and wear fabric. Do not wear static, water, and mildew resistant, or flame-retardant fabric. Wash new clothing and bedding with one to two cups of powdered milk before use.

Examples of formaldehyde-free items: Marcal paper goods, Grumbacher art paper, Boncours acrylic paint, Organic cotton, Oeko-Tex certified textiles.

REVISION DATE: DECEMBER 2025

In addition, the ACDS Contact Allergen Management Program® (CAMP®) can help manage contact dermatitis. It helps to find products that are safe to use by creating a list of products that do not contain one's allergens. For more information about CAMP®, please ask your doctor or visit www.contactderm.org.