Cucumber Report

| Start : Jan 09, 9:25:04.204 pm	End : Jan 09, 9:27:31.936 pm	Duration : 2 m 27.732 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 3 SKIPPED - 0	PASSED - 9 FAILED - 3 SKIPPED - 13

Features: 1 — Pass % 0 %

Scenarios: 5 — Pass % 40 %

Steps: 25 — Pass % 36 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Test Orange HRM Application	2 m 27.732 s	5	2	3	0	25	9	3	13

#	Feature Name	Scenario Name
1	*Test Orange HRM Application*	*Pim Page Functionlity*
2		*Pim Page Functionlity*
3		*Pim Page Functionlity*

#	Feature Name	T	P	F	S	Duration
1	*Test Orange HRM Application*	5	2	3	0	2 m 27.732 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test Orange HRM Application	Test Browser Functionlity	1	1	0	0	9.653 s
2		Testing login functionlity	3	3	0	0	4.606 s
3		Pim Page Functionlity	7	5	1	1	52.724 s
4		Pim Page Functionlity	7	0	1	6	40.095 s
5		Pim Page Functionlity	7	0	1	6	40.468 s

Test Orange HRM Application

FAILED	DURATION - 2 m 27.732 s	Scenarios		Steps	
		Total - 5		Total - 25	
/ 9:25:04.204 pm // 9:27:31.936 pm /		Pass - 2	5	Pass - 9	25
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 13	

Test Browser Functionlity

PASSED	DURATION - 9.653 s		Steps	
			Total - 1	
/ 9:25:04.212 pm // 9:25:13.865 pm /			Pass - 1	1
			Fail - 0	
Test Orange HRM Application			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user enter "chrome" browser and open login url	PASSED	7.258 s
	AFTER_STEP - StepDefination.StepDefination.tearDown(io.cucumber.java.Scenario)	PASSED	2.340 s
	09012024_212513Test Browser Functionlity		

Testing login functionlity

PASSED	DURATION - 4.606 s
/ 9:25:13.942 pm // 9:25:18.548 pm /	
Test Orange HRM Application	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	When user enter valid credentials and click on login button	PASSED	2.415 s
	AFTER_STEP - StepDefination.StepDefination.tearDown(io.cucumber.java.Scenario)	PASSED	0.481 s
	09012024_212516Testing login functionlity		
2	Then user validate title	PASSED	0.058 s
	AFTER_STEP - StepDefination.StepDefination.tearDown(io.cucumber.java.Scenario)	PASSED	0.821 s
	09012024_212517Testing login functionlity		
3	And user validate url	PASSED	0.406 s
	AFTER_STEP - StepDefination.StepDefination.tearDown(io.cucumber.java.Scenario)	PASSED	0.409 s
	09012024_212518Testing login functionlity		

Pim Page Functionlity

FAILED	DURATION - 52.724 s
/ 9:25:18.601 pm // 9:26:11.325 pm /	
Test Orange HRM Application	

Steps
Total - 7
Pass - 5
Fail - 1
Skip - 1

| #	Step / Hook Details	Status	Duration
1	When user click on pim link	PASSED	1.123 s
	AFTER_STEP - StepDefination.StepDefination.tearDown(io.cucumber.java.Scenario) 09012024_212520Pim Page Functionlity	PASSED	0.477 s
2	And user validate url by using url pim	PASSED	0.100 s
	AFTER_STEP - StepDefination.StepDefination.tearDown(io.cucumber.java.Scenario) 09012024_212520Pim Page Functionlity	PASSED	0.281 s
3	And user click on addemployee link and enter "Anita" ,"Walke" and click on save button	PASSED	2.294 s
	AFTER_STEP - StepDefination.StepDefination.tearDown(io.cucumber.java.Scenario) 09012024_212523Pim Page Functionlity	PASSED	0.294 s
4	And capture the employee id and click on Employee list	PASSED	6.897 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - StepDefination.StepDefination.tearDown(io.cucumber.java.Scenario)	PASSED	0.277 s
	09012024_212530Pim Page Functionlity		
5	And enter employee id in employee id and click on search button	PASSED	0.370 s
	AFTER_STEP - StepDefination.StepDefination.tearDown(io.cucumber.java.Scenario)	PASSED	0.279 s
	09012024_212531Pim Page Functionlity		
6	And select the search employee and click on delete	FAILED	40.297 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.200) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [50608426bdc755438d000c53484a415b, findElement {using=xpath, value=(//i[@class='oxd-icon bi-check oxd-checkbox-input-icon'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.200, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\DELL\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52420}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52420/devtoo..., se:cdpVersion: 120.0.6099.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 50608426bdc755438d000c53484a415b
	
	  at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy19.toString(Unknown Source) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:408) at org.openqa.selenium.support.ui.ExpectedConditions$10.toString(ExpectedConditions.java:295) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:408) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:226) at UtilLayer.Wait.visibilityStatus(Wait.java:18) at UtilLayer.Wait.click(Wait.java:39) at PageLayer.PimPage.checkElementAndDelete(PimPage.java:84) at StepDefination.StepDefination.select_the_search_employee_and_click_on_delete(StepDefination.java:85) at ?.select the search employee and click on delete(file:///D:/TestingProjects/CcucumberTestProject/HRM/AllFeatureFiles/orange.feature:18) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefination.StepDefination.tearDown(io.cucumber.java.Scenario)	FAILED	0.018 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.200) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [50608426bdc755438d000c53484a415b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.200, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\DELL\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52420}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52420/devtoo..., se:cdpVersion: 120.0.6099.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 50608426bdc755438d000c53484a415b at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at StepDefination.StepDefination.tearDown(StepDefination.java:97)		
7	And validate user deleted or not	SKIPPED	0.001 s

Pim Page Functionlity

FAILED	DURATION - 40.095 s		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	7
/ 9:26:11.354 pm // 9:26:51.449 pm /				
Test Orange HRM Application				

#	Step / Hook Details	Status	Duration
1	When user click on pim link	FAILED	40.065 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.200) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [50608426bdc755438d000c53484a415b, findElement {using=xpath, value=(//a[@class='oxd-main-menu-item'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.200, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\DELL\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52420}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52420/devtoo..., se:cdpVersion: 120.0.6099.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 50608426bdc755438d000c53484a415b
	  at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy19.toString(Unknown Source) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:408) at org.openqa.selenium.support.ui.ExpectedConditions$10.toString(ExpectedConditions.java:295) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:408) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:226) at UtilLayer.Wait.visibilityStatus(Wait.java:18) at UtilLayer.Wait.click(Wait.java:39) at PageLayer.PimPage.clickPim(PimPage.java:59) at StepDefination.StepDefination.user_click_on_pim_link(StepDefination.java:52) at ?.user click on pim link(file:///D:/TestingProjects/CcucumberTestProject/HRM/AllFeatureFiles/orange.feature:12) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefination.StepDefination.tearDown(io.cucumber.java.Scenario)	FAILED	0.011 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.200) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [50608426bdc755438d000c53484a415b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.200, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\DELL\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52420}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52420/devtoo..., se:cdpVersion: 120.0.6099.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 50608426bdc755438d000c53484a415b at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at StepDefination.StepDefination.tearDown(StepDefination.java:97)		
2	And user validate url by using url `pim`	SKIPPED	0.002 s
3	And user click on addemployee link and enter "Ravi" ,"Shinde" and click on save button	SKIPPED	0.001 s
4	And capture the employee id and click on Employee list	SKIPPED	0.000 s
5	And enter employee id in employee id and click on search button	SKIPPED	0.000 s
6	And select the search employee and click on delete	SKIPPED	0.000 s
7	And validate user deleted or not	SKIPPED	0.001 s

Pim Page Functionlity

FAILED	DURATION - 40.468 s
/ 9:26:51.468 pm // 9:27:31.936 pm /	
Test Orange HRM Application	

Steps
Total - 7
Pass - 0
Fail - 1
Skip - 6

#	Step / Hook Details	Status	Duration
1	When user click on pim link	FAILED	40.376 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.200) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [50608426bdc755438d000c53484a415b, findElement {using=xpath, value=(//a[@class='oxd-main-menu-item'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.200, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\DELL\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52420}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52420/devtoo..., se:cdpVersion: 120.0.6099.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 50608426bdc755438d000c53484a415b at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy19.toString(Unknown Source)		
	at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453)		
	at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:408)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.toString(ExpectedConditions.java:295)		
	at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453)		
	at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:408)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:226)		
	at UtilLayer.Wait.visibilityStatus(Wait.java:18)		
	at UtilLayer.Wait.click(Wait.java:39)		
	at PageLayer.PimPage.clickPim(PimPage.java:59)		
	at StepDefination.StepDefination.user_click_on_pim_link(StepDefination.java:52)		
	at ?.user click on pim link(file:///D:/TestingProjects/CcucumberTestProject/HRM/AllFeatureFiles/orange.feature:12)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefination.StepDefination.tearDown(io.cucumber.java.Scenario)	FAILED	0.079 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.200) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [50608426bdc755438d000c53484a415b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.200, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\DELL\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52420}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52420/devtoo..., se:cdpVersion: 120.0.6099.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 50608426bdc755438d000c53484a415b at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at StepDefination.StepDefination.tearDown(StepDefination.java:97)		
2	And user validate url by using url pim	SKIPPED	0.000 s
3	And user click on addemployee link and enter "janhavi" ,"Walke" and click on save button	SKIPPED	0.001 s
4	And capture the employee id and click on Employee list	SKIPPED	0.001 s
5	And enter employee id in employee id and click on search button	SKIPPED	0.000 s
6	And select the search employee and click on delete	SKIPPED	0.000 s
7	And validate user deleted or not	SKIPPED	0.000 s