Cucumber Report

| Start : Jan 09, 9:20:07.800 pm	End : Jan 09, 9:22:29.352 pm	Duration : 2 m 21.552 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 4 SKIPPED - 0	PASSED - 1 FAILED - 4 SKIPPED - 20

1

5

25

Pass %

0 %

20 %

4 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Test Orange HRM Application	2 m 21.552 s	5	1	4	0	25	1	4	20

#	Feature Name	Scenario Name
1	Test Orange HRM Application	Testing login functionlity
2		Pim Page Functionlity
3		Pim Page Functionlity
4		Pim Page Functionlity

#	Feature Name	T	P	F	S	Duration
1	Test Orange HRM Application	5	1	4	0	2 m 21.552 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test Orange HRM Application	Test Browser Functionlity	1	1	0	0	9.812 s
2		Testing login functionlity	3	0	1	2	0.732 s
3		Pim Page Functionlity	7	0	1	6	50.164 s
4		Pim Page Functionlity	7	0	1	6	40.427 s
5		Pim Page Functionlity	7	0	1	6	40.153 s

Test Orange HRM Application

FAILED	DURATION - 2 m 21.552 s	Scenarios Total - 5 Pass - 1 Fail - 4 Skip - 0	Steps Total - 25 Pass - 1 Fail - 4 Skip - 20
/ 9:20:07.800 pm // 9:22:29.352 pm /			

Test Browser Functionlity

PASSED	DURATION - 9.812 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0
/ 9:20:07.805 pm // 9:20:17.617 pm /			
Test Orange HRM Application			

#	Step / Hook Details	Status	Duration
1	Given user enter "chrome" browser and open login url	PASSED	9.517 s
	AFTER_STEP - StepDefination.StepDefination.tearDown(io.cucumber.java.Scenario)	PASSED	0.247 s
	09012024_212017Test Browser Functionlity		

Testing login functionlity

FAILED	DURATION - 0.732 s
/ 9:20:17.739 pm // 9:20:18.471 pm /	
Test Orange HRM Application	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	When user enter valid credentials and click on login button	FAILED	0.004 s
	Step undefined		
	AFTER_STEP - StepDefination.StepDefination.tearDown(io.cucumber.java.Scenario)	PASSED	0.721 s
	09012024_212018Testing login functionlity		
2	Then user validate title	SKIPPED	0.001 s
3	And user validate url	SKIPPED	0.001 s

Pim Page Functionlity

FAILED	DURATION - 50.164 s
/ 9:20:18.542 pm // 9:21:08.706 pm /	
Test Orange HRM Application	

Steps
Total - 7
Pass - 0
Fail - 1
Skip - 6

#	Step / Hook Details	Status	Duration
1	When user click on pim link	FAILED	50.090 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.200) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch:		

#	Step / Hook Details	Status	Duration

	'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3482e21d2cfc6eb486d66124a1e32729, findElement {using=xpath, value=(//a[@class='oxd-main-menu-item'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.200, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\DELL\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52178}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52178/devtoo..., se:cdpVersion: 120.0.6099.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3482e21d2cfc6eb486d66124a1e32729
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy19.toString(Unknown Source)
	  at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453)
	  at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:408)
	  at org.openqa.selenium.support.ui.ExpectedConditions$10.toString(ExpectedConditions.java:295)
	  at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453)
	  at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:408)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:226)
	  at UtilLayer.Wait.visibilityStatus(Wait.java:18)
	  at UtilLayer.Wait.click(Wait.java:39)
	  at PageLayer.PimPage.clickPim(PimPage.java:59)
	  at StepDefination.StepDefination.user_click_on_pim_link(StepDefination.java:52)
	  at ?.user click on pim link(file:///D:/TestingProjects/CcucumberTestProject/HRM/AllFeatureFiles/orange.feature:12)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - StepDefination.StepDefination.tearDown(io.cucumber.java.Scenario)	FAILED	0.052 s

| #	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.200) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3482e21d2cfc6eb486d66124a1e32729, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.200, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\DELL\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52178}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52178/devtoo..., se:cdpVersion: 120.0.6099.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3482e21d2cfc6eb486d66124a1e32729
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326)
	    at StepDefination.StepDefination.tearDown(StepDefination.java:95)		

2	And user validate url by using url `pim`	SKIPPED	0.003 s
3	And user click on addemployee link and enter "Anita" ,"Walke" and click on save button	SKIPPED	0.001 s
4	And capture the employee id and click on Employee list	SKIPPED	0.000 s
5	And enter employee id in employee id and click on search button	SKIPPED	0.000 s
6	And select the search employee and click on delete	SKIPPED	0.001 s
7	And validate user deleted or not	SKIPPED	0.001 s

Pim Page Functionlity

FAILED	DURATION - 40.427 s
/ 9:21:08.738 pm // 9:21:49.165 pm /	
Test Orange HRM Application	

Steps
Total - 7
Pass - 0
Fail - 1
Skip - 6

7

#	Step / Hook Details	Status	Duration
1	When user click on pim link	FAILED	40.405 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.200) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3482e21d2cfc6eb486d66124a1e32729, findElement {using=xpath, value=(//a[@class='oxd-main-menu-item'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.200, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\DELL\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52178}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52178/devtoo..., se:cdpVersion: 120.0.6099.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3482e21d2cfc6eb486d66124a1e32729
	    at jdk.internal.reflect.GeneratedConstructorAccessor13.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy19.toString(Unknown Source)
	    at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:408) at org.openqa.selenium.support.ui.ExpectedConditions$10.toString(ExpectedConditions.java:295) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:408) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:226) at UtilLayer.Wait.visibilityStatus(Wait.java:18) at UtilLayer.Wait.click(Wait.java:39) at PageLayer.PimPage.clickPim(PimPage.java:59) at StepDefination.StepDefination.user_click_on_pim_link(StepDefination.java:52) at ?.user click on pim link(file:///D:/TestingProjects/CcucumberTestProject/HRM/AllFeatureFiles/orange.feature:12) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefination.StepDefination.tearDown(io.cucumber.java.Scenario)	FAILED	0.010 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.200) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3482e21d2cfc6eb486d66124a1e32729, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.200, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\DELL\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52178}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52178/devtoo..., se:cdpVersion: 120.0.6099.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3482e21d2cfc6eb486d66124a1e32729 at jdk.internal.reflect.GeneratedConstructorAccessor13.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at StepDefination.StepDefination.tearDown(StepDefination.java:95)		
2	And user validate url by using url pim	SKIPPED	0.001 s
3	And user click on addemployee link and enter "Ravi" ,"Shinde" and click on save button	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
4	And capture the employee id and click on Employee list	SKIPPED	0.000 s
5	And enter employee id in employee id and click on search button	SKIPPED	0.001 s
6	And select the search employee and click on delete	SKIPPED	0.001 s
7	And validate user deleted or not	SKIPPED	0.002 s

Pim Page Functionlity

FAILED	DURATION - 40.153 s
/ 9:21:49.199 pm // 9:22:29.352 pm /	
Test Orange HRM Application	

Steps
Total - 7
Pass - 0
Fail - 1
Skip - 6

7

#	Step / Hook Details	Status	Duration
1	When user click on pim link	FAILED	40.065 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.200) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3482e21d2cfc6eb486d66124a1e32729, findElement {using=xpath, value=(//a[@class='oxd-main-menu-item'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.200, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\DELL\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52178}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52178/devtoo..., se:cdpVersion: 120.0.6099.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3482e21d2cfc6eb486d66124a1e32729 at jdk.internal.reflect.GeneratedConstructorAccessor13.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy19.toString(Unknown Source) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:408) at org.openqa.selenium.support.ui.ExpectedConditions$10.toString(ExpectedConditions.java:295) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:408) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:226) at UtilLayer.Wait.visibilityStatus(Wait.java:18) at UtilLayer.Wait.click(Wait.java:39) at PageLayer.PimPage.clickPim(PimPage.java:59) at StepDefination.StepDefination.user_click_on_pim_link(StepDefination.java:52) at ?.user click on pim link(file:///D:/TestingProjects/CcucumberTestProject/HRM/AllFeatureFiles/orange.feature:12) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefination.StepDefination.tearDown(io.cucumber.java.Scenario)	FAILED	0.012 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.200) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3482e21d2cfc6eb486d66124a1e32729, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.200, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\DELL\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52178}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52178/devtoo..., se:cdpVersion: 120.0.6099.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3482e21d2cfc6eb486d66124a1e32729 at jdk.internal.reflect.GeneratedConstructorAccessor13.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at StepDefination.StepDefination.tearDown(StepDefination.java:95)		
2	And user validate url by using url pim	SKIPPED	0.006 s
3	And user click on addemployee link and enter "janhavi" ,"Walke" and click on save button	SKIPPED	0.010 s
4	And capture the employee id and click on Employee list	SKIPPED	0.003 s
5	And enter employee id in employee id and click on search button	SKIPPED	0.008 s
6	And select the search employee and click on delete	SKIPPED	0.002 s
7	And validate user deleted or not	SKIPPED	0.000 s