

# Cucumber Report

Nov 26, 2023, 7:14:01 PM

Start : Nov 26, 7:13:42.604 PM

End : Nov 26, 7:14:00.444 PM

Duration : 17.840 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 5  
FAILED - 6  
SKIPPED - 0

PASSED - 27  
FAILED - 6  
SKIPPED - 9




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Handling stack options</u>	17.840 s	11	5	6	0	42	27	6	9


#	Feature Name	Scenario Name
1	<u>Handling stack options</u>	<u>User redirected to try me page to run invalid code</u>
2		<u>User redirected to try me page to run python code</u>
3		<u>User redirected to try me page to run invalid code</u>
4		<u>User redirected to try me page to run python code</u>
5		<u>User redirected to try me page to run invalid code</u>
6		<u>User redirected to try me page to run python code</u>



#	Feature Name	T	P	F	S	Duration
1	<u>Handling stack options</u>	11	5	6	0	17.840 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Handling stack options</u>	<u>User clicks gets into stack page</u>	3	3	0	0	4.744 s
2		<u>User on operation in stack page</u>	4	4	0	0	1.102 s
3		<u>User redirected to try me page to run invalid code</u>	4	3	1	0	3.353 s
4		<u>User redirected to try me page to run python code</u>	4	0	1	3	0.053 s
5		<u>The user back to Stack page</u>	4	4	0	0	0.711 s
6		<u>User redirected to try me page to run invalid code</u>	4	3	1	0	3.329 s
7		<u>User redirected to try me page to run python code</u>	4	0	1	3	0.025 s
8		<u>The user again back to Stack page</u>	4	4	0	0	0.562 s
9		<u>User redirected to try me page to run invalid code</u>	4	3	1	0	3.261 s
10		<u>User redirected to try me page to run python code</u>	4	0	1	3	0.023 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Handling stack options</u>	<u>The user again Stack page</u>	3	3	0	0	0.268 s

## Handling stack options



<b>FAILED</b>	DURATION - 17.840 s	Scenarios		Steps	
/ 7:13:42.604 PM // 7:14:00.444 PM /		Total - 11		Total - 42	
		Pass - 5		Pass - 27	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 9	

## User clicks gets into stack page

<div><div>PASSED</div><div>DURATION - 4.744 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
/ 7:13:42.609 PM // 7:13:47.353 PM /				
Handling stack options				



#	Step / Hook Details	Status	Duration
1	Given User is logged in and on Home Page for stack	PASSED	1.507 s
2	When User clicks on stack Get started button or from drop menu stack item	PASSED	0.912 s
3	Then User is on stack Intro page	PASSED	0.012 s

## User on operation in stack page

<div>PASSED</div>	<div>DURATION - 1.102 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:13:47.491 PM // 7:13:48.593 PM /</div>				
<div>Handling stack options</div>				



#	Step / Hook Details	Status	Duration
1	Given User is on opertaion stack Intro page	PASSED	0.025 s
2	When user clicks on opertaion in stack	PASSED	0.400 s
3	And User clicks on try here	PASSED	0.653 s
4	Then User lands on tryEditor page of stack	PASSED	0.020 s

### User redirected to try me page to run invalid code

<div>FAILED</div> <div>DURATION - 3.353 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 7:13:48.673 PM // 7:13:52.026 PM /				
Handling stack options				

#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page for invalid code	PASSED	0.014 s
2	When User enters invalid code to run on editor in stack	PASSED	3.239 s
	System.out.println("Hi Java");		
3	And User clicks Run to execute code for stack	PASSED	0.081 s
4	Then User gets a error message and dismisses it in stack	FAILED	0.008 s
	Step undefined		



### User redirected to try me page to run python code

<div>FAILED</div> <div>DURATION - 0.053 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 7:13:52.066 PM // 7:13:52.119 PM /				
Handling stack options				





#	Step / Hook Details	Status	Duration
1	<p>Given User lands on Editor page valid code</p> <p>org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'System' is not defined on line 1} (Session info: chrome=119.0.6045.160): NameError: name 'System' is not defined on line 1 Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7d2abf37ec82769c619bf0412a72e010, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\kirti\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62073}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62073/devtoo..., se:cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7d2abf37ec82769c619bf0412a72e010</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)  at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.back(RemoteWebDriver.java:1142)  at pageobjects.Stack.navigate(Stack.java:79)  at stepdefinition.StackDefinition.user_lands_on_editor_page_valid_code(StackDefinition.java:84)  at ?.User lands on Editor page valid code(file:///C:/Users/kirti/git/numpy_coders/src/test/resources/features/stack.feature:22)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.041 s
2	<p>When User enters python code to run on editor of stack</p> <pre>print 'hello';</pre>	SKIPPED	0.001 s
3	And User clicks Run to execute python code	SKIPPED	0.001 s
4	Then User gets a valid output	SKIPPED	0.000 s

### The user back to Stack page

PASSED		DURATION - 0.711 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:13:52.147 PM // 7:13:52.858 PM /						
Handling stack options						



#	Step / Hook Details	Status	Duration
1	Given The user is on Stack page for clicks on implementation	PASSED	0.052 s
2	When user clicks on implementation	PASSED	0.269 s
3	And User clicks on try here	PASSED	0.370 s
4	Then User lands on tryEditor page of stack	PASSED	0.015 s

### User redirected to try me page to run invalid code

<div>FAILED</div> <div>DURATION - 3.329 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 7:13:52.884 PM // 7:13:56.213 PM /				
Handling stack options				



#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page for invalid code	PASSED	0.019 s
2	When User enters invalid code to run on editor in stack	PASSED	3.243 s
	System.out.println("Hi Java");		
3	And User clicks Run to execute code for stack	PASSED	0.055 s
4	Then User gets a error message and dismisses it in stack	FAILED	0.001 s
	Step undefined		

### User redirected to try me page to run python code

<div>FAILED</div> <div>DURATION - 0.025 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 7:13:56.231 PM // 7:13:56.256 PM /				
Handling stack options				



#	Step / Hook Details	Status	Duration
1	<p>Given User lands on Editor page valid code</p> <p>org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'System' is not defined on line 1} (Session info: chrome=119.0.6045.160): NameError: name 'System' is not defined on line 1 Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7d2abf37ec82769c619bf0412a72e010, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\kirti\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62073}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62073/devtoo..., se:cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7d2abf37ec82769c619bf0412a72e010</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)  at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.back(RemoteWebDriver.java:1142)  at pageobjects.Stack.navigate(Stack.java:79)  at stepdefinition.StackDefinition.user_lands_on_editor_page_valid_code(StackDefinition.java:84)  at ?.User lands on Editor page valid code(file:///C:/Users/kirti/git/numpy_coders/src/test/resources/features/stack.feature:42)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.015 s
2	<p>When User enters python code to run on editor of stack</p> <pre>print 'hello';</pre>	SKIPPED	0.000 s
3	And User clicks Run to execute python code	SKIPPED	0.001 s
4	Then User gets a valid output	SKIPPED	0.001 s

### The user again back to Stack page

PASSED	DURATION - 0.562 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:13:56.273 PM // 7:13:56.835 PM /				
Handling stack options				



#	Step / Hook Details	Status	Duration
1	Given The user on Stack page for clicks on Applications	PASSED	0.050 s
2	When user clicks on Applications	PASSED	0.192 s
3	And User clicks on try here	PASSED	0.302 s
4	Then User lands on tryEditor page of stack	PASSED	0.013 s

### User redirected to try me page to run invalid code

<div>FAILED</div> <div>DURATION - 3.261 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 7:13:56.851 PM // 7:14:00.112 PM /				
Handling stack options				



#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page for invalid code	PASSED	0.016 s
2	When User enters invalid code to run on editor in stack	PASSED	3.175 s
	System.out.println("Hi Java");		
3	And User clicks Run to execute code for stack	PASSED	0.060 s
4	Then User gets a error message and dismisses it in stack	FAILED	0.005 s
	Step undefined		

### User redirected to try me page to run python code

<div>FAILED</div> <div>DURATION - 0.023 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 7:14:00.131 PM // 7:14:00.154 PM /				
Handling stack options				

#	Step / Hook Details	Status	Duration
1	<p>Given User lands on Editor page valid code</p> <p>org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'System' is not defined on line 1} (Session info: chrome=119.0.6045.160): NameError: name 'System' is not defined on line 1 Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7d2abf37ec82769c619bf0412a72e010, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\kirti\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62073}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62073/devtoo..., se:cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7d2abf37ec82769c619bf0412a72e010</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)  at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.back(RemoteWebDriver.java:1142)  at pageobjects.Stack.navigate(Stack.java:79)  at stepdefinition.StackDefinition.user_lands_on_editor_page_valid_code(StackDefinition.java:84)  at ?.User lands on Editor page valid code(file:///C:/Users/kirti/git/numpy_coders/src/test/resources/features/stack.feature:63)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.010 s
2	<p>When User enters python code to run on editor of stack</p> <pre>print 'hello';</pre>	SKIPPED	0.002 s
3	And User clicks Run to execute python code	SKIPPED	0.001 s
4	Then User gets a valid output in stack	SKIPPED	0.001 s

### The user again Stack page

PASSED		DURATION - 0.268 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:14:00.176 PM // 7:14:00.444 PM /						
Handling stack options						

#	Step / Hook Details	Status	Duration
1	Given The user is on Stack page for click practice quest	PASSED	0.040 s
2	When user clicks on practice questions	PASSED	0.213 s
3	Then User lands on practice page	PASSED	0.010 s