
Start: Nov 26, 7:19:35.213 PM End: Nov 26, 7:19:52.859 PM **Duration: 17.646 s** Scenarios **Features** Steps PASSED - 0 PASSED - 5 SKIPPED - 0 SKIPPED - 0 SKIPPED - 9 11 42 40 50 60 30 Pass % 70 40 50 60 40 50 60 30 Pass % /70 30 Pass % 70 20 20 20 80 80 80 90 90 10 45 % 64 % 100 100

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Handling stack options	17.646 s	11	5	6	0	42	27	6	9


#	Feature Name	Scenario Name
1	Handling stack options	User redirected to try me page to run invalid code
2		User redirected to try me page to run python code
3		User redirected to try me page to run invalid code
4		User redirected to try me page to run python code
5		User redirected to try me page to run invalid code
6		User redirected to try me page to run python code

FEATURES SUMMARY




#	Feature Name	T	P	F	S	Duration
1	Handling stack options	11	5	6	0	17.646 s

SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Handling stack options	User clicks gets into stack page	3	3	0	0	4.929 s
2		User on operation in stack page	4	4	0	0	0.997 s
3		User redirected to try me page to run invalid code	4	3	1	0	3.312 s
4		User redirected to try me page to run python code	4	0	1	3	0.050 s
5		The user back to Stack page	4	4	0	0	0.604 s
6		User redirected to try me page to run invalid code	4	3	1	0	3.239 s
7		User redirected to try me page to run python code	4	0	1	3	0.023 s
8		The user again back to Stack page	4	4	0	0	0.560 s
9		User redirected to try me page to run invalid code	4	3	1	0	3.270 s
10		User redirected to try me page to run python code	4	0	1	3	0.025 s

SCENARIOS SUMMARY -- 6 --




7	#	Feature Name	Scenario Name	T	P	F	S	Duration	
1	11	Handling stack options	The user again Stack page	3	3	0	0	0.279 s	

Handling stack options


FAILED	DURATION - 17.646 s	Scenarios		Steps	
		Total - 11		Total - 42	
/ 7:19:35.213 PM // 1	7:19:52.859 PM /	Pass - 5	11	Pass - 27	42
		Fail - 6	· · · /	Fail - 6	
		Skip - 0		Skip - 9	

User clicks gets into stack page




#	Step / Hook Details	Status	Duration
1	Given User is logged in and on Home Page for stack	PASSED	1.522 s
2	When User clicks on stack Get started button or from drop menu stack item	PASSED	0.785 s
3	Then User is on stack Intro page	PASSED	0.026 s

User on operation in stack page




#	Step / Hook Details	Status	Duration
1	Given User is on opertaion stack Intro page	PASSED	0.017 s
2	When user clicks on opertaion in stack	PASSED	0.324 s
3	And User clicks on try here	PASSED	0.644 s
4	Then User lands on tryEditor page of stack	PASSED	0.008 s

User redirected to try me page to run invalid code




#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page for invalid code	PASSED	0.010 s
2	When User enters invalid code to run on editor in stack	PASSED	3.208 s
	System.out.println("Hi Java");		
3	And User clicks Run to execute code for stack	PASSED	0.077 s
4	Then User gets a error message and dismisses it in stack	FAILED	0.006 s
	Step undefined		

User redirected to try me page to run python code




#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page valid code	FAILED	0.030 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'System' is not defined on line 1} (Session info: chrome=119.0.6045.160): NameError: name 'System' is not defined on line 1 Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [3e4de02670f66286ee804cd4318d1212, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: (chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:UserskiritiAppDatalLoca), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp. ws:/localhost:63068/devtoo, se:cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3e4de02670f66286ee804cd4318d1212 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:22) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(PriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at o		
2	When User enters python code to run on editor of stack	SKIPPED	0.002 s
	print 'hello';		
3	And User clicks Run to execute pythone code	SKIPPED	0.001 s
4	Then User gets a valid output	SKIPPED	0.000 s

The user back to Stack page




#	Step / Hook Details	Status	Duration
1	Given The user is on Stack page for clicks on implementation	PASSED	0.056 s
2	When user clicks on implementation	PASSED	0.222 s
3	And User clicks on try here	PASSED	0.309 s
4	Then User lands on tryEditor page of stack	PASSED	0.011 s

User redirected to try me page to run invalid code




#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page for invalid code	PASSED	0.011 s
2	When User enters invalid code to run on editor in stack	PASSED	3.166 s
	System.out.println("Hi Java");		
3	And User clicks Run to execute code for stack	PASSED	0.056 s
4	Then User gets a error message and dismisses it in stack	FAILED	0.002 s
	Step undefined		

User redirected to try me page to run python code




#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page valid code	FAILED	0.011 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'System' is not defined on line 1} (Session info: chrome=119.0.6045.160): NameError: name 'System' is not defined on line 1 Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [3e4de02670f66286ee804cd4318d1212, goback {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\kirtlAppDataL\cataLoca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63068/devtoo, se:cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: [implicit: 0, pageLoad: 300000, script: 3000], unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3e4de02670f66286ee804cd4318d1212 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:195) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.sexecute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver*RemoteNavigation.back(RemoteWebDriver.java:1142) at ttilities.Helper.NavBack(Helper.java:58) at stepdefinition.StackDefinitio		
2	* Not displayable characters are replaced by '?'. When User enters python code to run on editor of stack	SKIPPED	0.001 s
	print 'hello';	CIMITED	0.0013
3	And User clicks Run to execute pythone code	SKIPPED	0.001 s
4	Then User gets a valid output	SKIPPED	0.000 s

The user again back to Stack page




#	Step / Hook Details	Status	Duration
1	Given The user on Stack page for clicks on Applications	PASSED	0.046 s
2	When user clicks on Applications	PASSED	0.205 s
3	And User clicks on try here	PASSED	0.296 s
4	Then User lands on tryEditor page of stack	PASSED	0.009 s

User redirected to try me page to run invalid code




#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page for invalid code	PASSED	0.013 s
2	When User enters invalid code to run on editor in stack	PASSED	3.195 s
	System.out.println("Hi Java");		
3	And User clicks Run to execute code for stack	PASSED	0.052 s
4	Then User gets a error message and dismisses it in stack	FAILED	0.004 s
	Step undefined		

User redirected to try me page to run python code



#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page valid code	FAILED	0.016 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'System' is not defined on line 1} (Session info: chrome=119.0.6045.160): NameError: name 'System' is not defined on line 1 Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [3e4de02670f66286ee804cd4318d1212, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, prowserVersion: 119.0.6045.160, chrome: (chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:UserskiritAppDatalLoca), fedom:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:63068/devtoo, se.cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:prf: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:prf: true,		
2	When User enters python code to run on editor of stack	SKIPPED	0.001 s
	print 'hello';		
3	And User clicks Run to execute pythone code	SKIPPED	0.001 s
4	Then User gets a valid output in stack	SKIPPED	0.001 s

The user again Stack page



DETAILED SECTION -- 14 --

#	Step / Hook Details	Status	Duration
1	Given The user is on Stack page for click practice quest	PASSED	0.065 s
2	When user clicks on practice questions	PASSED	0.194 s
3	Then User lands on practice page	PASSED	0.016 s