Cucumber Report

| **Start : Nov 26, 7:11:15.670 PM**	**End : Nov 26, 7:11:40.870 PM**	**Duration : 25.200 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 4 SKIPPED - 0	PASSED - 32 FAILED - 4 SKIPPED - 6

Features: 1

Scenarios: 11

Steps: 42

Pass %: 0 %

Pass %: 63 %

Pass %: 76 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Handling stack options	25.200 s	11	7	4	0	42	32	4	6

#	Feature Name	Scenario Name
1	*Handling stack options*	*User redirected to try me page to run invalid code*
2		*User redirected to try me page to run python code*
3		*User redirected to try me page to run invalid code*
4		*User redirected to try me page to run python code*

#	Feature Name	T	P	F	S	Duration
1	Handling stack options	11	7	4	0	25.200 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Handling stack options	User clicks gets into stack page	3	3	0	0	4.802 s
2		User on operation in stack page	4	4	0	0	1.030 s
3		User redirected to try me page to run invalid code	4	3	1	0	3.350 s
4		User redirected to try me page to run python code	4	0	1	3	0.048 s
5		The user back to Stack page	4	4	0	0	0.793 s
6		User redirected to try me page to run invalid code	4	3	1	0	3.347 s
7		User redirected to try me page to run python code	4	0	1	3	0.025 s
8		The user again back to Stack page	4	4	0	0	0.572 s
9		User redirected to try me page to run invalid code	4	4	0	0	6.331 s
10		User redirected to try me page to run python code	4	4	0	0	3.868 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Handling stack options	The user again Stack page	3	3	0	0	0.551 s

Handling stack options

FAILED	DURATION - 25.200 s	Scenarios		Steps	
/ 7:11:15.670 PM // 7:11:40.870 PM /		Total - 11		Total - 42	
		Pass - 7	11	Pass - 32	42
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 6	

User clicks gets into stack page

PASSED	DURATION - 4.802 s		Steps	
/ 7:11:15.677 PM // 7:11:20.479 PM /			Total - 3	
Handling stack options			Pass - 3	3
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is logged in and on Home Page for stack	PASSED	1.569 s
2	When User clicks on stack Get started button or from drop menu stack item	PASSED	0.882 s
3	Then User is on stack Intro page	PASSED	0.020 s

User on operation in stack page

PASSED	DURATION - 1.030 s		Steps	
/ 7:11:20.641 PM // 7:11:21.671 PM /			Total - 4	
Handling stack options			Pass - 4	4
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on opertaion stack Intro page	PASSED	0.027 s
2	When user clicks on opertaion in stack	PASSED	0.356 s
3	And User clicks on try here	PASSED	0.629 s
4	Then User lands on tryEditor page of stack	PASSED	0.009 s

User redirected to try me page to run invalid code

FAILED	DURATION - 3.350 s
/ 7:11:21.705 PM // 7:11:25.055 PM /	
Handling stack options	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page for invalid code	PASSED	0.013 s
2	When User enters invalid code to run on editor in stack	PASSED	3.222 s
	`System.out.println("Hi Java");`		
3	And User clicks Run to execute code for stack	PASSED	0.087 s
4	Then User gets a error message and dismisses it	FAILED	0.016 s

	java.lang.NullPointerException: Cannot invoke "pageobjects.Datastructure.InValidOutputmessage()" because "this.fromDSjava" is null
	    at stepdefinition.DataStructuresPage.user_gets_a_error_message_and_dismisses_it(DataStructuresPage.java:81)
	    at ?.User gets a error message and dismisses it(file:///C:/Users/kirti/git/numpy_coders/src/test/resources/features/stack.feature:19)
	* Not displayable characters are replaced by '?'.		

User redirected to try me page to run python code

FAILED	DURATION - 0.048 s
/ 7:11:25.114 PM // 7:11:25.162 PM /	
Handling stack options	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page valid code	FAILED	0.033 s

	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'System' is not defined on line 1} (Session info: chrome=119.0.6045.160): NameError: name 'System' is not defined on line 1 Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [07ec3c87041bd0f52c4fae58c44eae60, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\kirti\AppData\Loca. ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61800}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61800/devtoo..., se:cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 07ec3c87041bd0f52c4fae58c44eae60
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)
	   at org.openqa.selenium.remote.RemoteWebDriver$RemoteNavigation.back(RemoteWebDriver.java:1142)
	   at pageobjects.Stack.navigate(Stack.java:79)
	   at stepdefinition.StackDefinition.user_lands_on_editor_page_valid_code(StackDefinition.java:84)
	   at ?.User lands on Editor page valid code(file:///C:/Users/kirti/git/numpy_coders/src/test/resources/features/stack.feature:22)
	* Not displayable characters are replaced by '?'.		

2	When User enters python code to run on editor of stack `print 'hello';`	SKIPPED	0.002 s
3	And User clicks Run to execute pythone code	SKIPPED	0.001 s
4	Then User gets a valid output	SKIPPED	0.001 s

The user back to Stack page

PASSED	DURATION - 0.793 s
/ 7:11:25.195 PM // 7:11:25.988 PM /	
Handling stack options	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Stack page for clicks on implementation	PASSED	0.059 s
2	When user clicks on implementation	PASSED	0.322 s
3	And User clicks on try here	PASSED	0.393 s
4	Then User lands on tryEditor page of stack	PASSED	0.013 s

User redirected to try me page to run invalid code

FAILED	DURATION - 3.347 s
/ 7:11:26.028 PM // 7:11:29.375 PM /	
Handling stack options	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User lands on Editor page for invalid code	PASSED	0.014 s
2	When User enters invalid code to run on editor in stack	PASSED	3.256 s
	`System.out.println("Hi Java");`		
3	And User clicks Run to execute code for stack	PASSED	0.065 s
4	Then User gets a error message and dismisses it	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "pageobjects.Datastructure.InValidOutputmessage()" because "this.fromDSjava" is null at stepdefinition.DataStructuresPage.user_gets_a_error_message_and_dismisses_it(DataStructuresPage.java:81) at ?.User gets a error message and dismisses it(file:///C:/Users/kirti/git/numpy_coders/src/test/resources/features/stack.feature:39)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		

User redirected to try me page to run python code

FAILED	DURATION - 0.025 s		Steps
/ 7:11:29.402 PM // 7:11:29.427 PM /			Total - 4
			Pass - 0
Handling stack options			Fail - 1
			Skip - 3

| #	Step / Hook Details	Status	Duration
1	Given User lands on Editor page valid code	FAILED	0.016 s

	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'System' is not defined on line 1} (Session info: chrome=119.0.6045.160): NameError: name 'System' is not defined on line 1 Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [07ec3c87041bd0f52c4fae58c44eae60, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\kirti\AppData\Loca. ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61800}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61800/devtoo..., se:cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 07ec3c87041bd0f52c4fae58c44eae60
	
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)
	  at org.openqa.selenium.remote.RemoteWebDriver$RemoteNavigation.back(RemoteWebDriver.java:1142)
	  at pageobjects.Stack.navigate(Stack.java:79)
	  at stepdefinition.StackDefinition.user_lands_on_editor_page_valid_code(StackDefinition.java:84)
	  at ?.User lands on Editor page valid code(file:///C:/Users/kirti/git/numpy_coders/src/test/resources/features/stack.feature:42)
	* Not displayable characters are replaced by '?'.		

2	When User enters python code to run on editor of stack	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	print 'hello';		
3	And User clicks Run to execute pythone code	SKIPPED	0.001 s
4	Then User gets a valid output	SKIPPED	0.000 s

The user again back to Stack page

PASSED	DURATION - 0.572 s		
/ 7:11:29.452 PM // 7:11:30.024 PM /			
Handling stack options			

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

| #	Step / Hook Details	Status	Duration
1	Given The user on Stack page for clicks on Applications	PASSED	0.046 s
2	When user clicks on Applications	PASSED	0.204 s
3	And User clicks on try here	PASSED	0.304 s
4	Then User lands on tryEditor page of stack	PASSED	0.013 s

User redirected to try me page to run invalid code

PASSED	DURATION - 6.331 s		
/ 7:11:30.046 PM // 7:11:36.377 PM /			
Handling stack options			

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

| #	Step / Hook Details	Status	Duration
1	Given User lands on Editor page for invalid code	PASSED	0.016 s
2	When User enters invalid code to run on editor in stack	PASSED	3.200 s
	System.out.println("Hi Java");		

#	Step / Hook Details	Status	Duration
3	And User clicks Run to execute code for stack	PASSED	0.055 s
4	Then User gets an error message and dismisses it	PASSED	3.053 s

User redirected to try me page to run python code

PASSED	DURATION - 3.868 s
/ 7:11:36.426 PM // 7:11:40.294 PM /	
Handling stack options	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page valid code	PASSED	0.556 s
2	When User enters python code to run on editor of stack	PASSED	3.155 s
	print 'hello';		
3	And User clicks Run to execute pythone code	PASSED	0.099 s
4	Then User gets a valid output in stack	PASSED	0.044 s

The user again Stack page

PASSED	DURATION - 0.551 s
/ 7:11:40.319 PM // 7:11:40.870 PM /	
Handling stack options	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Stack page for click practice quest	PASSED	0.079 s
2	When user clicks on practice questions	PASSED	0.442 s
3	Then User lands on practice page	PASSED	0.024 s