

Rajalakshmi Engineering College

Name: Dhanigivela B
Email: 241501042@rajalakshmi.edu.in
Roll no: 241501042
Phone: 8870800831
Branch: REC
Department: I AIML AD
Batch: 2028
Degree: B.E - AI & ML

Scan to verify results



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 5_MCQ

Attempt : 1
Total Mark : 20
Marks Obtained : 12

Section 1 : MCQ

1. What will be the output of the following code?

```
a=(1,2,3,4)  
print(sum(a,3))
```

Answer

The method sum() doesn't exist for tuples

Status : Wrong

Marks : 0/1

2. What will be the output for the following code?

```
a=(1,2,3)  
b=('A','B','C')  
c=zip(a,b)
```

```
print(c)
print(tuple(c))
```

Answer

```
((('A', 1), ('B', 2), ('C', 3)))
```

Status : Wrong

Marks : 0/1

3. If 'a' is a dictionary with some key-value pairs, what does a.popitem() do?

Answer

Removes all the key-value pairs

Status : Wrong

Marks : 0/1

4. What is the output of the following code?

```
a=(1,2,(4,5))
b=(1,2,(3,4))
print(a<b)
```

Answer

Error, < operator is valid for tuples but not if there are sub-tuples

Status : Wrong

Marks : 0/1

5. What is the output of the following code?

```
a={1:"A",2:"B",3:"C"}
b=a.copy()
b[2]="D"
print(a)
```

Answer

"None" is printed

Status : Wrong

Marks : 0/1

6. Predict the output of the following Python program

```
init_tuple_a = 1, 2, 8
init_tuple_b = (1, 2, 7)
set1=set(init_tuple_b)
set2=set(init_tuple_a)
print (set1 | set2)
print (init_tuple_a | init_tuple_b)
```

Answer

{1, 2}(1, 2)

Status : Wrong

Marks : 0/1

7. What is the output of the below Python code?

```
list1 = [1, 2, 3]
list2 = [5, 6, 7]
list3 = [10, 11, 12]
set1 = set(list2)
set2 = set(list1)
set1.update(set2)
set1.update(list3)
print(set1)
```

Answer

{1, 2, 3, 5, 6, 7, 10, 11, 12}

Status : Correct

Marks : 1/1

8. What is the result of print(type({}) is set)?

Answer

False

Status : Correct

Marks : 1/1

9. What will be the output for the following code?

```
t1 = (1, 2, 4, 3)
t2 = (1, 2, 3, 4)
print(t1 < t2)
```

Answer

False

Status : Correct

Marks : 1/1

10. Suppose t = (1, 2, 4, 3), which of the following is incorrect?

Answer

t[3] = 45

Status : Correct

Marks : 1/1

11. Which of the following isn't true about dictionary keys?

Answer

Keys must be integers

Status : Correct

Marks : 1/1

12. Which of the following statements is used to create an empty tuple?

Answer

()

Status : Correct

Marks : 1/1

13. What is the output of the following?

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}
print(set1.issubset(set2))
print(set2.issuperset(set1))
```

Answer

TrueTrue

Status : Correct

Marks : 1/1

14. What is the output of the following code?

```
a={"a":1,"b":2,"c":3}
b=dict(zip(a.values(),a.keys()))
print(b)
```

Answer

{'a': 1, 'b': 2, 'c': 3}

Status : Wrong

Marks : 0/1

15. Which of the following is a Python tuple?

Answer

(1, 2, 3)

Status : Correct

Marks : 1/1

16. Which of the statements about dictionary values is false?

Answer

Values of a dictionary must be unique

Status : Correct

Marks : 1/1

17. What will be the output?

```
a={'B':5,'A':9,'C':7}
print(sorted(a))
```

Answer

['A', 'B', 'C'].

Status : Correct

Marks : 1/1

18. Fill in the code in order to get the following output.

Output:

Tuple: (1, 3, 4)

Max value: 4

t=(1,)

```
print("Tuple:" ,t)
print("Max value:",_____)
```

Answer

1) t=t+(3,4)2) max(t)

Status : Correct

Marks : 1/1

19. What will be the output of the following program?

```
set1 = {1, 2, 3}
set2 = set1.copy()
set2.add(4)
print(set1)
```

Answer

{1,2,3,4}

Status : Wrong

Marks : 0/1

20. Set $s_1 = \{1, 2, 4, 3\}$ and $s_2 = \{1, 5, 4, 6\}$, find $s_1 \& s_2$, $s_1 - s_2$, $s_1 \cup s_2$ and $s_1 \Delta s_2$.

Answer

$s_1 \& s_2 = \{1, 4\}$ $s_1 - s_2 = \{2, 3\}$ $s_1 \Delta s_2 = \{2, 3, 5, 6\}$ $s_1 \cup s_2 = \{1, 2, 3, 4, 5, 6\}$

Status : Correct

Marks : 1/1