Ideation Phase

Empathize & Discover

Date	08 October 2026
Team ID	SWTID-2026-2540
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	4 Marks

Empathy Map Canvas:

An empathy map captures knowledge about a user's behaviours and attitudes and helps the team consider the user's goals and challenges. The primary perspective here is the EEE branch user who needs access to Institution Details records while unauthorized branch access is prevented.

HEARS • Security rules and role requirements • Guidance that access depends on permissions	**THINKS & FEELS** **• Wants access to relevant EEE records** **• Wants confidence that data is protected** **• May worry when access is unexpectedly denied**	SEES • Institution Details list • EEE, ECE and CSE branch values • Different actions based on permissions
HEARS • Administrators explain bb1–bb4 roles • Security expectations and restrictions	**SAYS & DOES** **• Opens the Institution Details list** **• Attempts permitted operations** **• Reports unavailable records/actions** **• Uses the system according to assigned role**	SEES • Relevant EEE records • New/Edit/Delete actions when permitted • No records when READ access is denied
PAIN • Required record may be unavailable • Unexpected permission denial • Confusion about unavailable operations • Risk of seeing data outside the user's scope	**USER / CONTEXT** **EEE BRANCH USER** **Role: bb1 for READ access** **Institution Details records** **Branch-focused access**	GAIN • Relevant EEE records accessible • Other branch records protected • Clear operation permissions • Greater confidence in security

Key Empathy Insights

- The user needs access that is useful and predictable: the system should expose the records permitted by the user's role and branch condition.
- Security restrictions can become a usability issue when the user does not understand why a record or operation is unavailable.
- The administrator needs a clear role-to-operation model so that access can be configured and verified consistently.
- The project addresses these needs through the EEE READ condition, role-specific CREATE/WRITE/DELETE ACLs, and impersonation-based verification.

Reference: https://www.mural.co/templates/empathy-map-canvas