Requirement Analysis

Solution Requirements (Functional & Non-functional)

Date	08 October 2026
Team ID	SWTID-2026-2540
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	4 Marks

Functional Requirements:

Following are the functional requirements derived from the supplied Script-Controlled ACL resource.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	Creation of Users and Roles	Create the test user 'EEE User'; create roles bb1, bb2, bb3 and bb4; assign all four roles to EEE User.
FR-2	Tables Creation	Create the custom table 'Institution Details' with name u_institution_details and the specified fields: Student Roll Number, Student Name, Faculty Name, Branch, Email, Phone Number and Description.
FR-3	Creation of Access Control Lists – Read	Create an active, advanced record-level Read ACL for u_institution_details; require role bb1; set the data condition Branch is EEE; use the supplied script; administrators retain full access.
FR-4	Creation of Access Control Lists – Create	Create an active record-level Create ACL for u_institution_details; require role bb2; no data condition.
FR-5	Creation of Access Control Lists – Write	Create an active record-level Write ACL for u_institution_details; require role bb3; no data condition.
FR-6	Creation of Access Control Lists – Delete	Create an active record-level Delete ACL for u_institution_details; require role bb4; no data condition.

Non-functional Requirements:

Following are the non-functional requirements. Where the project resource does not specify a target, that absence is stated rather than introducing an unsupported requirement.

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	The resource specifies a defined ServiceNow navigation and configuration sequence for users, roles, tables and ACLs.
NFR-2	Security	Record access is controlled by roles and the Read ACL's Branch=EEE condition/script; the resource explicitly gives administrators full Read access.
NFR-3	Reliability	The resource defines verification checks for users with and without the required roles and for administrator access.
NFR-4	Performance	No performance target, response-time requirement or optimization mechanism is specified in the supplied resource.
NFR-5	Availability	No availability target, redundancy mechanism or uptime requirement is specified in the supplied resource.
NFR-6	Scalability	No scalability target or architectural scaling mechanism is specified in the supplied resource.