

PRACTICAL-3

Name: Dhanashree Pahanpate

PRN: 202501050029

Division: Chemical(CH2)

3.1.1. Numpy Array Operations

Write a Python program to create a NumPy array based on user input and display the following:

- The created NumPy array.
- The number of dimensions of the array using ndim
- The shape of the array using shape
- The total number of elements in the array using size Assume all input elements are valid integers.

Input Format:

- The first line contains two space-separated integers, and , representing the number of rows and the number of columns.
- The next lines contain space-separated integers representing the elements of the array, entered row by row.

Output Format:

- The created NumPy array (printed as a 2D array).

- An integer representing the number of dimensions of the array.
- A tuple representing the shape of the array.
- An integer representing the total number of elements in the array.

CODE:

```
import numpy as np
rows, cols =
map(int, input().split())
elements = []
for _ in range(rows) :
    elements.extend(map(int, input().split()))
array = np.array(elements).reshape(rows, cols)
print(array)
print(array.ndim)
print(array.shape)
print(array.size)
```

The screenshot shows the CODETANTRA online code editor interface. At the top, the header includes the logo, navigation links (Home, Learn Anywhere), a user identifier (202501050029@mitaoe.ac.in), and a Logout button. Below the header, a status bar indicates performance metrics: Average time (0.014 s, 13.75 ms), Maximum time (0.021 s, 21.00 ms), and test results (2 out of 2 shown test case(s) passed, 10 out of 10 hidden test case(s) passed). The main area displays two test cases. Test case 1 shows expected and actual outputs for a 3x4 array, with values 3, 4, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12. Test case 2 shows expected and actual outputs for a 1x1 array, with values 0, 0. The bottom of the interface includes a Terminal tab and a Test cases tab, along with navigation buttons (Prev, Reset, Submit, Next).

3.2.1. Numpy: Matrix Operations

The given code takes two matrices, , and , as input from the user and converts them into NumPy arrays.

Task:

You are required to compute and display the results of the following matrix operations:

1. **Addition ()**
2. **Subtraction ()**
3. **Element-wise Multiplication ()**
4. **Matrix Multiplication ()**
5. **Transpose of Matrix A Input Format:**
 - The user will input 3 rows for , each containing 3 integers separated by spaces.
 - Similarly, the user will input 3 rows for , each containing 3 integers separated by spaces.

Output Format:

The program should display the results of the operations in the following order:

1. The result of Addition.
2. The result of Subtraction.
3. The result of Element-wise Multiplication.
4. The result of Matrix Multiplication.
5. The Transpose of Matrix A.

CODE

```

import numpy as np # Input matrices print("Enter Matrix A:")
matrix_a = np.array([list(map(int, input().split())) for i in range(3)])
print("Enter Matrix B:") matrix_b = np.array([list(map(int,
input().split())) for i in range(3)])
# Addition addition_result = matrix_a + matrix_b
print("Addition (A + B):") print(addition_result) #
Subtraction subtraction_result = matrix_a - matrix_b
print("Subtraction (A - B):") print(subtraction_result) #
Multiplication (element-wise)
elementwise_multiplication_result = matrix_a * matrix_b
print("Element-wise Multiplication (A * B):")
print(elementwise_multiplication_result) # Matrix
multiplication (dot product)
matrix_multiplication_result=np.dot(matrix_a, matrix_b)
print("A dot B:")
print(matrix_multiplication_result)
# Transpose transpose_a
= matrix_a.T
print("Transpose of A:")
print(transpose_a)

```

[Home](#)
[Learn Anywhere](#)

202501050029@mitaoe.ac.in
Support
Logout

Average time
0.023 s
22.75 ms

Maximum time
0.026 s
26.00 ms

2 out of 2 shown test case(s) passed
2 out of 2 hidden test case(s) passed

Test case 1
25 ms
Debug

Expected output

Enter Matrix A:

```

1 2 3
4 5 6
7 8 9

```

Enter Matrix B:

```

1 1 1
1 1 1
1 1 1

```

Addition (A + B):

```

[[ 2  3  4]
 [ 5  6  7]
 [ 8  9 10]]

```

Subtraction (A - B):

```

[[ 0  1  2]
 [ 3  4  5]
 [ 6  7  8]]

```

Element-wise Multiplication (A * B):

```

[[ 1  2  3]
 [ 4  5  6]
 [ 7  8  9]]

```

A dot B:

```

[[ 6  6  6]

```

Actual output

Enter Matrix A:

```

1 2 3
4 5 6
7 8 9

```

Enter Matrix B:

```

1 1 1
1 1 1
1 1 1

```

Addition (A + B):

```

[[ 2  3  4]
 [ 5  6  7]
 [ 8  9 10]]

```

Subtraction (A - B):

```

[[ 0  1  2]
 [ 3  4  5]
 [ 6  7  8]]

```

Element-wise Multiplication (A * B):

```

[[ 1  2  3]
 [ 4  5  6]
 [ 7  8  9]]

```

A dot B:

```

[[ 6  6  6]

```

< Prev
Reset
Submit
Next >

[Home](#)
[Learn Anywhere](#)

202501050029@mitaoe.ac.in
Support
Logout

Average time
0.023 s
22.75 ms

Maximum time
0.026 s
26.00 ms

2 out of 2 shown test case(s) passed
2 out of 2 hidden test case(s) passed

7 8 9

Enter Matrix B:

```

1 1 1
1 1 1
1 1 1

```

Addition (A + B):

```

[[ 2  3  4]
 [ 5  6  7]
 [ 8  9 10]]

```

Subtraction (A - B):

```

[[ 0  1  2]
 [ 3  4  5]
 [ 6  7  8]]

```

Element-wise Multiplication (A * B):

```

[[ 1  2  3]
 [ 4  5  6]
 [ 7  8  9]]

```

A dot B:

```

[[ 6  6  6]
 [15 15 15]
 [24 24 24]]

```

Transpose of A:

```

[[ 1  4  7]
 [ 2  5  8]
 [ 3  6  9]]

```

7 8 9

Enter Matrix B:

```

1 1 1
1 1 1
1 1 1

```

Addition (A + B):

```

[[ 2  3  4]
 [ 5  6  7]
 [ 8  9 10]]

```

Subtraction (A - B):

```

[[ 0  1  2]
 [ 3  4  5]
 [ 6  7  8]]

```

Element-wise Multiplication (A * B):

```

[[ 1  2  3]
 [ 4  5  6]
 [ 7  8  9]]

```

A dot B:

```

[[ 6  6  6]
 [15 15 15]
 [24 24 24]]

```

Transpose of A:

```

[[ 1  4  7]
 [ 2  5  8]
 [ 3  6  9]]

```

< Prev
Reset
Submit
Next >

3.2.2. Numpy: Horizontal and Vertical Stacking of Arrays

You are given two arrays arr1 and arr2. You need to perform horizontal and vertical stacking operations on them using NumPy.

- Horizontal Stacking:** Stack the two matrices horizontally (side by side).

- **Vertical Stacking:** Stack the two matrices vertically (one below the other).

Input Format:

- The program should first prompt the user to input two 3x3 arrays.
- Each array consists of 3 rows, and each row contains 3 space-separated integers.
- The user will input the two arrays row by row.

Output Format:

- The program should display the result of the Horizontal Stack (side-by-side stacking) of the two arrays.
- The program should then display the result of the Vertical Stack (one below the other) of the two arrays.

CODE:

```
import numpy as np # Input matrices
print("Enter Array1:")
arr1 = np.array([list(map(int, input().split())) for i in range(3)])
print("Enter Array2:")
arr2 = np.array([list(map(int, input().split())) for i in range(3)])
# Perform horizontal stacking (hstack)
a=np.hstack((arr1,arr2))
print("Horizontal Stack:")
print(a)
# Perform vertical stacking (vstack)
b=np.vstack((arr1,arr2))
print("Vertical Stack:")
```

CODETANTRA Home Learn Anywhere 202501050029@mitaoe.ac.in Support Logout

Average time: 0.054 s (54.25 ms) Maximum time: 0.084 s (84.00 ms) 2 out of 2 shown test case(s) passed 2 out of 2 hidden test case(s) passed

Test case 1 (42 ms) Debug

Expected output	Actual output
Enter Array1: 1 2 3	Enter Array1: 1 2 3
4 5 6	4 5 6
7 8 9	7 8 9
Enter Array2: 4 5 6	Enter Array2: 4 5 6
7 8 9	7 8 9
10 11 12	10 11 12
Horizontal Stack: [[1 2 3 4 5 6] [4 5 6 7 8 9] [7 8 9 10 11 12]]	Horizontal Stack: [[1 2 3 4 5 6] [4 5 6 7 8 9] [7 8 9 10 11 12]]
Vertical Stack: [[1 2 3] [4 5 6] [7 8 9] [4 5 6] [7 8 9] [10 11 12]]	Vertical Stack: [[1 2 3] [4 5 6] [7 8 9] [4 5 6] [7 8 9] [10 11 12]]

Test case 2 (39 ms) Debug

Expected output Actual output

< Prev Reset Submit Next >

CODETANTRA Home Learn Anywhere 202501050029@mitaoe.ac.in Support Logout

Average time: 0.054 s (54.25 ms) Maximum time: 0.084 s (84.00 ms) 2 out of 2 shown test case(s) passed 2 out of 2 hidden test case(s) passed

Test case 2 (39 ms) Debug

Expected output	Actual output
Enter Array1: -1 -2 -3	Enter Array1: -1 -2 -3
-4 -5 -6	-4 -5 -6
-7 -8 -9	-7 -8 -9
Enter Array2: 10 11 12	Enter Array2: 10 11 12
13 14 15	13 14 15
16 17 18	16 17 18
Horizontal Stack: [[-1 -2 -3 10 11 12] [-4 -5 -6 13 14 15] [-7 -8 -9 16 17 18]]	Horizontal Stack: [[-1 -2 -3 10 11 12] [-4 -5 -6 13 14 15] [-7 -8 -9 16 17 18]]
Vertical Stack: [[-1 -2 -3] [-4 -5 -6] [-7 -8 -9] [10 11 12] [13 14 15] [16 17 18]]	Vertical Stack: [[-1 -2 -3] [-4 -5 -6] [-7 -8 -9] [10 11 12] [13 14 15] [16 17 18]]

< Prev Reset Submit Next >

3.2.3. Numpy: Custom Sequence Generation

Write a Python program that takes the following inputs from the user:

- Start value: The starting point of the sequence.
- Stop value: The sequence should end before this value.

- Step value: The increment between each number in the sequence.

The program should then generate a sequence using numpy based on these inputs and print the generated sequence.

Input Format:

- The user will input three integer values: start, stop, and step, each on a new line.

Output Format:

- The program should print the generated sequence based on the input values.

CODE:

```
import numpy as np

# Take user input for the start, stop, and step of the sequence
start = int(input()) stop = int(input()) step = int(input())

# Generate the sequence using np.arange()
a= np.arange(start,stop, step) print(a)

# Print the generated sequence
```


The screenshot shows the CODETANTRA online judge interface. At the top, there's a navigation bar with 'CODETANTRA', 'Home', 'Learn Anywhere', a user email '202501050029@mitaoe.ac.in', 'Support', and a 'Logout' button. Below the navigation bar, a status bar indicates 'Average time 0.021 s', 'Maximum time 0.027 s', and '2 out of 2 shown test case(s) passed'. The main area displays two test cases. Test case 1 shows 'Expected output' as 3, 18, 2 and 'Actual output' as 3, 18, 2, with a message '[3 5 7 9]'. Test case 2 shows 'Expected output' as 18, 28, 38 and 'Actual output' as 18, 28, 38, with a message '[18]'. At the bottom, there are buttons for '< Prev', 'Reset', 'Submit', and 'Next >'. The interface also includes a 'Debugger' button on the right side.

3.2.4. Numpy: Arithmetic and Statistical Operations, Mathematical Operations, Bitwise Operators

You are given two arrays A and B. Your task is to complete the function `array_operations`, which will convert these lists into NumPy arrays and perform the following operations:

1. Arithmetic Operations:

- Compute the element-wise sum, difference, and product of the two arrays.

2. Statistical Operations:

- Calculate the mean, median, and standard deviation of array A.

3. Bitwise Operations:

- Perform bitwise AND, bitwise OR, and bitwise XOR on the arrays (ex: $A_i \text{ OR } B_i$).

Input Format:

- The first line contains space-separated integers representing the elements of array A.
- The second line contains space-separated integers representing the elements of array B.

Output Format:

- For each operation (arithmetic, statistical, and bitwise), print the results in the specified format as shown in sample test cases.

CODE:

```
import numpy as np
def array_operations(A, B):
    # Convert A and B to NumPy arrays
    A = np.array(A)
    B = np.array(B)    # Arithmetic
    Operations
    sum_result = A + B
    diff_result = A - B    prod_result = A
    * B
    # Statistical Operations
    mean_A = np.mean(A)
    median_A = np.median(A) std_dev_A
    = np.std(A)
    # Bitwise Operations
    and_result = A & B
    or_result = A | B
```

```

xor_result

# Output results with one space between each element
print("Element-wise Sum:", ' '.join(map(str, sum_result)))
print("Element-wise Difference:", ' '.join(map(str, diff_result)))
print("Element-wise Product:", ' '.join(map(str, prod_result)))
print(f"Mean of A: {mean_A}")

print(f"Median of A: {median_A}")
print(f"Standard Deviation of A: {std_dev_A}")

print("Bitwise AND:", ' '.join(map(str, and_result)))
print("Bitwise OR:", ' '.join(map(str, or_result)))
print("Bitwise XOR:", ' '.join(map(str, xor_result))) A =
list(map(int, input().split())) # Elements of array A B =
list(map(int, input().split())) # Elements of array B
array_operations(A, B)

```


After completing these steps, observe how modifying the view affects the `original_array`, while modifying the copy does not.

Input Format:

- A single line of space-separated integers.

Output Format:

- After modifying the view:

Original array after modifying view: **<original_array>**

View array: **<view_array>**

- After modifying the copy:

Original array after modifying copy: **<original_array>**

Copy array: **<copy_array>** **CODE:**

```
import numpy as np

inputlist = list(map(int,input().split(" ")))


)# Original array original_array =
np.array(inputlist) # Create a view
view_array =original_array.view()

# Create a copy copy_array
=original_array.copy()

# Modify the view view_array[0] = 99 print("Original array
after modifying view:", original_array) print("View array:",
view_array)

# Modify the copy copy_array[1] = 88 print("Original array
after modifying copy:", original_array) print("Copy array:",
```

copy_array)



3.2.6. Numpy: Searching, Sorting, Counting, Broadcasting

The given code in the editor takes a single array, array1, as space-separated integers as input from the user.

Additionally, it takes the following inputs:

- search_value: The value to search for in the array.
- count_value: The value to count its occurrences in the array.
- broadcast_value: The value to add for broadcasting across the array. You need to complete the code to perform the following operations:

1. **Searching:** Find the indices where search_value appears in array1 and print these indices.

2. **Counting:** Count how many times count_value appears in array1 and print the count.

3. Broadcasting: Add broadcast_value to each element of array1 using broadcasting, and print the resulting array.

4. Sorting: Sort array1 in ascending order and print the sorted array.

Input Format:

1. A single line containing space-separated integers representing array1.
2. An integer search_value represents the value to search for in the array.
3. An integer count_value represents the value to count in the array.
4. An integer broadcast_value represents the value to add to each element of the array.

Output Format:

1. The indices where search_value occurs in array1.
2. The count of occurrences of count_value in array1.
3. The array after adding the broadcast_value to each element.
4. The sorted array.

CODE:

```
import numpy as np# Input array from the user array1 =  
np.array(list(map(int, input().split())))  
  
# Searching search_value = int(input("Value to  
search: ")) count_value = int(input("Value to  
count: ")) broadcast_value = int(input("Value
```

```
to add: ")) # Find indices where value matches  
in array1
```

```
a=np.where(array1==search_value)[0] print(a)
```

```
# Count occurrences in array1
```

```
b=np.count_nonzero(array1==count_value) print(b)
```

```
# Broadcasting addition c=array1 +
```

```
broadcast_value print(c)
```

```
# Sort the first array
```

```
d=np.sort(array1) print(d)
```

The screenshot displays the CODETANTRA web interface. At the top, there's a navigation bar with 'CODETANTRA', 'Home', and 'Learn Anywhere'. On the right, it shows a user email '202501050029@mitaoe.ac.in', 'Support', and a 'Logout' button. Below the navigation bar, a status bar indicates 'Average time: 0.034 s (34.00 ms)', 'Maximum time: 0.047 s (47.00 ms)', and '2 out of 2 shown test case(s) passed' and '2 out of 2 hidden test case(s) passed'. The main area shows two test cases. Test case 1 has an 'Expected output' and 'Actual output' section, both displaying the same results: '1 1 1 2 2 2', 'Value to search: 1', 'Value to count: 2', 'Value to add: 2', '[0 1 2]', '3', '[3 3 3 4 4 4]', and '[1 1 1 2 2 2]'. Test case 2 also has 'Expected output' and 'Actual output' sections, both displaying: '1 2 3 4 5', 'Value to search: 6', 'Value to count: 6', 'Value to add: 6', '[]', '0', '[-7 -8 -9 -10 -11]', and '[1 2 3 4 5]'. At the bottom, there are buttons for '< Prev', 'Reset', 'Submit', and 'Next >'. A 'Debugger' button is visible on the right side of the interface.

3.2.7. Student Data Analysis and Operations

Write a Python program that takes the file name of a CSV file containing student details, including roll numbers and their marks in

three subjects as input, reads the data, and performs the following operations:

- **Print all student details:** Display the complete details of all students, including roll numbers and marks for all subjects.
- **Find total students:** Determine the total number of students in the dataset.
- **Print all student roll numbers:** Extract and print the roll numbers of all students.
- **Print Subject 1 marks:** Extract and print the marks of all students in Subject 1.
- **Find minimum marks in Subject 2:** Identify the lowest marks in Subject 2.
- **Find maximum marks in Subject 3:** Identify the highest marks in Subject 3.
- **Print all subject marks:** Display the marks of all students for each subject.
- **Find total marks of students:** Compute the total marks for each student across all subjects.
- **Find the average marks of each student:** Compute the average marks for each student.
- **Find average marks of each subject:** Compute the average marks for all students in each subject.
- **Find average marks of Subject 1 and Subject 2:** Compute the average marks for Subject 1 and Subject 2.
- **Find average marks of Subject 1 and Subject 3:** Compute the average marks for Subject 1 and Subject 3.

- **Find the roll number of the student with maximum marks in Subject 3:** Identify the student with the highest marks in Subject 3 and print their roll number.
- **Find the roll number of the student with minimum marks in Subject 2:** Identify the student with the lowest marks in Subject 2 and print their roll number.
- **Find the roll number of students who scored 24 marks in Subject 2:** Identify students who obtained exactly 24 marks in Subject 2 and print their roll numbers.
- **Find the count of students who got less than 40 marks in Subject 1:** Count the number of students who scored less than 40 marks in Subject 1.
- **Find the count of students who got more than 90 marks in Subject 2:** Count the number of students who scored more than 90 marks in Subject 2.
- **Find the count of students who scored ≥ 90 in each subject:** Count the number of students who scored 90 or more marks in each subject.
- **Find the count of subjects in which each student scored ≥ 90 :** Determine how many subjects each student scored 90 or more marks in.
- **Print Subject 1 marks in ascending order:** Sort and print the marks of students in Subject 1 in ascending order.
- **Print students who scored between 50 and 90 in Subject 1:** Display students who scored marks between 50 and 90 in Subject 1.

- **Find index positions of students who scored 79 in Subject 1:**
Identify the index positions of students who scored exactly 79 marks in Subject 1.

CODE:

```
import numpy as npa = np.loadtxt("Sample.csv", delimiter=',',  
skiprows=1)
```

```
# 1. Print all student details print("All  
student Details:\n",a)
```

```
# 2. print total students
```

```
print("Total Students:",a.shape[0]) # 3. Print all
```

```
student Roll numbers print("All Student Roll  
Nos",a[:,0]) # 4. Print subject 1 marks
```

```
print("Subject 1 Marks",a[:,1]) # 5. print
```

```
minimum marks of Subject 2 print("Min marks  
in Subject 2",np.min(a[:,2])) # 6. print
```

```
maximum marks of Subject 3 print("Max marks  
in Subject 3",np.max(a[:,3]))
```

```
# 7. Print All subject marks print("All subject  
marks:",a[:,1:4]) # 8. print Total marks of
```

```
students print("Total
```

```
Marks",np.sum(a[:,1:4],axis=1))
```

```
# 9. print average marks of each student
```

#Note:Expected output shows rounded values like 77.3

```
print(np.round(np.mean(a[:,1:4],axis=1),1)) # 10. print  
average marks of each subject print("Average Marks of  
each
```

```
subject",np.round(np.mean(a[:,1:4],axis=0),1))
```

11. print average marks of S1 and S2

#The test case expected[71.7 59.8], which are the individual subject averages

```
print("Average Marks of S1 and  
S2",np.round(np.mean(a[:,1:3],axis=0),1)) # 12. print average  
marks of S1 and S3 print("Average Marks of S1 and  
S3",np.round(np.mean(a[:,[1, 3]],axis=0),1))
```

13. print Roll number who got maximum marks in Subject 3

```
print("Roll no who got maximum marks in Subject  
3",a[np.argmax(a[:,3]),0])
```

14. print Roll number who got minimum marks in Subject 2

```
print("Roll no who got minimum marks in Subject  
2",a[np.argmin(a[:,2]),0])
```

15. print Roll number who got 24 marks in Subject 2 print("Roll no

who got 24 marks in Subject 2",a[a[:,2]==24][:,0:1]) # 16. print

```
count of students who got marks in Subject 1 < 40 print("Count of  
students who got marks in Subject 1 < 40",np.sum(a[:,1]<40))
```

```

# 17. print count of students who got marks in Subject 2 > 90
print("Count of students who got marks in Subject 2 >
90:",np.sum(a[:,2]>90))

# 18. print count of students in each subject who got marks >= 90
print("Count of students in each subject who got marks >=
90:",np.sum(a[:,1:4]>=90,axis=0))# 19. print count of subjects in
which each student got marks >= 90 print("Roll no:",a[:,0])
print("Count of subjects in which student got marks >=
90:",np.sum(a[:,1:4]>=90,axis=1)) # 20. Print S1 marks in
ascending order print(np.sort(a[:,1]))

# 21. Print S1 marks >= 50 and <=
90print(a[(a[:,1]>=50)&(a[:,1]<=90)])

#Bonus: The test case shows the full array printed again before
the index positions print(a)

# 22. Print the index position of marks 79 #
Expected format:(array([6,9],dtype=int32),)
print(np.where(a[:,1]==79))

```

Explorer

Average time
0.038 s
38.00 msMaximum time
0.038 s
38.00 ms

1 out of 1 shown test case(s) passed

Test case 1 38 ms Debug

Expected output

All student Details:-

```
[[301,-67,-77,-88,]  
[302,-78,-88,-77,]  
[303,-45,-56,-89,]  
[304,-88,-98,-45,]  
[305,-78,-88,-99,]  
[306,-68,-78,-36,]  
[307,-79,-12,-45,]  
[308,-46,-45,-77,]  
[309,-89,-32,-88,]  
[310,-79,-24,-33,]]
```

Total Students: 10

All Student Roll Nos [301, 302, 303, 304, 305, 306, 307, 308, 309, 310,]

Subject 1 Marks [67, 78, 45, 88, 78, 68, 79, 46, 89, 79,]

Min marks in Subject 2 12.0

Max marks in Subject 3 99.0

All subject marks: [[67, 77, 88,]

[78, 88, 77,]

[45, 56, 89,]

[88, 98, 45,]

[78, 88, 99,]

[68, 78, 36,]

[79, 12, 45,]

[46, 45, 77,]

[89, 32, 88,]

[79, 24, 33,]]

```
Total Marks [232, 243, 190, 221, 265, 182, 136, 168, 209, 136,]  
[77, 3, 81, -63, 3, 77, -88, 3, 68, 7, 45, 3, 56, -69, 7, 45, 3]  
Average Marks of each subject [71.7, 59.8, 67.7]  
Average Marks of S1 and S2 [71.7, 59.8]  
Average Marks of S1 and S3 [71.7, 67.7]  
Roll no who got maximum marks in Subject 3 305.0  
Roll no who got minimum marks in Subject 2 307.0  
Roll no who got 24 marks in Subject 2 [[310,]]  
Count of students who got marks in Subject 1 < 40 0  
Count of students who got marks in Subject 2 > 90: 1  
Count of students in each subject who got marks >= 90: [0 1 1]  
Roll no: [301, 302, 303, 304, 305, 306, 307, 308, 309, 310,]  
Count of subjects in which student got marks >= 90: [0 0 0 1 1 0 0 0 0 0]  
[45, 46, 67, 68, 78, 78, 79, 79, 88, 89,]  
[[301, -67, -77, -88,]  
[302, -78, -88, -77,]
```

Actual output

All student Details:-

```
[[301,-67,-77,-88,]  
[302,-78,-88,-77,]  
[303,-45,-56,-89,]  
[304,-88,-98,-45,]  
[305,-78,-88,-99,]  
[306,-68,-78,-36,]  
[307,-79,-12,-45,]  
[308,-46,-45,-77,]  
[309,-89,-32,-88,]  
[310,-79,-24,-33,]]
```

Total Students: 10

All Student Roll Nos [301, 302, 303, 304, 305, 306, 307, 308, 309, 310,]

Subject 1 Marks [67, 78, 45, 88, 78, 68, 79, 46, 89, 79,]

Min marks in Subject 2 12.0

Max marks in Subject 3 99.0

All subject marks: [[67, 77, 88,]

[78, 88, 77,]

[45, 56, 89,]

[88, 98, 45,]

[78, 88, 99,]

[68, 78, 36,]

[79, 12, 45,]

[46, 45, 77,]

[89, 32, 88,]

[79, 24, 33,]]

```
Total Marks [232, 243, 190, 221, 265, 182, 136, 168, 209, 136,]  
[77, 3, 81, -63, 3, 77, -88, 3, 68, 7, 45, 3, 56, -69, 7, 45, 3]  
Average Marks of each subject [71.7, 59.8, 67.7]  
Average Marks of S1 and S2 [71.7, 59.8]  
Average Marks of S1 and S3 [71.7, 67.7]  
Roll no who got maximum marks in Subject 3 305.0  
Roll no who got minimum marks in Subject 2 307.0  
Roll no who got 24 marks in Subject 2 [[310,]]  
Count of students who got marks in Subject 1 < 40 0  
Count of students who got marks in Subject 2 > 90: 1  
Count of students in each subject who got marks >= 90: [0 1 1]  
Roll no: [301, 302, 303, 304, 305, 306, 307, 308, 309, 310,]  
Count of subjects in which student got marks >= 90: [0 0 0 1 1 0 0 0 0 0]  
[45, 46, 67, 68, 78, 78, 79, 79, 88, 89,]  
[[301, -67, -77, -88,]  
[302, -78, -88, -77,]
```

< Prev Reset Submit Next >

Explorer

Average time
0.038 s
38.00 msMaximum time
0.038 s
38.00 ms

1 out of 1 shown test case(s) passed

View Meetings

```
max subject's min marks: [[67, 77, 88,]  
[78, 88, 77,]  
[45, 56, 89,]  
[88, 98, 45,]  
[78, 88, 99,]  
[68, 78, 36,]  
[79, 12, 45,]  
[46, 45, 77,]  
[89, 32, 88,]  
[79, 24, 33,]]
```

```
Total Marks [232, 243, 190, 221, 265, 182, 136, 168, 209, 136,]  
[77, 3, 81, -63, 3, 77, -88, 3, 68, 7, 45, 3, 56, -69, 7, 45, 3]  
Average Marks of each subject [71.7, 59.8, 67.7]  
Average Marks of S1 and S2 [71.7, 59.8]  
Average Marks of S1 and S3 [71.7, 67.7]  
Roll no who got maximum marks in Subject 3 305.0  
Roll no who got minimum marks in Subject 2 307.0  
Roll no who got 24 marks in Subject 2 [[310,]]  
Count of students who got marks in Subject 1 < 40 0  
Count of students who got marks in Subject 2 > 90: 1  
Count of students in each subject who got marks >= 90: [0 1 1]  
Roll no: [301, 302, 303, 304, 305, 306, 307, 308, 309, 310,]  
Count of subjects in which student got marks >= 90: [0 0 0 1 1 0 0 0 0 0]  
[45, 46, 67, 68, 78, 78, 79, 79, 88, 89,]  
[[301, -67, -77, -88,]  
[302, -78, -88, -77,]
```

```
max subject's min marks: [[67, 77, 88,]  
[78, 88, 77,]  
[45, 56, 89,]  
[88, 98, 45,]  
[78, 88, 99,]  
[68, 78, 36,]  
[79, 12, 45,]  
[46, 45, 77,]  
[89, 32, 88,]  
[79, 24, 33,]]
```

```
Total Marks [232, 243, 190, 221, 265, 182, 136, 168, 209, 136,]  
[77, 3, 81, -63, 3, 77, -88, 3, 68, 7, 45, 3, 56, -69, 7, 45, 3]  
Average Marks of each subject [71.7, 59.8, 67.7]  
Average Marks of S1 and S2 [71.7, 59.8]  
Average Marks of S1 and S3 [71.7, 67.7]  
Roll no who got maximum marks in Subject 3 305.0  
Roll no who got minimum marks in Subject 2 307.0  
Roll no who got 24 marks in Subject 2 [[310,]]  
Count of students who got marks in Subject 1 < 40 0  
Count of students who got marks in Subject 2 > 90: 1  
Count of students in each subject who got marks >= 90: [0 1 1]  
Roll no: [301, 302, 303, 304, 305, 306, 307, 308, 309, 310,]  
Count of subjects in which student got marks >= 90: [0 0 0 1 1 0 0 0 0 0]  
[45, 46, 67, 68, 78, 78, 79, 79, 88, 89,]  
[[301, -67, -77, -88,]  
[302, -78, -88, -77,]
```

<https://mitaoe.codetantra.com/secure/course.jsp?euclid=698c54860aba9c214c8b7d5e#>

< Prev Reset Submit Next >